



landscape • entertainment • architectural • hospitality • illumination

NEW

AL-18-SM SERIES FOCUS TORCH & LIGHT



AL-18-SM-AH-HH-COP



AL-18-SM-AH-HH-BB-BAT



AL-18-SM-AH-CAR



AL-18-SM-AH-COP



AL-18-SM-AH-COP



TORCH & LIGHT AL-18-SM SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Spun copper hat, snuff cap with cast brass adjustable hub; matching extruded copper stanchion. Hammered surface on hat available on -HH models

FUEL CAPACITY: 14 ounces in vertical position; approximately 7 hours burn time

WICK: Long lasting 1/4" round braided fiberglass

LAMP SUPPLIED: 20w T4 Halogen 10,000 hours average rating (20w max.)

LAMP OPTIONS: We recommend 10,000 hours average rating 20w Xenon (-X), 3w 50,000 hours average rating OMNI-3 LED (-LED3)

SOCKET: Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s) with 200°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: Angle cut stanchion; -DM (deck mount) models have FA-03 black 9" ABS stake, tapped 1/2" NPS

FINISH: Unfinished copper

Optional finishes available in Acid Rust (-CAR), Acid Verde (-CAV), Black Acid Treatment (-BAT)



AL-18-SM-AH-COP




ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
AL-18-SM-AH-COP	Copper Torch Light	20w T4 Halogen	5.0 lbs.
AL-18-SM-AH-BB-COP	Copper Torch Light, Brass Bamboo Stem	20w T4 Halogen	8.0 lbs.
AL-18-SM-AH-SB-COP	Copper Torch Light, Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SM-AH-SBD-COP	Copper Torch Light, Deluxe Painted Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-AH-COP	Copper Torch Light	20w T4 Halogen	5.0 lbs.
AL-18-SMDM-AH-BB-COP	Copper Torch Light, Brass Bamboo Stem	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-AH-SB-COP	Copper Torch Light, Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-AH-SBD-COP	Copper Torch Light, Deluxe Painted Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SM-HH-AH-COP	Copper Hammered Torch Light	20w T4 Halogen	5.0 lbs.
AL-18-SM-HH-AH-BB-COP	Copper Hammered Torch, Brass Bamboo Stem	20w T4 Halogen	8.0 lbs.
AL-18-SM-HH-AH-SB-COP	Copper Hammered Torch, Simulated UV Stabilized UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SM-HH-AH-SBD-COP	Copper Hammered Torch, Deluxe Painted Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-HH-AH-COP	Copper Hammered Torch Light	20w T4 Halogen	5.0 lbs.
AL-18-SMDM-HH-AH-BB-COP	Copper Hammered Torch, Brass Bamboo Stem	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-HH-AH-SB-COP	Copper Hammered Torch, Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.
AL-18-SMDM-HH-AH-SBD-COP	Copper Hammered Torch, Deluxe Painted Simulated UV Stabilized PVC Bamboo Stem*	20w T4 Halogen	8.0 lbs.

* Simulated PVC bamboo stem has inside diameter of 1.330"

LIGHT DISTRIBUTIONS AND PHOTOMETRICS



JOB INFORMATION	
Type:	Date:
Job Name:	
Cat.No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	
FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA 92630	
www.focusindustries.com sales@focusindustries.com (949) 830-1350 • FAX (949) 830-3390	

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT

AL-18-SM Cut Sheet 051316

BRASS & COPPER ONLY





TORCH & LIGHT AL-18-SM SERIES



TYPE

MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

FA-97-18-SM Sprinkler Guard / Glare Shield

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT