



landscape • entertainment • architectural • hospitality • illumination

RXD-01 DIRECTIONAL LIGHTS



25301 COMMERCENTRE DRIVE • LAKE FOREST, CA 92630 • 949.830.1350 • 888.882.1350 • FAX 949.830.3390



DIRECTIONAL LIGHTS RXD-01 SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Cast brass bullet; matching cast brass adjustable swivel with 240° rotation

LENS: High impact clear tempered convex glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating (50w max)

LAMP OPTIONS: We recommend ARROW 4w LED (-LED) or 6w LED (-LED6W); 50,000 hour or ARROW SAVER 4w LED (-LAS); 40,000 hour

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires


WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 black 9" ABS stake threaded 1/2" NPS

FINISH: Unfinished brass. Optional finishes available



RXD-01-BRS

ORDERING INFORMATION


CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXD-01-BRS	Cast Brass Bullet	20w MR16 FL(BAB)	3.0 lbs.

LAMP AND STAKE **INSTALLED** TO SAVE YOU TIME AND MONEY

IP54



MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

FA-08-21	Round 1/4" Hex Cell Louver
FA-11-BLUE	Blue Tempered Glass Lens
FA-11-GREEN	Green Tempered Glass Lens
FA-11-AMBER	Amber Tempered Glass Lens
FA-11-RED	Red Tempered Glass Lens
FA-98	Linear Spread Tempered Glass Lens
FA-104-SB	Wide Spread Sandblasted Glass Lens Softener

JOB INFORMATION

Type:	_____
Job Name:	_____
Cat. No.:	_____
Lamp(s):	_____
Specifier:	_____
Contractor:	_____
Notes:	_____

FOCUS INDUSTRIES INC.®
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390




DIRECTIONAL LIGHTS RXD-01 SERIES




TYPE


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13W-FG




FL-13-BAB-FG




FL-13-ESX-FG




FL-13-VWFL-FG




FL-15-FMW-60-FG




FL-15-FMW-FG
FL-15-FMW-ULTRA




FL-15-FMT-FG




FL-15-FMV-FG
FL-15-FMV-ULTRA




FL-10-EXN-FG
FL-10-EXN-ULTRA




FL-10-EXT-FG
FL-10-EXT-ULTRA




FL-10-VWFL-FG



FL-10-EXZ-ULTRA



FL-LED-MR16-BAB



FL-LED-MR16-ESX