



landscape • entertainment • architectural • hospitality • illumination



RXD-08 SERIES DIRECTIONAL LIGHTS



25301 COMMERCENTRE DRIVE • LAKE FOREST, CA 92630 • 949.830.1350 • 888.882.1350 • FAX 949.830.3390



DIRECTIONAL LIGHTS RXD-08 SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Machined brass cylinder with threaded cap & cast brass adjustable swivel

-TAC model has threaded angle cap

LENS: Clear tempered stepped glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating (20w max)

LAMP OPTIONS: We recommend 50,000 hour ARROW 4w LED (-LED) or

40,000 hour 5w (-LED5) or 7w (-LED7) ARROW Super Saver LED

NOTE: ARROW LED MR16 must be factory installed to fit properly

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)

For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)


MOUNTING: FA-03 black 9" ABS stake, tapped 1/2" NPS

FINISH: Brass-Unfinished brass. Optional finishes available

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXD-08-BRS	Cast Brass Bullet	20w MR16 FL(BAB)	3.0 lbs.
RXD-08-TAC-BRS	Cast Brass Bullet, Threaded Angle Cap	20w MR16 FL(BAB)	3.5 lbs.

LAMP AND STAKE *INSTALLED* TO SAVE YOU TIME AND MONEY



RXD-08-TAC

RXD-08



RXD-08-BRS with
FA-SHROUD-086AC-BRS

Available with adjustable shroud
Perfect for up lighting and down lighting -
The Ultimate Tree Light
Shroud adjusts on site to adjust beam angles to
control the spacing of light!

IP65

CE



BEAM/GLARE CONTROL ACCESSORIES

FA-08-21	Round 1/8" Black Hex Cell Louver
FA-99	Clear convex lens
FA-11-RXD02-BLUE	Blue Tempered Flat Glass Lens
FA-11-RXD02-GREEN	Green Tempered Flat Glass Lens
FA-11-RXD02-AMBER	Amber Tempered Flat Glass Lens
FA-11-RXD02-RED	Red Tempered Flat Glass Lens
FA-98-36C16	Linear Spread Tempered Glass Lens
FA-104-SB	Wide Spread Sand Blasted Glass Lens

FA-RX-D01ACBRS	Slip on Angle Collar for RXD-08-BRS
FA-RX-D01TSBRS	Slip on Tube Shield for RXD-08-BRS

FA-SHROUD-0806AC-BRS	Adjustable 6" Brass Angel Cut Shroud For RXD-08-BRS
FA-SHROUD-0806AC-ACID	Adjustable 6" Brass Angel Cut Shroud For RXD-08-BRS

JOB INFORMATION

Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	

FOCUS INDUSTRIES INC.*
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630

www.focusindustries.com
sales@focusindustries.com
(949) 830-1350

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT

RXD-08 Cut Sheet

061517

BRASS & COPPER ONLY



DIRECTIONAL LIGHTS RXD-08 SERIES



TYPE



RXD-08-BRS
with FA-RX-D01TS-BRS



RXD-08-BRS
with FA-RX-D01AC-BRS




RXD-08-LED-BRS
with optional
FA-24-LG-CST-BRS canopy




2x RXD-08-LED-BRS
with optional
FA-24-LG-CST-DH-BRS canopy


MOUNTING ACCESSORIES




LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13-BAB-FG




FL-13-ESX-FG




FL-13W-FG



FL-13-VWFL-FG



FL-LED-MR16-BAB



FL-LED-MR16-ESX

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-BAR/CAR	-BAV/CAV	-BAT