



landscape • entertainment • architectural • hospitality • illumination

RXP-01/02 SERIES DIRECTIONAL LIGHTS



25301 COMMERCENTRE DRIVE • LAKE FOREST, CA 92630 • 949.830.1350 • 888.882.1350 • FAX 949.830.3390



PATH LIGHTS RXP-01/-02 SERIES



TYPE

SPECIFICATIONS

CONSTRUCTION: Aluminum tube shield bullet & cast aluminum swivel with 240° rotation with aluminum stem. Copper tube shield bullet and cast brass adjustable swivel with 240° rotation. Brass stem

LENS: High impact clear tempered flat glass

O-RING: High temperature red silicone

LAMP SUPPLIED: 20w MR16 FL(BAB) 5000 hours average rating
(35w max copper 50w max aluminum)

LAMP OPTIONS: We recommend ARROW 4w LED (-LED) or 6w LED (-LED6W); 50,000 hour or ARROW SAVER 4w LED (-LAS); 40,000 hour

SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

WIRING: Black 3 foot 18/2 zip cord from base of fixture (12v only)
For 25 foot 16/2 fixture lead wire add -25F to catalog number.

CONNECTION: FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

MOUNTING: FA-03 LG black 9" ABS stake threaded 1/2" NPS

FINISH: Aluminum-Black texture polyester powder coat. Optional finishes available.
Copper-Unfinished copper. Optional finishes available.

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
RXP-01-BLT	1x 20w MR16 Aluminum Path Light	20w MR16 FL(BAB)	4.0 lbs.
RXP-02-BLT	2x 20w MR16 Aluminum Path Light	20w MR16 FL(BAB)	5.0 lbs.
RXP-01-COP	1x 20w MR16 Copper Path Light	20w MR16 FL(BAB)	2.5 lbs.
RXP-02-COP	2x 20w MR16 Copper Path Light	20w MR16 FL(BAB)	3.0 lbs.





RXP-02-COP

RXP-01-COP

LAMP AND STAKE **INSTALLED** TO SAVE YOU TIME AND MONEY

MOUNTING ACCESSORIES



BEAM/GLARE CONTROL ACCESSORIES

FA-08-21	Round 1/4" Hex Cell Louver
FA-11-33-BLUE	Blue Tempered Glass Lens
FA-11-33-GREEN	Green Tempered Glass Lens
FA-11-33-AMBER	Amber Tempered Glass Lens
FA-11-33-RED	Red Tempered Glass Lens
FA-98-33	Linear Spread Tempered Glass Lens
FA-104-33-SB	Wide Spread Sandblasted Glass Lens Softener



JOB INFORMATION


Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	

FOCUS INDUSTRIES INC.®
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630


www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Terra Cotta	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-TRC	-BAR/CAR	-BAV/CAV	-BAT


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




FL-13W-FG




FL-13-BAB-FG




FL-13-ESX-FG




FL-13-VWFL-FG




FL-15-FMW-60-FG




FL-15-FMW-FG
FL-15-FMW-ULTRA




FL-15-FMT-FG




FL-15-FMV-FG
FL-15-FMV-ULTRA




FL-10-EXN-FG
FL-10-EXN-ULTRA




FL-10-EXT-FG
FL-10-EXT-ULTRA




FL-10-VWFL-FG




FL-10-EXZ-ULTRA




FL-13-EYC-FG



FL-20-EYF-FG



FL-LED-MR16-BAB



FL-LED-MR16-ESX