



landscape • entertainment • architectural • hospitality • illumination

SL-08 STEP LIGHTS





BRICK LIGHTS SL-08 120 VOLT SERIES

TYPE

SPECIFICATIONS

CONSTRUCTION:

FACE PLATE: Cast aluminum or brass

BACK BOX: Aluminum models- Cast aluminum powder coated high reflective white

Brass models- Unfinished cast brass

LENS SL-08: Clear tempered flat glass

LENS SL-08-AL: Opal White glass

GASKET: Black neosponge closed cell; .190" thickness

LAMP SUPPLIED: 2x 15w T7; 2x 25w T8; No Lamp for T10 model - Rated up to 40w T10

LAMP SUPPLIED -FL MODELS: 5w, 7w or 9w CFL, 4100K; 10,000 hours average rating

LAMP OPTIONS: 15w T7 or 25w T8; 40w T10; CFL in 2700K

SOCKET: Double contact bayonet, brass nickel plated lamp socket screw shell (Ba15d) with 200°C silicone lead wires or high temp ceramic medium base

SOCKET -FL MODELS: G23 bi-pin for 5w, 7w & 9w. GX23 for 13w

WIRING: Standard 120v black, white and ground

FINISH: Aluminum - Black texture polyester powder coat. Optional finishes available

Brass - Unfinished. Optional finishes available

NOTE: 1/2" end holes for feed through available. Specify at time of order.

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LAMP	SHIP WEIGHT
SL-08-T7-BLT	Cast Aluminum 4 Louver Brick Light	2x 15w T7	3.0 lbs.
SL-08-T7-BRS	Cast Brass 4 Louver Brick Light	2x 15w T7	7.0 lbs.
SL-08-T8-BLT	Cast Aluminum 4 Louver Brick Light	2x 25w T8	3.0 lbs.
SL-08-T8-BRS	Cast Brass 4 Louver Brick Light	2x 25w T8	7.0 lbs.
SL-08-T10-BLT	Cast Aluminum 4 Louver Brick Light	None	3.0 lbs.
SL-08-T10-BRS	Cast Brass 4 Louver Brick Light	None	7.0 lbs.
SL-08-AL-T7-BLT	Cast Aluminum Lensed Brick Light	2x 15w T7	3.0 lbs.
SL-08-AL-T7-BRS	Cast Brass Lensed Brick Light	2x 15w T7	7.0 lbs.
SL-08-AL-T8-BLT	Cast Aluminum Lensed Brick Light	2x 25w T8	3.0 lbs.
SL-08-AL-T8-BRS	Cast Brass Lensed Brick Light	2x 25w T8	7.0 lbs.
SL-08-AL-T10-BLT	Cast Aluminum Lensed Brick Light	None	3.0 lbs.
SL-08-AL-T10-BRS	Cast Brass Lensed Brick Light	None	7.0 lbs.
SL-08-FL5(7,9)120V-BLT	Cast Aluminum 4 Louver Brick Light	5,7 or 9w CFL	3.0 lbs.
SL-08-FL5(7,9)120V-BRS	Cast Brass 4 Louver Brick Light	5,7 or 9w CFL	7.0 lbs.
SL-08-AL-FL5(7,9)120V-BLT	Cast Aluminum Lensed Brick Light	5,7 or 9w CFL	3.0 lbs.
SL-08-AL-FL5(7,9)120V-BRS	Cast Brass Lensed Brick Light	5,7 or 9w CFL	7.0 lbs.

FACE PLATE ONLY

CATALOG NO.	DESCRIPTION
FA-54-120V-BLT	120v Cast Aluminum 4 Louver Face Plate, Clear Glass Lens
FA-54-120V-BRS	120v Cast Brass 4 Louver Face Plate, Clear Glass Lens
FA-55-120V-BLT	120v Cast Aluminum Lensed Face Plate, Opal Glass Lens
FA-55-120V-BRS	120v Cast Brass Lensed Face Plate, Opal Glass Lens

BACK BOX/SOCKET/LAMP ONLY


CATALOG NO.	DESCRIPTION	LAMP
FA-60-T7	Cast Aluminum Back Box with Lamp and Socket	2x 15w T7
FA-60-T8	Cast Aluminum Back Box with Lamp and Socket	2x 15w T8
FA-60-T10	Cast Aluminum Back Box with Socket	None
FA-60-FL5120V	Cast Aluminum Back Box with Lamp and Socket	5w CFL 4100°K
FA-60-FL7120V	Cast Aluminum Back Box with Lamp and Socket	7w CFL 4100°K
FA-60-FL9120V	Cast Aluminum Back Box with Lamp and Socket	9w CFL 4100°K
FA-60-T7-BRS	Cast Brass Back Box with Lamp and Socket	2x 15w T7
FA-60-T8-BRS	Cast Brass Back Box with Lamp and Socket	2x 15w T8
FA-60-T10-BRS	Cast Brass Back Box with Socket	None
FA-60-FL5120V-BRS	Cast Brass Back Box with Lamp and Socket	5w CFL 4100°K
FA-60-FL7120V-BRS	Cast Brass Back Box with Lamp and Socket	7w CFL 4100°K
FA-60-FL9120V-BRS	Cast Brass Back Box with Lamp and Socket	9w CFL 4100°K




SL-08-T10NL-BRS




SL-08-ALFL5-BAR



SL-08 Back Box



SL-08



SL-08-AL

SL-08: Mounting Holes on all models 7-1/2" on center



JOB INFORMATION

Type:	Date:
Job Name:	
Cat. No.:	
Lamp(s):	
Specifier:	
Contractor:	
Notes:	

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA 92630


www.focusindustries.com
sales@focusindustries.com
(949) 830-1350 • FAX (949) 830-3390

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Terra Cotta	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-TRC	-BAR/CAR	-BAV/CAV	-BAT




BRICK LIGHTS SL-08 120 VOLT SERIES


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




SL-08-T10 Half Spread Photometrics




SL-08-T10 Half Spread Photometrics




SL-08-FL-5 Half Spread Photometrics (5w)




SL-08-FL-7 Half Spread Photometrics (7w)




SL-08-FL-9 Half Spread Photometrics (9w)



SL-08-FL-5 Half Spread Photometrics (5w)



SL-08-FL-7 Half Spread Photometrics (7w)




SL-08-FL-9 Half Spread Photometrics (9w)

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Terra Cotta	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-TRC	-BAR/CAR	-BAV/CAV	-BAT




BRICK LIGHTS SL-08 120 VOLT SERIES


LIGHT DISTRIBUTIONS AND PHOTOMETRICS




SL-08-AL-FL-5 Half Spread Photometrics (5w)




SL-08-AL-FL-5 Half Spread Photometrics (5w)




SL-08-AL-FL-7 Half Spread Photometrics (7w)



SL-08-AL-FL-7 Half Spread Photometrics (7w)



SL-08-AL-FL-9 Half Spread Photometrics (9w)



SL-08-AL-FL-9 Half Spread Photometrics (9w)

Black Texture (Standard)	Antique Verde	Bronze Texture	Camel	White Texture	Hunter Texture	Rust	Weathered Iron	Weathered Brown	Stucco	Rubbed Verde	Chrome Powder	Terra Cotta	Acid Rust	Acid Verde	Black Acid Treatment
-BLT	-ATV	-BRT	-CAM	-WTX	-HTX	-RST	-WIR	-WBR	-STU	-RBV	-CPR	-TRC	-BAR/CAR	-BAV/CAV	-BAT