

# **RXA SERIES AREA LIGHT**

PROJECT: CATALOG NUMBER:

DATE:

TYPE:

ALUM

EXAMPLE: FIXTURE RXA TYPE 03 ADD ON OPTION	RXA031 Area Ligh			
RXA TYPE 03	Area Ligh	nt		
<b>TYPE</b> 03	Area Ligh	nt		
03				
ADD ON OP HON				
F	Finial			
12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<ul> <li>□ NL (No Lamp)</li> <li>□ NLBP (No Lamp)</li> <li>□ L10</li> <li>□ L12</li> <li>□ L13</li> <li>□ L14</li> <li>□ L15</li> <li>□ L16</li> <li>□ L17</li> <li>□ L18</li> </ul>	3w 3w 3w 3w 3w 3w 3w 3w TF 3w TF	Ba15s Single Contact G4 Bi-Pin G4 Bi-Pin Ba15s Single Contact G4 Bi-Pin Ba15s Single Contact Ba15s Single Contact G4 Bi-Pin Ba15s Single Contact	3000K 3000K 2700K 3000K 2700K 3000K Amber Amber	3001m 3001m 2701m 2701m 2701m 2701m 585-595nm 585-595nm
	light Source	<u> </u>		
	-	SOCKET	KELVIN	LUMEN
NL120VDC		Double Contact Bi-Pin	REVIN	LOWILIN
L160	3w	Bi-Pin	3000K	400lm
	NL (No Lamp) NLBP (No Lamp) L10 L12 L13 L14 L15 L16 L17 L18 (TF) Turtle Friendly NL120VDC NL120VDP	NL (No Lamp)         NLBP (No Lamp)         L10       3w         L12       3w         L13       3w         L14       3w         L15       3w         L16       3w         L17       3w TF         L18       3w TF         TF) Turtle Friendly Light Source         120 VOLT LED       WATT         NL120VDC         NL120VBP	NL (No Lamp)       Ba15s Single Contact         NLBP (No Lamp)       G4 Bi-Pin         L10       3w       G4 Bi-Pin         L12       3w       Ba15s Single Contact         L13       3w       G4 Bi-Pin         L14       3w       G4 Bi-Pin         L15       3w       Ba15s Single Contact         L16       3w       Ba15s Single Contact         L17       3w TF       G4 Bi-Pin         L18       3w TF       Ba15s Single Contact         (TF) Turtle Friendly Light Source       T         Ouble Contact         NL120VDC       Double Contact         NL120VBP       Bi-Pin	NL (No Lamp)       Ba15s Single Contact         NLBP (No Lamp)       G4 Bi-Pin         L10       3w       G4 Bi-Pin         L12       3w       Ba15s Single Contact       3000K         L13       3w       G4 Bi-Pin       2700K         L14       3w       G4 Bi-Pin       3000K         L15       3w       Ba15s Single Contact       2700K         L16       3w       Ba15s Single Contact       2700K         L16       3w       Ba15s Single Contact       3000K         L17       3w TF       G4 Bi-Pin       Amber         L18       3w TF       Ba15s Single Contact       Amber         (TF) Turtle Friendly Light Source         120 VOLT LED       WATT       SOCKET       KELVIN         NL120VDC       Double Contact       MU120VDC         NL120VBP       Bi-Pin       Si-Pin

🗌 25F 25 Foot Fixture Lead Wire CUSTOM STEM LENGTH

Blank	14.50" Standard Stem Length
Custom Length	(S) (State Custom Length On the Line Above)

FINISH (standard finishes listed)	
BLT	(Aluminum - Black Texture Powder Coat)
BRT	(Aluminum - Bronze Texture Powder Coat)
COP	(Unfinished- Copper)

Premium and Acid Finishes (See page 4 for more color options) Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

SHIP WEIGHT			
Aluminum 6061 Copper	(2.0lbs) (3.0lbs)		
ADDITIONAL INF	ORMATION		





#### FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE


LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM





THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.

RXA03FL15COP







FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM


DESIGNED MANUFACTURED IN THE USA




THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.








Canopies						
					。 〇 。	
FA24/BRS 3.00"dia.	FA24MDCST/BRS 2.65"dia.	FA24MDCSTPC/BRS 2.65"dia.	FA24LGSPUN/BRS 4.75"dia.	FA24LGCST/BRS 4.75"dia.	FA22LGCST/BRS 5.75"	
(12v)	(12v)	(12v)	(12v)	(12-277v)	(12-277v)	








FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

DESIGNED MANUFACTURED IN THE USA

THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.



## **RXA SERIES AREA LIGHT**

PROJECT:

CATALOG NUMBER:

LED DATA



## 12v OMNI 3 DATA


L#	ССТ	CRI	WATTS	LUMENS	RATED HOURS
L10	3000K	80	3	300	50,000
L12	3000K	80	3	300	50,000
L13	2700K	80	3	270	50,000
L14	3000K	80	3	270	50,000
L15	2700K	80	3	270	50,000
L16	3000K	80	3	270	50,000
L17	Amber	~	3	(585-595nm)	50,000
L18	Amber	~	3	(585-595nm)	50,000

## **120v OMNI 3 DATA**

L#	ССТ	CRI	WATTS	LUMENS	RATED HOURS
L160	3000K	80	3	400	50,000

## FINISHES

## STANDARD FINISHES



THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.

4 March 19, 2025 10:48 AM

DATE:

TYPE: