

RXD05 DIRECTIONAL LIGHT

RXD05

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



RXD05NLBRS



RXD05NLTSBRS
(Tube Shield)

CATALOG ORDER LOGIC

EXAMPLE: RXD05NLBRS

FIXTURE

RXD Remedy Series tDirectional Light

TYPE

05

DOWN LIGHT OPTION

D Down Light Option

120 VOLT LED WATT SOCKET BEAM ANGLE KELVIN LUMEN

<input type="checkbox"/> NL	No Lamp				
<input type="checkbox"/> L144	8w	Medium Base	15°	3000K	600lm
<input type="checkbox"/> L146	8w	Medium Base	36°	3000K	600lm

120-277 VOLT LED WATT SOCKET BEAM ANGLE KELVIN LUMEN

<input type="checkbox"/> NL	No Lamp				
<input type="checkbox"/> L140	8w	Medium Base	15°	3000K	600lm
<input type="checkbox"/> L142	8w	Medium Base	36°	3000K	600lm

CAP OPTIONS

TS Tube Shield

OPTIONS

NS No Stake
 25F 25 Foot Fixture Lead Wire

MATERIAL (standard material listed)

BLT Black Texture Polyester Powder Coat
 BRT Bronze Texture Polyester Powder Coat
 BRS Unfinished-Brass

Premium Finishes (See page 8 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

MOUNTING

None supplied.
[Configure and order accessories separately see page 4]

ADDITIONAL INFORMATION




landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





RXD05 DIRECTIONAL LIGHT

RXD05

PROJECT:

TYPE:



DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown

RXD05NLL142




MOUNTING OPTION DIMENSIONS


For fixture dimensions, see above.



FA26 Post



FAJBOX




FA24LGCST



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





RXD05 DIRECTIONAL LIGHT

RXD05

PROJECT:	TYPE:	DATE:
CATALOG NUMBER:		

SPECIFICATIONS

INTERNALS	VOLTAGE	120 Volt / 120-277 Volt
	WIRING	120v standard: Black, white, green (ground) with M4 ring terminal UL 1007-16"
	O-RING	Red silicone 568-037 70 durometer
	HARDWARE	Phillips flat head screw 8-32 x 1-3/4" stainless steel Phillips pan head screw M3 x 45mm stainless steel Phillips pan head screw M3 x 5mm stainless steel Flat washer #6 .140" ID x .312" OD x .030" th white nylon
EXTERNALS	BASE	Machined aluminum or brass with top swivel attached
	CAP	Machined aluminum or brass angle cap or tube shield cap
	THUMB SCREW	Screw, socket set cup point 10-32 x 3/16" stainless steel
	LENS	Clear tempered convex glass lens, 2.8" OD x .775" th, ±.03
	SWIVEL	Cast aluminum swivel with lock nut washer, 1/2" threaded male
	SWIVEL PLUG	Rubber plug for swivel
	MOUNT	Mounting not supplied. Devices are ordered separately. See page 4 for more options.
	FINISH	Aluminum standard: BLT/BRT (Black or Bronze Texture) See page 5 for more options.
	LISTINGS	IP66. Rated for indoor and outdoor use. Suitable for wet locations. ETL.



DIMMABLE



Click Icon to Download



Intertek

IP66




landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





RXD05 DIRECTIONAL LIGHT

RXD05

PROJECT:

TYPE:

DATE:


CATALOG NUMBER:

ACCESSORIES


(Configure and order accessories separately)

Stakes

Prong stakes can be used with 120v fixtures




FA032P
8.235"
(12v)




FA033P
8.235"
(12v)

Mounting Posts




FA25
20.00"
(120v)



FA26
20.00"
(120-277v)

Extension Wands & Couplers



FA30-4 4.00"
FA30-8 8.00"
FA30 10.00"
FA31 13.00"
FA32 16.00"
FA33 21.00"
FA34 26.00"
(12-277v)

Canopies & Adapters



FA24LGCST/BRS
4.75" dia.
(12-277v)



FA24LGDHBR
4.75" dia.
(12-277v)



FA23CST
(12-277v)




FA22LGCST/BRS
5.75"
(12-277v)



FATAD
(12-277v)

Tree Mounts



FA22TREE
(12-277v)

C/FA111TPS
(12-277v)

C/FA111T
(12-277v)



C/FA111
(12-277v)

Lenses



FA0830
(Hex Cell Louver)



FA1030BLUE
(Glass Lens)



FA1030GREEN
(Glass Lens)



FA1030RED
(Glass Lens)



FA1030AMBER
(Glass Lens)



FA9930
(Convex Lens)
Extended Cap Version



FA9830
(Linear Lens)




FA10430
(Lens Softener)

Direct Burials & JBoxes



DBR55JB
(12-277v)



FA-JBOX
(12-277v)



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.


25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





RXD05 DIRECTIONAL LIGHT

RXD05

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:

ACCESSORIES

(Configure and order accessories separately)



Images enhanced to illustrate usage of mounting options. Drawings not to scale. (see page 2 for product dimensions)

FINISHES

STANDARD FINISHES



Black Texture (-BLT)

Bronze Texture (-BRT)

PREMIUM FINISHES



Dark Bronze (-DBZ)

Black Magic (-BKM)

White Gloss (-WHT)

White Texture (-WTX)

Stucco (-STU)



Chrome Powder (-CPR)



Weathered Iron (-WIR)



Weathered Brown (-WBR)



Rust (-RST)



Luna (-LUN)



Rubbed Verde (-RBV)



Hunter Texture (-HTX)



Mineral Bronze (-BRZ)

CUSTOM FINISHES Supply RAL or Pantone here


RAL #:

Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



Acid Rust Copper (-CAR) Brass (-BAR)



Black Acid Treatment (-BAT)



Acid Verde Copper (-CAV) Brass (-BAV)



SCAN FOR FULL SIZE COLOR SWATCHES



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA

