


# INSTALLATION INSTRUCTIONS FOR UL-03 UMBRELLA LIGHT FIXTURES

### **INSTALLATION:**

- 1. Open the clamp of mounting bracket.
- 2. Install mounting bracket around pole. Tighten 3 spacers.
- 3. Aim fixtures to desired direction.
- Connect 10 foot 18/2 lead wire from fixture to power supply as outlined in drawings below.
- 5. Turn on power and check for proper operation.



### **LIGHT BULB REPLACEMENT:**

- 1. Loosen thumb screw on bottom side of cap.
- 2. Hold body and cap with each hand. Rotate and pull to separate.
- Pull MR8 light bulb straight out of socket and install new lamp.CAUTION: Do not exceed maximum wattage of 20w per fixture
- 4. Re-install cap onto body by rotating cap in a circular motion while sliding cap into body. DO NOT push cap straight into body to prevent O-ring from slipping out of its groove.
- 5. Tighten thumb screw when assembled.

### **CARE INSTRUCTIONS:**


Only clean fixture with water and soft cloth.

# IMPORTANT SAFETY INSTRUCTION TO REDUCE THE RISK OF FIRE AND INJURY TO PERSONS:

- Light bulb gets hot quickly; turn off, unplug/disconnect and allow to cool down before replacing.
- DO NOT touch hot lens, guard or enclosure.
- DO NOT look directly into light bulb when on.
- · Keep fixture away from materials that may burn.
- · Only use light bulb model marked on fixture warning label.
- DO NOT exceed maximum wattage marked on fixture warning label.
- DO NOT operate fixture with missing/damaged cap or lens.

## HARDWIRE TO 12v LANDSCAPE LIGHTING SYSTEM

Using Focus Quick Connector (FA-05, sold separately) or UL approved gel filled wire nuts, connect 18/2 lead wire from fixture to main cable from transformer.



#### **HARDWIRE TO 120v PLUG IN TRANSFORMER**

Using UL approved gel filled wire nuts, connect 18/2 lead wire from fixture to 18/2 wire from Plug In Transformer (PI-12-75, sold separately).



## PORTABLE 12V BATTERY (LED ONLY)

Connect 18/2 lead wire from fixture to Portable Battery (WB-12, sold separately). Use only with MR8 LEDs for 12+ hours of operation on fully charged battery.

Battery charger WM-CHARGER sold separately.

