



EOS LED Module Retrofits

go green
led solutions

CEILING



Original Install
3x 13w CFL
39w Total Per Fixture




Focus Retrofit Install
1x 14w LED
14w Total per Fixture



Focus Retrofit Install Is
Identical In Color &
Light Output With
25w Energy Savings
Per Fixture

WALL



Original Install
2x 13w CFL
26w Total Per Fixture




Focus Retrofit Install
1x 13w LED
14w Total per Fixture



Focus Retrofit Install Is
Identical In Color &
Light Output With
13w Energy Savings
Per Fixture

6w LED Module



RFL-M1-06-R-30-120-33A

- Voltage: 120v or 277v models
- Total Watts: 6
- Lumens: 450 lumens (Equal to 13w CFL)
- Lumens Per Watt: 75
- High power factor >0.98
- CCT: 3000K (optional 4000K available @ 550 lumens)
- CRI: 80
- Estimated Life: 50,000 hours (L70)
- Cool Beam, No UV or IR
- Dimmable down to 5% with most triac or electronic dimmers
- On board line surge protection
- 5 Year Limited Warranty
- Remote Phosphor LED technology
- Integrated LED Driver on board (120v input only)
- Polycarbonate protective optical lens
- Multiple mounting options with custom mounting plates for any size fixture
- Magnetic mounting option - no tools required

LED Module Compliance & Certification

- UL8750 Recognized Component
- RoHS Compliant - Energy Efficient - Environmentally Friendly
- LM79: No (LM79 does not apply to COB technology)
- FCC Compliance Class B



RoHS
compliant

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	LIST PRICE
120v Input		
RFL-M1-06-R-30-120	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 120V INPUT	\$59.00
RFL-M1-06-R-40-120	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 120V INPUT	\$59.00
RFL-M1-06-R-30-120-33A*	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 120V INPUT, 3" X 3" MOUNTING PLATE	\$69.00
RFL-M1-06-R-40-120-33A*	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 120V INPUT, 3" X 3" MOUNTING PLATE	\$69.00
* Consult Factory for custom sized back plate part number		
RFL-M1-06-R-30-120-33AM	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 120V INPUT, 3" X 3" MAGNETIC MOUNTING PLATE	\$101.00
RFL-M1-06-R-40-120-33AM	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 120V INPUT, 3" X 3" MAGNETIC MOUNTING PLATE	\$101.00
277v Input		
RFL-M1-06-R-30-277	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 277V INPUT	\$75.00
RFL-M1-06-R-40-277	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 277V INPUT	\$75.00
RFL-M1-06-R-30-277-33A*	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 277V INPUT, 3" X 3" MOUNTING PLATE	\$85.00
RFL-M1-06-R-40-277-33A*	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 277V INPUT, 3" X 3" MOUNTING PLATE	\$85.00
* Consult Factory for custom sized back plate part number		
RFL-M1-06-R-30-277-33AM	6W RETROFIT LED MODULE, 450 LUMEN, 3000K, 277V INPUT, 3" X 3" MAGNETIC MOUNTING PLATE	\$117.00
RFL-M1-06-R-40-277-33AM	6W RETROFIT LED MODULE, 500 LUMEN, 4000K, 277V INPUT, 3" X 3" MAGNETIC MOUNTING PLATE	\$117.00



RETROFIT LED MODULE RFL-M-1-13-R SERIES

TYPE

GO GREEN

- Voltage: 120v
- Total Watts: 13
- Lumens: 900 lumens (Equal to 26w CFL)
- Lumens Per Watt: 69
- High power factor >0.98
- THD 26% (Total Harmonic Distortion)
- CCT: 3000K (optional 4000K available @ 1000 lumens)
- CRI: 80
- Estimated Life: 50,000 hours (L70)
- Cool Beam, No UV or IR
- Dimmable down to 5% with most triac or electronic dimmers
- On board line surge protection
- 5 Year Limited Warranty
- Remote Phosphor LED technology
- Integrated LED Driver on board (120v input only)
- Polycarbonate protective optical lens
- Multiple mounting options with custom mounting plates for any size fixture



RFL-M1-13-R-30-120-33A

LED Module Compliance & Certification

- Energy Star CSD (Certified Lighting Subcomponent Database)
- UL8750 Recognized Component
- RoHS Compliant - Energy Efficient - Environmentally Friendly
- LM79: No (LM79 does not apply to COB technology)
- FCC Compliance Class B



RoHS
compliant

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	SHIP WEIGHT
120v Input		
RFL-M1-13-R-30-120	13W RETROFIT LED MODULE, 900 LUMEN, 3000K, 120V INPUT	1 lbs
RFL-M1-13-R-40-120	13W RETROFIT LED MODULE, 1000 LUMEN, 4000K, 120V INPUT	1 lbs
RFL-M1-13-R-30-120-33A*	13W RETROFIT LED MODULE, 900 LUMEN, 3000K, 120V INPUT, 3" X 3" MOUNTING PLATE	1 lbs
RFL-M1-13-R-40-120-33A*	13W RETROFIT LED MODULE, 1000 LUMEN, 4000K, 120V INPUT, 3" X 3" MOUNTING PLATE	1 lbs
* Consult Factory for custom sized back plate part number		
RFL-M1-13-R-30-120-33AM	13W RETROFIT LED MODULE, 900 LUMEN, 3000K, 120V INPUT, 3" MAGNETIC MOUNTING PLATE	2 lbs
RFL-M1-13-R-40-120-33AM	13W RETROFIT LED MODULE, 1000 LUMEN, 4000K, 120V INPUT, 3" MAGNETIC MOUNTING PLATE	2 lbs

277v Input

Not Available. 277v input only available in 6w or 12w models



RETROFIT LED MODULE RFL-M-1-14-R SERIES

TYPE

GOGREEN

- Voltage: 120v or 277v models
- Total Watts: 14
- Lumens: 1350 lumens (Equal to Three 13w CFL lamps)
- Lumens Per Watt: 96
- High power factor >0.98
- THD 24% (Total Harmonic Distortion)
- CCT: 3000K (optional 4000K available @ 1400 lumens)
- CRI: 80
- Estimated Life: 50,000 hours (L70)
- Cool Beam, No UV or IR
- Dimmable down to 4% with most triac or electronic dimmers
- On board line surge protection
- 5 Year Limited Warranty
- Remote Phosphor LED technology
- Integrated LED Driver on board
- Polycarbonate protective optical lens
- Multiple mounting options with custom mounting plates for any size fixture



RFL-M1-14-R-30-120-55A

LED Module Compliance & Certification

- Energy Star CSD (Certified Lighting Subcomponent Database)
- UL8750 Recognized Component
- RoHS Compliant - Energy Efficient - Environmentally Friendly
- LM79: No (LM79 does not apply to COB technology)
- FCC Compliance Class B



RoHS
compliant

ORDERING INFORMATION

CATALOG NO.	DESCRIPTION	SHIP WEIGHT
120v Input		
RFL-M1-14-R-30-120	14W RETROFIT LED MODULE, 1350 LUMEN, 3000K, 120V INPUT	1 lbs
RFL-M1-14-R-40-120	14W RETROFIT LED MODULE, 1400 LUMEN, 4000K, 120V INPUT	1 lbs
RFL-M1-14-R-30-120-55A*	14W RETROFIT LED MODULE, 1350 LUMEN, 3000K, 120V INPUT, 5.5" X 5.5" MOUNTING PLATE	1 lbs
RFL-M1-14-R-40-120-55A*	14W RETROFIT LED MODULE, 1400 LUMEN, 4000K, 120V INPUT, 5.5" X 5.5" MOUNTING PLATE	1 lbs
* Consult Factory for custom sized back plate part number		
RFL-M1-14-R-30-120-55AM	14W RETROFIT LED MODULE, 1350 LUMEN, 3000K, 120V INPUT, 5.5" MAGNETIC MOUNTING PLATE	2 lbs
RFL-M1-14-R-40-120-55AM	14W RETROFIT LED MODULE, 1400 LUMEN, 4000K, 120V INPUT, 5.5" MAGNETIC MOUNTING PLATE	2 lbs

277v Input

Not Available. 277v input only available in 6w or 12w models



RETROFIT LED MODULE RFL-M-1-23-R SERIES

TYPE

GOGREEN

- Voltage: 120v
- Total Watts: 23
- Lumens: 1850 lumens (Equal to Four 13w CFL lamps)
- Lumens Per Watt: 80
- High power factor >0.98
- THD 24% (Total Harmonic Distortion)
- CCT: 3000K (optional 4000K available @ 1900 lumens)
- CRI: 80
- Estimated Life: 50,000 hours (L70)
- Cool Beam, No UV or IR
- Dimmable down to 4% with most triac or electronic dimmers
- On board line surge protection
- 5 Year Limited Warranty
- Remote Phosphor LED technology
- Integrated LED Driver on board (120v input only)
- Polycarbonate protective optical lens
- Multiple mounting options with custom mounting plates for any size fixture



RFL-M1-23-R-30-120-55A

LED Module Compliance & Certification

- Energy Star CSD (Certified Lighting Subcomponent Database)
- UL8750 Recognized Component
- RoHS Compliant - Energy Efficient - Environmentally Friendly
- LM79: No (LM79 does not apply to COB technology)
- FCC Compliance Class B



RoHS
compliant

ORDERING INFORMATION


CATALOG NO.	DESCRIPTION	SHIP WEIGHT
120v Input		
RFL-M1-23-R-30-120	23W RETROFIT LED MODULE, 1850 LUMEN, 3000K, 120V INPUT	1 lbs
RFL-M1-23-R-40-120	23W RETROFIT LED MODULE, 1900 LUMEN, 4000K, 120V INPUT	1 lbs
RFL-M1-23-R-30-120-55A*	23W RETROFIT LED MODULE, 1850 LUMEN, 3000K, 120V INPUT, 5.5" X 5.5" MOUNTING PLATE	1 lbs
RFL-M1-23-R-40-120-55A*	23W RETROFIT LED MODULE, 1900 LUMEN, 4000K, 120V INPUT, 5.5" X 5.5" MOUNTING PLATE	1 lbs
* Consult Factory for custom sized back plate part number		
RFL-M1-23-R-30-120-55AM	23W RETROFIT LED MODULE, 1850 LUMEN, 3000K, 120V INPUT, 5.5" MAGNETIC MOUNTING PLATE	2 lbs
RFL-M1-23-R-40-120-55AM	23W RETROFIT LED MODULE, 1900 LUMEN, 4000K, 120V INPUT, 5.5" MAGNETIC MOUNTING PLATE	2 lbs

277v Input

Not Available. 277v input only available in 6w or 12w models

Mounting Options

Direct Mount: 6w & 13w



Direct Mount: 14w & 23w






Plate Mount: All Models



Magnet Mount: All Models



★ FOCUS INDUSTRIES®, INC.

WORLD HEADQUARTERS

25301 Commercentre Drive, Lake Forest, CA 92630

Phone: (949) 830-1350 • Toll free: (888) 882-1350

www.focusindustries.com

E-mail: focus@focusindustries.com To order (distributors only) orders@focusindustries.com

REGIONAL DISTRIBUTION CENTERS

1 NORTH CAROLINA 705 S. Railroad Street, Unit 1, Salisbury, NC 28144

2 PENNSYLVANIA 11500 Roosevelt Blvd., Unit G-1, Philadelphia, PA 19116

Ph (704) 642-0280 • Fax (704) 642-0804 • sales@pricemarketing.com

Ph (215) 677-6870 • Toll Free (800) 468-0801 • Fax (215) 677-1261 • sales@associatedmarketing.net

Focus Industries® strives to continually improve its product line. We reserve the right to modify product from that pictured. Not responsible for typographical or misprint errors.

© 2015 Focus Industries,® Inc. • All Rights Reserved.



Made in the U.S.A.

