



landscape • architectural • hospitality • entertainment • *illumination*

DESIGNED
MANUFACTURED
IN THE USA



NEW PRODUCTS 2021


A complete guide to Focus Industries New Products



SL64DL24BRT



AL08MDDMS2AL24BRSBKM



LFL01LEDM1027MVBLT



SL1510S2AL24CAR



SL58LGHORLEDWBR



PL26LGDMSI010L24BRSBLT

landscape • architectural • hospitality • entertainment • *illumination*




NEW PRODUCTS BROCHURE 2021

TO PLACE ORDERS:

ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

MORE INFORMATION ON FOCUS PRODUCTS

DOWNLOAD OUR BROCHURES
WWW.FOCUSINDUSTRIES.COM



DESIGNED & MANUFACTURED
IN THE USA





TABLE OF CONTENTS

■ AREA LIGHTING.....	4-5
ALO8 S2 BOLLARDS	5
■ DIRECTIONAL LIGHTING.....	6-7
DL50 PAR30 / DL50LEDM	7
■ FLAG POLE.....	8-9
FLAG POLE RING.....	9
■ FLOOD LIGHTING.....	10-15
DL10 LEDM	11
LFL01LEDM.....	13
LFL01LEDM (2', 3', 4', 6', 8')	15
■ HANGING FIXTURES / PENDENTS.....	16-23
SL15 "STARLIGHT" HANGING FIXTURES	17
SL15 "STARLIGHT" PENDENTS.....	19
RXS CYLINDER PENDENTS	21-23
■ PATH LIGHTING.....	24-31
PL23 S1/S2/S3/S4 BOLLARDS.....	25
PL23LG SERIES S1/S2/S3/S4 SERIES.....	27
PL26 ISLAND STYLE BOLLARD	29
PL26 ADDRESS BOLLARD.....	31
■ SPECIALTY LIGHTING.....	32-33
BOCCE BALL	33
■ STEP/BRICK LIGHTING	34-35
SL62 LEDM	35
■ SURFACE MOUNTS.....	36-51
CYLINDER SURFACE MOUNTS	37
2X2 SQUARE SURFACE MOUNTS.....	39
4X4 SQUARE SURFACE MOUNTS	41
SL58 LEDP	43
SL58 SM	45
SL58LG HORIZONTAL.....	47
SL64 "CUBE"	49
SL65	51
■ FINISH OPTIONS.....	52
■ LED LIST GUIDE	53-54
■ NOTES	55

Area Lighting

12V | 120V | 277V WITH INTERNAL DRIVER



AL08SMDMS2L74COP

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

NEW AL08S2 BOLLARD SERIES

WITH FROSTED ACRYLIC ACCENTS
DECK MOUNT / ANGLE CUT / STAKE MOUNT



AL08SMDMS2L4COP

MATERIAL OPTIONS
COPPER ONLY

SIZE OPTIONS
1.5" DIA. (SMALL)

12" (STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY



AL08MDDMS2L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS / COPPER

SIZE OPTIONS
2" DIA. (MEDIUM)

18" (STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY



AL08LGDMS2L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
3" DIA. (LARGE)

24" (STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL08SMDMS2 | AL08MDDMS2 | AL08LGDMS2

1.5w MR8 BP 120° (L74) 40,000 hrs 3000K 65 Lumen (12v ONLY)
2w Omni Mini Super Saver BP (L4) 40,000 hrs 180 Lumen (12v ONLY)
3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen (MEDIUM / LARGE ONLY)
5w MR16 LED 36° (L36) 40,000 hrs 3000K 450 Lumen (MEDIUM / LARGE ONLY)
7w MR16 LED 36° (L48) 40,000 hrs 3000K 550 Lumen (MEDIUM / LARGE ONLY)
3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (MEDIUM / LARGE ONLY) (GU10 base)
5w MR16 LED 36° (L116) 40,000 hrs 3000K 450 Lumen (MEDIUM / LARGE ONLY) (GU10 base)
7w MR16 LED 36° (L126) 40,000 hrs 3000K 550 Lumen (MEDIUM / LARGE ONLY) (GU10 base)
12v - 277v (277v with driver)

COLOR LENS OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Directional Lighting

120V | 277V WITH INTERNAL DRIVER



DL50L148BRS

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

DL50 PAR30 / DL50LEDM | DL60PAR38 / DL60AR111



DL50L150BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES
15° / 40°



DL50LEDMTBDBAR

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES
15° / 40° / 60° / (160° no optics)



DL60L158BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES
15° / 40° / 60°



DL60L96WIR

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES
15° / 40°

DL50PAR30 | DL50LEDM

Extruded Aluminum or Brass Housing
with Cast Aluminum / Brass Swivel

12w PAR30 LED 15° (L148) 50,000 Hrs 1080 Lumen
12w PAR30 LED 40° (L150) 50,000 Hrs 1080 Lumen

120v

LED MODULE PACKAGE

20w LED Module 15° (LED2015) 50,000 Hrs 1800 Lumen
20w LED Module 40° (LED2040) 50,000 Hrs 1800 Lumen

277v

DL60PAR38 | DL60AR111

Extruded Aluminum or Brass Housing
with Cast Aluminum / Brass Swivel

15w PAR38 LED 15° (L156) 50,000 Hrs 1350 Lumen
15w PAR38 LED 40° (L158) 50,000 Hrs 1350 Lumen

120v

RETROFIT LED LAMP

15w AR111 LED 15° (L96) 50,000 Hrs 1350 Lumen
15w AR111 LED 40° (L98) 50,000 Hrs 1350 Lumen

12v

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Flag Pole Ring

12V | 120V | 277V WITH INTERNAL DRIVER



FAPM72H120VBLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

FLAG POLE RING

FIXTURES SOLD SEPARATELY

COMPATIBLE FOCUS FIXTURES

DL20 (12v / 120v / 277v)
DL30 (12v / 120v / 277v)
DL38 (120v / 277v)
DL45 (12v [120v-277v with remote driver])
DL46 (12v [120v-277v with remote driver])
DL50 (120v / 277v)
RXD02 (12v / 120v)



FAPM72H12VCPR (12V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA. (12V)
UP TO 2 FOCUS FIXTURES
OPTIONAL DIA. AVAILABLE
CONSULT FACTORY



FAPM73H12OVBLT (120V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA. (120V)
UP TO 3 FOCUS FIXTURES
OPTIONAL DIA. AVAILABLE
CONSULT FACTORY

Shown with DL45 Directional Lights
(Fixtures Sold Separately)

FAPM72H12V | FAPM72H120V

Aluminum / Brass

7" Diameter with Hubs

Fits pole diameter of 5" and up to 3 fixtures. Optional Diameters


ALL FIXTURES, DRIVERS, & TRANSFORMERS SOLD SEPARATELY

12v - 277V

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Flood Lighting

120V | 277V WITH INTERNAL DRIVER



DL10LEDM3041MVTAN

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

DL10LEDM30MV

30w LED MODULE



HOOD EXTENSION OPTION

HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER



DL10LEDM3027MVBLT

MATERIAL OPTIONS
ALUMINUM



DL10LEDM3027MVHEBLT

SHOWN WITH HOOD EXTENSION

DL10LEDM3027MV

30w LEDM 50,000 Hrs 2400 Lumen

With Internal Driver


120v - 277v | 2700k / 3000k / 4100k

Hood Extension Available add (-HE) to part number

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Flood Lighting

120V | 277V WITH INTERNAL DRIVER



LFL01LEDM1027MVBLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

LFL01LEDM10MV

10w LED MODULE



LFL01LEDM1027MVBLT

MATERIAL OPTIONS
ALUMINUM

120V/277V OPTION
AVAILABLE.
CONSULT FACTORY FOR
MORE INFORMATION

HOOD EXTENSION OPTION

HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER



LFL01LEDM1027MVHEBLT
SHOWN WITH HOOD EXTENSION

LFL01LEDM10MV

Aluminum

10w LEDM 50,000 hrs 800 Lumen

With Internal Driver

120v - 277v | 2700k / 3000k / 4100k

Hood Extension Available add (-HE) to part number

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Flood Lighting

120V | 277V WITH INTERNAL DRIVER



LFL014LEDM1041MVCAM

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

LED MODULE FLOOD LIGHTS

2' / 3' / 4' / 6' / 8' LENGTHS

HOOD EXTENSION OPTION

HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER



LFL012LEDM1027MV (1.92' / 23") ★

MATERIAL OPTIONS
ALUMINUM



LFL013LEDM1030MV (2.87' / 34.5") ★

MATERIAL OPTIONS
ALUMINUM



LFL014LEDM1041MV (3.875' / 46.5") ★

MATERIAL OPTIONS
ALUMINUM



LFL016LEDM1041MV (6' / 72")

MATERIAL OPTIONS
ALUMINUM



LFL018LEDM1027MV (8' / 96")

MATERIAL OPTIONS
ALUMINUM



SIDE VIEW

- ★ LFL012LEDM1027MVHE-(COLOR)
- ★ LFL013LEDM1030MVHE-(COLOR)
- ★ LFL014LEDM1041MVHE-(COLOR)

HOOD EXTENSION AVAILABLE ADD (-HE)
TO PART NUMBER. INCREMENTS OF 2' / 3' / 4'

LFL012LEDM10MV | LFL013LEDM10MV | LFL014LEDM10MV | LFL016LEDM10MV | LFL018LEDM10MV

10w LEDM 50,000 Hrs

With Internal Driver

120v - 277v (Available in 2700K | 3000K | 4100K CCT's)

30w LEDM Available. Consult factory for more information

★ FIXTURES CURRENTLY COMPATIBLE FOR HOOD
EXTENSION ADD ON

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Hanging Fixtures

12V | 120V



SL1510S2AL24CAR
Shown with amber accent

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL15 STARLIGHT HANGING FIXTURES

WITH 3" FROSTED ACRYLIC ACCENTS
CUSTOM CHAIN LENGTHS AVAILABLE. CONSULT FACTORY FOR DETAILS.



SL15S2L12BRS

4" BRASS CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL OPTIONS

BRASS

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)



SL1510S2L24BRS

10" BRASS CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL OPTIONS

BRASS

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510S2 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)



SL15S2L12COP

4" COPPER CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL OPTIONS

COPPER

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)



SL1510S2L24COP

10" COPPER CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL OPTIONS

COPPER

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510S2 CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)

SL15S2L12 | SL1510S2L24

Cylinder Perforated Hanging Fixture w/ 2.5"DIA. X 3" Frosted Acrylic Accent

3w Omni 3 Super Saver LED (L12) 50,000 Hrs 3000K 300 Lumen [12V] **(4" FIXTURE ONLY)**

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen [12V] **(10" FIXTURE ONLY)**

5w MR16 BP 36° (L36) 40,000 Hrs 3000K 450 Lumen [12v]

7w MR16 BP 36° (L48) 40,000 Hrs 3000K 550 Lumen [12v]

12v / 120V

COLOR LENS OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Pendent Fixtures

12V | 120V



SL1510P24S2RL24BRS

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL15 STARLIGHT PENDENT FIXTURES

WITH 3" FROSTED ACRYLIC ACCENTS
CUSTOM STEM LENGTHS AVAILABLE. CONSULT FACTORY FOR DETAILS.



SL15PS2L12BRS

4" BRASS CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15P CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)

4.5" CANOPY (P24) [120V]

4.5" FLAT PLATE (PFP) [12V / 120V]



SL1510PFPS2L24BRS

10" BRASS CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510P CANOPY OPTIONS

3" CANOPY (P) [12V]

4.5" CANOPY (P24) [120V]

4.5" FLAT PLATE (PFP) [12V / 120V] (SHOWN)



SL15PS2L12COP

4" COPPER CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15P CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)

4.5" CANOPY (P24) [120V]

4.5" FLAT PLATE (PFP) [12V / 120V]



SL1510PS2L24COP

10" COPPER CYLINDER / 3" FROSTED ACRYLIC ACCENT

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510P CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)

4.5" CANOPY (P24) [120V]

4.5" FLAT PLATE (PFP) [12V / 120V]

SL15PS2L12 | SL1510PS2L24

Brass / Copper Cylinder Perforated Pendant Fixture w/ 2.5"DIA. X 3" Frosted Acrylic Accent

3w SC Omni 3 Super Saver LED (L12) 50,000 Hrs 3000K 300 Lumen (4") [12V]

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen (10") [12V]

3w MR16 Super Saver GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120V]

(for GU10 Base, must use P24 Canopy or PFP Flat Plate)

12v /120v

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Pendent Fixtures

12V | 120V | 277V WITH INTERNAL DRIVER



RXS18P24LEDM74024SBRSWHT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

RXS CYLINDER PENDENTS



BRASS
CUSTOM STEM LENGTHS AVAILABLE.
CONSULT FACTORY FOR DETAILS.



PAR20

RXS10P24L140BRS

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24) [12V / 120V] (SHOWN)

4.5" FLAT PLATE (PFP) [12V / 120V]



MR11

RXS13PFPL68BRS

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3" CANOPY (P) [12V]

4.5" CANOPY (P24) [12V / 120V]

4.5" FLAT PLATE (PFP) [12V / 120V] (SHOWN)



LED MODULE

RXS18P24LEDM740BRS

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

3" CANOPY (P) [12V]

4.5" CANOPY (P24) [120V] (SHOWN)

4.5" FLAT PLATE (PFP) [12V / 120V]



MR16

RXS12P24L24BRS

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)

4.5" CANOPY (P24) [12V / 120V]

4.5" FLAT PLATE (PFP) [12V / 120V]

RXS10P24L24 | RXS13PFPL68 | RXS18P24LEDM740

Brass Cylinder Pendant

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12V]

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen [12V]

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 50,000 hrs 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

RXS CYLINDER PENDENTS



COPPER
CUSTOM STEM LENGTHS AVAILABLE.
CONSULT FACTORY FOR DETAILS.



PAR20 RXS10P24L140COP

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24) [12V / 120V] (SHOWN)
4.5" FLAT PLATE (PFP) [12V / 120V]



MR11 RXS13PFPL68COP

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS08 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24) [12V / 120V]
4.5" FLAT PLATE (PFP) [12V / 120V] (SHOWN)



LED MODULE RXS18P24LEDM740COP

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24) [120V] (SHOWN)
4.5" FLAT PLATE (PFP) [12V / 120V]



MR16 RXS12PL108COP

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24) [12V / 120V] (SHOWN)
4.5" FLAT PLATE (PFP) [12V / 120V]

RXS10PL24 | RXS08PFPL68 | RXS18P24LEDM740

Copper Cylinder Pendant

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12v]
3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen [12v]
3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]
7w LEDM 2800K 450 Lumen
11w LEDM 2800K 600 Lumen
15w LEDM 2800K 900 Lumen
20w LEDM 2800K 1500 Lumen
8w PAR20 15° Spot(L140) 50,000 hrs 3000K 720 Lumen (RXS10 Only)
12v - 277v (277v with driver)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

***Note: Powder coat, and Acid finishes available.
See page 52 for more details.**

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

RXS CYLINDER PENDENTS



STAINLESS STEEL
CUSTOM STEM LENGTHS AVAILABLE.
CONSULT FACTORY FOR DETAILS.



MR16

RXS12PL24SS

MATERIAL

STAINLESS STEEL

12" STEM (STANDARD)

CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)

4.5" CANOPY (P24) [12V / 120V]

4.5" FLAT PLATE (PFP) [12V / 120V]



MR16

RXS12PFPL24SS

MATERIAL

STAINLESS STEEL

12" STEM (STANDARD)

CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V]

4.5" CANOPY (P24) [12V / 120V]

4.5" FLAT PLATE (PFP) [12V / 120V] (SHOWN)



MR16

RXS12P24L24SS

MATERIAL

STAINLESS STEEL

12" STEM (STANDARD)

CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V]

4.5" CANOPY (P24) [12V / 120V] (SHOWN)

4.5" FLAT PLATE (PFP) [12V / 120V]

RXS12PL24 | RXS12PFPL24 | RXS12P24L24

Stainless Steel Cylinder Pendant

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen [12v]

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen [12v]

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen [12v]

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

5w MR16 GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]

7w MR16 GU10 Base 36° (L126) 40,000 hrs 3000K 550 Lumen [120v]

12v - 277v (277v with driver)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

***Note: Powder coat, and Acid finishes available.
See page 52 for more details.**

***Note: Powder coat, and Acid finishes available.
See page 52 for more details.**

Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER



PL23S1WDM24L24BRS

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

PL23 | PL23 S SERIES

DECK MOUNT / ANGLE CUT / STAKE MOUNT



PL2328L12BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 28"
2.25" X 34"

MOUNTING
ANGLE CUT
TOP
FLAT TOP



PL23DM18L12BAR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT
TOP
FLAT TOP



PL23DMS1W18L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT
DESIGN
1 WINDOW
TOP
FLAT TOP



PL23DMS2W18L24WHT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
2 WINDOW

TOP
FLAT TOP



PL23DMS3W18L24STU

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
3 WINDOW

TOP
FLAT TOP



PL23DMS4W18L24RST

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
4 WINDOW

TOP
FLAT TOP

PL23 | PL23DM | PL23S1 | PL23S2 | PL23S3 | PL23S4

Aluminum / Brass (4 window openings for S Series)
3w SC Ba15s bayonet base (L12) 50,000 hrs 3000K 300 Lumen
3w SC Ba15s bayonet base (L15) 50,000 hrs 2700K 270 Lumen
3w MR16 BP 36° (L24) 40,000 hrs 3000K 270 Lumen
5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen
5w MR16 BP 36° (L40) 40,000 hrs 590NM TURTLE FRIENDLY
7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen
4w LED Round "EGG" Panel (LEDP) 50,000 hrs 3000K 300 Lumen
12v - 277v (277v with driver)


120V OPTION

3w MR16 GU10 Base 80° (L110) 40,000 hrs 3000K 270 Lumen
5w MR16 GU10 Base 80° (L118) 40,000 hrs 3000K 450 Lumen
7w MR16 GU10 Base 80° (L128) 40,000 hrs 3000K 550 Lumen

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER




PL23LGS1WDM30L24WIR

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

PL23LG / PL23LG S SERIES

DECK MOUNT



PL23LGDM24ATL24BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
TOP
ANGLE TOP



PL23LGDM24L24BAR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
TOP
FLAT TOP



PL23LGDM1W30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
1 WINDOW
TOP
FLAT TOP



PL23LGDM2W30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
2 WINDOW
TOP
FLAT TOP



PL23LGDM3W30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
3 WINDOW
TOP
FLAT TOP



PL23LGDM4W30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
4 WINDOW
TOP
FLAT TOP

PL23LGDMAT | PL23LGDM | PL23LGS1 | PL23LGS2 | PL23LGS3 | PL23LGS4

Aluminum / Brass (4 window openings for S Series)

3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen

5w MR16 Super Saver LED 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 Super Saver LED 36° (L48) 40,000 hrs 3000K 550 Lumen

3w MR16 Super Saver LED GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

5w MR16 Super Saver LED GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]

7w MR16 Super Saver LED GU10 Base 36° (126) 40,000 hrs 3000K 550 Lumen [120v]

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER



PL26LGDMIS01830SL24BAR

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

PL26 CUSTOM DESIGN SERIES

10 CUSTOM STYLE DESIGNS
CUSTOM LENGTHS & DESIGNS AVAILABLE. CONSULT FACTORY FOR DETAILS.

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

2.25" x 24"

4" X 30"

4" X 36"



PL26 2x2 BOLLARDS



PL26LG 4x4 BOLLARDS



PL26

Aluminum / Brass (Up to 4 Window designs available)
3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen
12v


PL26LG

Aluminum / Brass (Up to 4 Window designs available)
3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen
3w MR16 GU10 Base Super Saver LED 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]
12v - 120V

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER



PL26LGABDMLEDS812VWIR

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

PL26 ADDRESS BOLLARD

ADDRESS BOLLARDS

	
FLAT TOP (STANDARD)	ANGLE TOP (AT)
BRASS (FLAT TOP ONLY) ALUMINUM (ANGLED OR FLAT-LARGE ONLY)	



PL26ABDML LEDS812VBLT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 26"

MOUNTING
DECK MOUNT / U-BRACKET

DESIGN
1 SIDE NUMBERING

TOP
FLAT TOP



PL26LGABDML LEDS812VCPR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 36"

MOUNTING
DECK MOUNT / U-BRACKET

DESIGN
1 SIDE NUMBERING

TOP
FLAT TOP


PL26AB | PL26LGAB

Aluminum / Brass (1 side numbering)
2x 4w LED Strip 40,000 hrs 2700K
12v - (120v with driver)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Specialty Lighting

12V




SL37BLL24BRS

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL37 CIRCULAR BOCCE BALL LIGHT

BOCCE



SL37BLL24BRS

MATERIAL OPTIONS
BRASS

SIZE
3" OD X 3" D

SL37BLBRS

Circular Drop-in Bocce Ball Light. Brass or Acid Treatment
3w MR16 Super Saver BP 36° (L24) 40,000 hrs 3000K 270 Lumen
12v

COLOR LENS OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Step & Brick Lighting

12V | 120V | 277V WITH INTERNAL DRIVER



SL62LEDMBRS

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

RECESSED LED BRICK LIGHT

ALUMINUM / BRASS



SL62LEDMBRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE
8.25" X 3"

SL62LEDM | SL62LEDM120 | SL62LEDM277

Brass

2x 3w LEDM 50,000 hrs 2800K - 3000K 285 Lumen (570 Lumens Total)

12v (277v w/ Driver)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V | 120V | 277V WITH INTERNAL DRIVER



RXS12SMFPL126BRSWHT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

CYLINDER SURFACE MOUNTS



SURFACE MOUNTS



PAR20
RXS10SM24NLP20BRS



PAR20
RXS10SMFPL142BRS



MR16
RXS12SML24BRS



LED MODULE
RXS18SM24LEDM740BRS

WATTAGE OPTIONS
11W/15W/20W AVAILABLE
CONSULT FACTORY FOR MORE INFORMATION



PAR20
RXS10SM24NLP20COP



PAR20
RXS10SMFPL142COP



MR16
RXS12SML24COP



LED MODULE
RXS18SM24LEDM740COP

WATTAGE OPTIONS
11W/15W/20W AVAILABLE
CONSULT FACTORY FOR MORE INFORMATION



MR16
RXS12SML242SS



MR16
RXS12SM24L24SS



MR16
RXS12SMFPL24SS

RXS10SM24P20 | RXS10SMFPL142 | RXS12SML24 | RXS18SM24LEDM740

Brass Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen
3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen
3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]
7w LEDM 2800K 450 Lumen
11w LEDM 2800K 600 Lumen
15w LEDM 2800K 900 Lumen
20w LEDM 2800K 1500 Lumen
8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)
8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)
12v - 277v (277v with driver)

RXS12SML24 | RXS12SMP24L24 | RXS12SMFPL24

Stainless Steel Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen
5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen
7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen
3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]
5w MR16 GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]
7w MR16 GU10 Base 36° (L126) 40,000 hrs 3000K 550 Lumen [120v]
12v - 277v (277v with driver)

RXS10SM24P20 | RXS10SMFPL142COP | RXS12SML24COP | RXS18SM24LEDM740

Copper Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen
3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen
3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]
7w LEDM 2800K 450 Lumen
11w LEDM 2800K 600 Lumen
15w LEDM 2800K 900 Lumen
20w LEDM 2800K 1500 Lumen
8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)
8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)
12v - 277v (277v with driver)

SURFACE MOUNT CANOPY OPTIONS

3" CANOPY [12V] (SM)


4.5" CANOPY [12V / 120V] (SM24)

4.5" FLAT PLATE [12V] (SMFP)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V | 120V | 277V WITH DRIVER




SL63WMEDL24WHT / SL63CMFPL24WHT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

2x2 SQUARE SURFACE MOUNTS

SURFACE MOUNTS / WALL MOUNTS



MR16
SL63WMDL24BRS
MATERIAL OPTIONS
ALUMINUM / BRASS
SIZE OPTIONS
2" X 2"
MOUNTING
WALL MOUNT
MOUNT
4.5" SQUARE CANOPY



MR16
SL63CMFPL108STU
MATERIAL OPTIONS
ALUMINUM / BRASS
SIZE OPTIONS
2" X 2"
MOUNTING
CEILING MOUNT
OPTIONS
EXTENSION
MOUNT
4.5" FLAT PLATE



MR16
SL63CMEL24CPR
MATERIAL OPTIONS
ALUMINUM / BRASS
SIZE OPTIONS
2" X 2"
MOUNTING
CEILING MOUNT
OPTIONS
EXTENSION
MOUNT
4.5" SQUARE CANOPY



MR16
SL63WML24BLT
MATERIAL OPTIONS
ALUMINUM / BRASS
SIZE OPTIONS
2" X 2"
MOUNTING
WALL MOUNT
MOUNT
4.5" SQUARE CANOPY

SL63WMDL24 | SL63CMFPL24 | SL63CML24 | SL63WML24
Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)
3w MR16 BP 36° (L24) 40,000 hrs 3000K 270 Lumen
5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen
7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen
For 120v use:
3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen
12v - 277v (277v with driver)
For extension add (-E) to part number (Ceiling Mount Only)

COLOR LENS
OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V | 120V | 277V WITH DRIVER



SL63LGWMEDL142BLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

4x4 SQUARE SURFACE MOUNTS

ALUMINUM / BRASS



CANOPY

CANOPY MOUNTING



PAR20/PAR30

SL63LGCMMDNLBRS

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

CEILING MOUNT

MOUNT

4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGWML140BRBKM

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

WALL MOUNT

MOUNT

4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGWMDL142BAV

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

WALL MOUNT

MOUNT

4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGCMDEL142BAR

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

CEILING MOUNT

OPTION

EXTENSION

MOUNT

4.5" SQUARE CANOPY

SL63LGCM | SL63LGWM | SL63LGWMD | SL63LGCM

Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)

8w PAR20 Super Saver 15° Spot Warm White (L140) 50,000 hrs 720 Lumen

8w PAR20 Super Saver 40° Flood Warm White (L142) 50,000 Hrs 720 Lumen

12w PAR30 Super Saver 15° Spot Warm White (L148) 50,000 hrs 1080 Lumen (Brass Only)

12w PAR30 Super Saver 40° Spot Warm White (L150) 50,000 hrs 1080 Lumen (Brass Only)

120v - 277v 2700k-3000k

For extension add (-E) to part number (Ceiling Mount Only)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V



SL58LEDPCPR

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL58LEDP

SURFACE MOUNT



SL58LEDPBRSBKM

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
2.25" X 8.25"

SL58LEDP

Aluminum / Brass Surface Mount

3w Omni Super Saver LED SC Ba15s bayonet base (L12) 50,000 hrs 3000K 300 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L16) 50,000 hrs 3000K 270 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L18) Turtle Friendly Amber 50,000 hrs 590NM

4w Round LED Panel 50,000 hrs 3000K 300 Lumen

12v

COLOR LENS OPTIONS AVAILABLE



*Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)*

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V



SL58SMHORLEDSBRT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL58SM VERTICAL / HORIZONTAL

SURFACE MOUNTS



SL58SMLEDMBRS

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
1" X 2" X 4.75"



SL58SMHORLEDSWIR

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
2" X 1" X 4.75"

SL58SMLEDM (VERTICAL)

Aluminum / Brass

3w LED Module 50,000 hrs 2800-3000K 285 Lumen

12v

SL58SMHORLEDS (HORIZONTAL)

Aluminum / Brass

2w LED Strip 40,000 hrs 2700K 140 Lumen

0.7w LED Strip Turtle Friendly 40,000 hrs 590NM 10 Lumen

12v

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.


COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

Surface Mounts

12V



SL58LGHORLEDSBLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL58LG HORIZONTAL

SURFACE MOUNTS



SL58LGHORLEDSBRS

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
1" X 2" X 13.25"

SL58LGHORLEDS (HORIZONTAL)

Aluminum / Brass

4w LED Strip 40,000 hrs 2700K 245 Lumen

2w LED Strip Turtle Friendly 40,000 hrs 590NM 30 Lumen

12v

COLOR LENS OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V | 120V | 277V WITH DRIVER



SL64213EOSMBLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

2.25" x 2.25" / 4" x 4" SL64 CUBE SERIES

SURFACE MOUNTS



SL64SM
MATERIAL OPTIONS
ALUMINUM / BRASS
MOUNTING
SURFACE MOUNT
SIZE
2.25" X 2.25"
DESIGN
DOWN LIGHT



SL64213EOSMWHT
MATERIAL OPTIONS
ALUMINUM / BRASS
MOUNTING
SURFACE MOUNT
SIZE
4" X 4"
DESIGN
UP/DOWN LIGHT



SL64DL24BLT
MATERIAL OPTIONS
ALUMINUM / BRASS
MOUNTING
SURFACE MOUNT
SIZE
4" X 4"
DESIGN
DOWN LIGHT

SL64SM (Down Light) [SMALL]

Aluminum / Brass

1.5w MR8 LED 120° (L74) 25,000 hrs 3000K 65 Lumen
2w Omni2 Mini BP (L4) 40,000 hrs 3000K 180 Lumen
12v

SL64EOSM (Up/Down Light)

Aluminum / Brass

(2) 6w EOS Module 50,000 hrs 3000K 500 Lumen
(2) 13w EOS Module 50,000 hrs 3000K 900 Lumen
120v or 277v

SL64D (Down Light)

Aluminum / Brass

3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen
3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (120v) (GU10 BASE)
12v or 120v

COLOR LENS
OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Surface Mounts

12V



SL65SML12BLT

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL65 SMALL / MEDIUM

SURFACE / WALL MOUNTS



SL65SML12BRT
MATERIAL OPTIONS
ALUMINUM
MOUNTING
SURFACE / WALL MOUNT
SIZE
1.5" X 1.5" X 4.125"
DESIGN
DOWN LIGHT



SL65MDL24BRS
MATERIAL OPTIONS
ALUMINUM / BRASS
MOUNTING
SURFACE / WALL MOUNT
SIZE
2.25" X 2.25" X 4.125"
DESIGN
DOWN LIGHT

SL65SM | SL65MD

Aluminum / Brass

3w Omni Super Saver SC (L12) 50,000 hrs 3000K 300 Lumen

3w MR16 BP 36°(L24) 40,000 hrs 3000K 270 Lumen (Medium fixture only)

12v

Brass available in Medium ONLY

COLOR LENS OPTIONS AVAILABLE




Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 52 for more details.

Finish Options

POWDER COAT / ACID TREATMENT



Black Texture
(-BLT)



White Texture
(-WTX)




Bronze Texture
(-BRT)



Rust
(-RST)

NEW


PREMIUM COLOR



Dark Bronze
(-DBZ)



Rubbed Verde
(-RBV)



Hunter Texture
(-HTX)



Weathered Brown
(-WBR)



Stucco
(-STU)



Weathered Iron
(-WIR)




Camel Tone
(-CAM)



Chrome Powder
(-CPR)


NEW

PREMIUM COLOR



Black Magic
(-BKM)


For Copper & Brass Fixtures Only



Acid Rust
Copper (-CAR)
Brass (-BAR)



Acid Verde
Copper (-CAV)
Brass (-BAV)



Black Acid Treatment
(-BAT)

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

LED List Guide



12V LED	2W OMNI2MINISSBP SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	------------------------------	----	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
FLLEDOMNI2MINISSBP	2W, G4 BI-PIN BASE, WARM WHITE, DIMMABLE	L4	3000K/180LM	40,000 HRS	\$18.70

12V LED	3W OMNI / 3W OMNI G2	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	----------------------	----	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
FLLEDOMNI3SS	3W, SC (SINGLE CONTACT) BA15S BASE, DIMMABLE	L12	3000K/300LM	50,000 HRS	\$17.60



FLLEDOMNI3G2SS27K	3W SC, (SINGLE CONTACT) BA15S BASE DIMMABLE	L15	3000K/270LM	50,000 HRS	\$19.80
FLLEDOMNI3G2SS	3W SC, (SINGLE CONTACT) BA15S BASE DIMMABLE	L16	3000K/270LM	50,000 HRS	\$19.80

12V LED	1.5W MR8 SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	----------------------	----	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
FLLEDMR8NL	1.5W GU4.0 BI-PIN SOCKETS, MR8 LED, 120°	L74	3000K/65LM	25,000 HRS	\$22.00

12V LED	3W MR11 SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	---------------------	----	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
FLLEDMR11SS3W15	3W MR11 GU4 BI-PIN SOCKET LED 15° SPOT, DIMMABLE	L66	3000K/300LM	50,000 HRS	\$33.00
FLLEDMR11SS3W40	3W MR11 GU4 BI-PIN SOCKET LED 40° FLOOD, DIMMABLE	L68	3000K/300LM	50,000 HRS	\$33.00

12V LED	3W/5W/7W MR16 SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	---------------------------	----	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
FLLEDMR16SS3W15	3W MR16 GU5.3 BI-PIN SOCKET LED 15° SPOT, DIMMABLE	L22	3000K/300LM	40,000 HRS	\$29.70
FLLEDMR16SS3W36	3W MR16 GU5.3 BI-PIN SOCKET LED 40° FLOOD, DIMMABLE	L24	3000K/300LM	40,000 HRS	\$29.70
FLLEDMR16SS3W80	3W MR16 GU5.3 BI-PIN SOCKET LED 80° FLOOD, 3000K, DIMMABLE	L26	3000K/300LM	40,000 HRS	\$29.70



FLLEDMR16SS5W15	5W MR16 GU5.3 BI-PIN SOCKET LED 15° SPOT, DIMMABLE	L34	3000K/450LM	40,000 HRS	\$30.80
FLLEDMR16SS5W36	5W MR16 GU5.3 BI-PIN SOCKET LED 40° FLOOD, DIMMABLE	L36	3000K/450LM	40,000 HRS	\$30.80
FLLEDMR16SS5W80	5W MR16 GU5.3 BI-PIN SOCKET LED 80° FLOOD, DIMMABLE	L38	3000K/450LM	40,000 HRS	\$30.80
FLLEDMR16SS5W36TF	5W MR16 GU5.3 BI-PIN SOCKET LED 80° FLOOD, DIMMABLE, TF	L40	3000K/150LM	40,000 HRS	\$30.80



FLLEDMR16SS7W15	7W MR16 GU5.3 BI-PIN SOCKET LED 15° SPOT, 3DIMMABLE	L46	3000K/550LM	40,000 HRS	\$33.00
FLLEDMR16SS7W36	7W MR16 GU5.3 BI-PIN SOCKET LED 40° FLOOD, DIMMABLE	L48	3000K/550LM	40,000 HRS	\$33.00
FLLEDMR16SS7W80	7W MR16 GU5.3 BI-PIN SOCKET LED 80° FLOOD, DIMMABLE	L50	3000K/550LM	40,000 HRS	\$33.00

LED List Guide



120V LED	3W/5W/7W MR16 GU10 SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
	CATALOG NUMBER	DESCRIPTION			
	FLLEDMR16SS1203W15	3W MR16 GU10 BASE LED 15° SPOT, 3000K, DIMMABLE	L106	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1203W36	3W MR16 GU10 BASE LED 40° FLOOD, 3000K, DIMMABLE	L108	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1203W80	3W MR16 GU10 BASE LED 80° FLOOD, 3000K, DIMMABLE	L110	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1205W15	5W MR16 GU10 BASE LED 15° SPOT, 3000K, DIMMABLE	L114	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1205W36	5W MR16 GU10 BASE LED 40° FLOOD, 3000K, DIMMABLE	L116	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1205W80	5W MR16 GU10 BASE LED 80° FLOOD, 3000K, DIMMABLE	L118	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS120W36TF	5W MR16 GU10 BASE LED 80° FLOOD, 3000K, DIMMABLE, TF	L119	3000K/300LM	40,000 HRS \$44.00
	FLLEDMR16SS1207W15	7W MR16 GU10 BASE LED 15° SPOT, 3000K, DIMMABLE	L124	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1207W36	7W MR16 GU10 BASE LED 40° FLOOD, 3000K, DIMMABLE	L126	3000K/300LM	40,000 HRS \$33.00
	FLLEDMR16SS1207W80	7W MR16 GU10 BASE LED 80° FLOOD, 3000K, DIMMABLE	L128	3000K/300LM	40,000 HRS \$33.00

120V - 277V LED	8W PAR20 / 12W PAR30 / PAR38 SUPER SAVER	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
	CATALOG NUMBER	DESCRIPTION			
	FLLEDP20SS15	8W PAR20 15° SPOT, WARM WHITE 3000K, MED BASE	L140	3000K/720LM	50,000 HRS \$38.50
	FLLEDP20SS40	8W PAR20 40° FLOOD, WARM WHITE 3000K, MED BASE	L142	3000K/720LM	50,000 HRS \$38.50
	FLLEDP30SS15	12W PAR30 15° SPOT, WARM WHITE, DIMMABLE	L148	3000K/1080LM	50,000 HRS \$49.50
	FLLEDP30SS40	12W PAR 30 40° FLOOD, WARM WHITE, DIMMABLE	L150	3000K/1080LM	50,000 HRS \$49.50
	FLLEDP38SS15	15W PAR38 15° SPOT, WARM WHITE, DIMMABLE	L148	3000K/1350LM	50,000 HRS \$60.50
	FLLEDP38SS40	15W PAR38 40° FLOOD, WARM WHITE, DIMMABLE	L150	3000K/1350LM	50,000 HRS \$60.50

12V-120V LED	15W AR111 LED	L#	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
	CATALOG NUMBER	DESCRIPTION			
	FLLEDP20SS15	15W AR111 15° SPOT, WARM WHITE 3000K, MED BASE	L96	3000K/1350LM	50,000 HRS \$49.50
	FLLEDP20SS40	15W AR111 40° FLOOD, WARM WHITE 3000K, MED BASE	L98	3000K/1350LM	50,000 HRS \$49.50

12V LED	4W LED PANEL	VOLTAGE	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
	CATALOG NUMBER	DESCRIPTION			
	RPLEDP4WR	4W LED ROUND "EGG" PANEL	12V	3000K/300LM	50,000 HRS \$51.70
	RPLEDP4WR52	4W LED ROUND "EGG" PANEL	12V	5200K/320LM	50,000 HRS \$51.70
LEDP ONLY WORKS WITH DC. USE DRIVER TO CONVERT AC TO DC					
	HW12535012LED	5W 350mA LED DRIVER AC/DC IN, 12V DC OUT			\$35.20

LED List Guide



12V LED	4W LED MODULE		VOLTAGE	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	---------------	--	---------	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION					
RPLEDM3W	3W HALF MOON LED MODULE	12V	2800K/285LM	50,000 HRS		\$85.80

12V LED	7W/11W/15W/20W LED MODULE		VOLTAGE	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	---------------------------	--	---------	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION					
RPLEDM7W	REPLACEMENT 7W 12V AC/DC 6 LED MODULE	12V	2800-3000K	50,000 HRS		\$125.40
RPLEDM11W	REPLACEMENT 11W 12V AC/DC 6 LED MODULE	12V	2800-3000K	50,000 HRS		\$136.40
RPLEDM15W	REPLACEMENT 15W 12V AC/DC 6 LED MODULE	12V	2800-3000K	50,000 HRS		\$159.50
RPLEDM20W	REPLACEMENT 20W 12V AC/DC 6 LED MODULE	12V	2800-3000K	50,000 HRS		\$170.50

12V LED	2W LED STRIP		VOLTAGE	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	--------------	--	---------	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION					
RPLEDS2W375	2W LED STRIP 3.75" X 0.55"	12V	2700K/140LM	50,000 HRS		\$28.60
RPLEDSSM07WTF	0.7W LED STRIP 3.75" X 0.55" TURTLE FRIENDLY TF	12V	590NM/10LM	50,000 HRS		\$34.10

12V LED	2W LED STRIP		VOLTAGE	CCT/LUMENS	LED HOURS	CURRENT LIST PRICE USD\$
------------	--------------	--	---------	------------	-----------	--------------------------------



CATALOG NUMBER	DESCRIPTION					
RPLEDS4W	4W LED STRIP 11.875" X 0.55"	12V	2700K/245LM	50,000 HRS		\$56.10
RPLEDS4WTF	2W LED STRIP 11.875" X 0.55" TURTLE FRIENDLY TF	12V	590NM/30LM	50,000 HRS		\$68.20



NEW SurfaceMounts



NEW Hanging FIXTURES SERIES

Same Focus Product. New Accents.



landscape • architectural • hospitality • entertainment • illumination



DESIGNED
MANUFACTURED
IN THE USA

© 2020 FOCUS INDUSTRIES. ALL RIGHTS RESERVED
NEW PRODUCTS BROCHURE 2021_DECEMBER 2020

Focus Industries
25301 Commercentre Drive
Lake Forest, CA. 92630
(949)830-1350
www.focusindustries.com

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350