



Designed.
Manufactured.
In the USA



landscape • architectural • hospitality • entertainment • illumination



NEW PRODUCTS 2022

A complete guide to Focus Industries New Products



SL58LGHORLEDSWBR



PL26LGDMCD010L24BRSBLT



AL08MDDMS2AL24BRBKM



RXS18P24LEDM74024SBRSWHT



SL1510S2AL24CAR



NEW PRODUCTS BROCHURE 2022

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

MORE INFORMATION ON FOCUS PRODUCTS
DOWNLOAD OUR BROCHURES
WWW.FOCUSINDUSTRIES.COM



DESIGNED & MANUFACTURED
IN THE USA

TABLE OF CONTENTS

■ AREA LIGHTING.....	4-5
AL26 LED LIGHT WAND	4
AL08 S2 BOLLARDS	5
■ DIRECTIONAL LIGHTING.....	6
DL50 PAR30 / DL50LEDM	6
■ FLAG POLE.....	7
FLAG POLE RING.....	7
■ FLOOD LIGHTING.....	8-10
DL10 LEDM	8
LFL01LEDM.....	9
LFL01LEDM (2', 3', 4', 6', 8').....	10
■ HANGING FIXTURES / PENDENTS.....	11-14
SL15 "STARLIGHT" HANGING FIXTURES	11
SL15 "STARLIGHT" PENDENTS.....	12
RXS CYLINDER PENDENTS.....	13-14
■ PATH LIGHTING.....	15-18
PL23 S1/S2/S3/S4 BOLLARDS.....	15
PL23LG SERIES S1/S2/S3/S4 SERIES.....	16
PL26 ISLAND STYLE BOLLARD	17
PL26 ADDRESS BOLLARD.....	18
■ SPECIALTY LIGHTING.....	19-20
LED CANDLE LANTERN	19
BOCCE BALL	20
■ STEP/BRICK LIGHTING	21
SL62 LEDM	21
■ SURFACE MOUNTS.....	22-31
LED LIGHT POD.....	22
LED LIGHT WAND WALL MOUNT	23
CYLINDER SURFACE MOUNTS	24
2X2 SQUARE SURFACE MOUNTS.....	25
4X4 SQUARE SURFACE MOUNTS	26
SL58 LEDP	27
SL58 SM.....	28
SL58LG HORIZONTAL.....	29
SL64 "CUBE"	30
SL65	31
■ FINISH OPTIONS.....	32
■ LED LIST GUIDE	33

AREA LIGHTING

12V

LED LIGHT WAND FLOOR AND LANDSCAPE MOUNT

CLEAR ACRYLIC, FROSTED ACRYLIC WITH CAP,
FROSTED ACRYLIC NO CAP, OR CLEAR ACRYLIC
WITH BUBBLES
12" / 18" / 24"



AL26MDL24S112BRS
Clear Acrylic Wand
12" Brass Light Wand,
Clear Acrylic Accent
Available Size Options:
12" 18" 24"

AL26SML24S318BRS
Frosted Acrylic Wand
18" Brass Light Wand,
Frosted Acrylic Accent
Available Size Options:
12" 18" 24"

AL26MDL24S424BRS
Clear With Bubbles
Acrylic Wand
24" Brass Light Wand,
Bubble Acrylic Accent
Available Size Options:
12" 18" 24"

MOUNTING



3W MR11
LED SS 40° FL
Brass Mount

3W MR16
LED SS 36° FL
Brass Mount

FLOOR MOUNT



FA033P
Three-Prong Mount

LANDSCAPE MOUNT

AL26SM

3W MR11 LED SS 40° FL
GU4 BP LED L68 50,000 hrs 3000K
300 Lumen 12v
1.7" DIA.

AL26MD

3W MR16 LED SS 36° FL
GU5.3 BI-PIN SOCKETS -3000k Dimmable L24
40,000 hrs 270 Lumen 12v
2.36" DIA.

ALL ACRYLIC TYPES AVAILABLE IN 12", 18", AND 24"


COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



AL26MDL24S324BRS FROSTED

AREA LIGHTING

12V | 120V | 277V WITH INTERNAL DRIVER

NEW AL08S2 BOLLARD SERIES

WITH FROSTED ACRYLIC ACCENTS
DECK MOUNT / ANGLE CUT / STAKE MOUNT



AL08SMDMS2L4COP

MATERIAL OPTIONS

COPPER ONLY

SIZE OPTIONS

1.5" DIA. (SMALL)

12" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY



AL08MDDMS2L24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS / COPPER

SIZE OPTIONS

2.5" DIA. (MEDIUM)

18" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY



AL08LGDSMS2L24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

3" DIA. (LARGE)

24" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL08SMDMS2 | AL08MDDMS2 | AL08LGDSMS2

1.5w MR8 BP 120° (L74) 40,000 hrs 3000K 65 Lumen (12v ONLY)

2w Omni Mini Super Saver BP (L4) 40,000 hrs 180 Lumen (12v ONLY)

3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen (MEDIUM / LARGE ONLY)

5w MR16 LED 36° (L36) 40,000 hrs 3000K 450 Lumen (MEDIUM / LARGE ONLY)

7w MR16 LED 36° (L48) 40,000 hrs 3000K 550 Lumen (MEDIUM / LARGE ONLY)

3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (MEDIUM / LARGE ONLY)
(GU10 base)

5w MR16 LED 36° (L116) 40,000 hrs 3000K 450 Lumen (MEDIUM / LARGE ONLY)
(GU10 base)

7w MR16 LED 36° (L126) 40,000 hrs 3000K 550 Lumen (MEDIUM / LARGE ONLY)
(GU10 base)

12v - 277v (277v with driver)

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



DIRECTIONAL LIGHTING

120V | 277V WITH INTERNAL DRIVER

DL50 PAR30 / DL50LEDM | DL60PAR38 / DL60AR111

*Note: Powder coat, and Acid finishes available.
See page 32 for more details.



DL50L150BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES

15° / 40°




DL50LEDM20BAR

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES

15° / 40° / 60° / (160° no optics)

HEX LOUVER AVAILABLE



FA0830

4" X 1/4" MINI HEX CELL
LOUVER FOR DL50



DL60L158BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES

15° / 40° / 60°




DL60L96WIR

MATERIAL OPTIONS
ALUMINUM / BRASS

BEAM ANGLES

15° / 40°

HEX LOUVER AVAILABLE



FA0838

5" DIA X 1/4" MINI HEX
CELL LOUVER FOR DL60

DL50PAR30 | DL50LEDM

Extruded Aluminum or Brass Housing
with Cast Aluminum / Brass Swivel

12w PAR30 LED 15° (L148) 50,000 Hrs 1080 Lumen

12w PAR30 LED 40° (L150) 50,000 Hrs 1080 Lumen

120v

LED MODULE PACKAGE

20w LED Module 15° (LED2015) 50,000 Hrs 1800 Lumen

20w LED Module 40° (LED2040) 50,000 Hrs 1800 Lumen

20w LED MODULE (LED2060) 50,000 Hrs 1800 Lumen

277v

DL60PAR38 | DL60AR111

Extruded Aluminum or Brass Housing
with Cast Aluminum / Brass Swivel

15w PAR38 LED 15° (L156) 50,000 Hrs 1350 Lumen

15w PAR38 LED 40° (L158) 50,000 Hrs 1350 Lumen

120v

RETROFIT LED LAMP

15w AR111 LED 15° (L96) 50,000 Hrs 1350 Lumen

15w AR111 LED 40° (L98) 50,000 Hrs 1350 Lumen

12v

COLOR LENS
OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



DL50L148BRS

Flag Pole Ring

12V | 120V | 277V WITH INTERNAL DRIVER

FLAG POLE RING

FIXTURES SOLD SEPARATELY

COMPATIBLE FOCUS FIXTURES

DL20 (12v / 120v / 277v)
DL30 (12v / 120v / 277v)
DL38 (120v / 277v)
DL45 (12v [120v-277v with remote driver])
DL46 (12v [120v-277v with remote driver])
DL50 (120v / 277v)
RXD02 (12v / 120v)



FAPM72H12VCPR (12V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA.
12V CAN BE FITTED UP
TO 3 FIXTURES



FAPM73H120VBLT (120V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA. (120V)
UP TO 3 FOCUS FIXTURES
OPTIONAL DIA. AVAILABLE
CONSULT FACTORY

Shown with DL45 Directional Lights
(Fixtures Sold Separately)

FAPM72H12V | FAPM73H120V

Aluminum / Brass
7" Diameter with Hubs
Fits pole diameter of 5" and up to 3 fixtures.
Optional Diameters
ALL FIXTURES, DRIVERS, & TRANSFORMERS SOLD SEPARATELY
12v - 277V



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Flood Lighting

120V | 277V WITH INTERNAL DRIVER


DL10LEDM30MV

30w LED MODULE



DL10LEDM3027MVBLT

MATERIAL OPTIONS
ALUMINUM



HOOD EXTENSION OPTION


HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER



DL10HELEDM3027MVBLT

SHOWN WITH HOOD EXTENSION

HEX LOUVER AVAILABLE



FA06DL10LEDM
1/4" MINI HEX CELL
LOUVER FOR DL10LEDM

DL10LEDM3027MV

30w LEDM 50,000 Hrs 2400 Lumen

With Internal Driver

120v - 277v | 2700k / 3000k / 4100k

Hood Extension Available add (-HE) to part number

DIMENSIONS

5.23"W X 5.2"H

Stem: 2.8"

Total height: 8"

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Flood Lighting

120V | 277V WITH INTERNAL DRIVER

LFL01LEDM10MV


10w LED MODULE



LFL01LEDM1027MVBLT

MATERIAL OPTIONS
ALUMINUM

120V/277V OPTION
AVAILABLE.
CONSULT FACTORY FOR
MORE INFORMATION




HOOD EXTENSION OPTION
HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER



LFL01LEDHEM1027MVBLT
SHOWN WITH HOOD EXTENSION

HEX LOUVER AVAILABLE



FA06LFL01LEDM10
1/4" MINI HEX CELL
LOUVER FOR FL01LEDM10

LFL01LEDM10MV

Aluminum

10w LEDM 50,000 hrs 800 Lumen
With Internal Driver

120v - 277v | 2700k / 3000k / 4100k

Hood Extension Available add (-HE) to part number

DIMENSIONS

6.33" W X 4.25" H
3" stem


COLOR LENS
OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350




Flood Lighting

120V | 277V WITH INTERNAL DRIVER

LED MODULE FLOOD LIGHTS

2' / 3' / 4' / 6' / 8' LENGTHS



SIDE VIEW


HOOD EXTENSION OPTION

HOOD EXTENSION AVAILABLE
ADD (-HE) TO PART NUMBER

- ★ LFL012LEDHEM1027MV-(COLOR)
- ★ LFL013LEDHEM1030MV-(COLOR)
- ★ LFL014LEDHEM1041MV-(COLOR)


HOOD EXTENSION AVAILABLE ADD (-HE)
TO PART NUMBER. INCREMENTS OF 2' / 3' / 4'

HEX LOUVER AVAILABLE




FA0624
1/4" MINI HEX CELL
LOUVER FOR LFL012

HEX LOUVER AVAILABLE



FA0635
1/4" MINI HEX CELL
LOUVER FOR LFL013/
(LFL016 USES 2)

HEX LOUVER AVAILABLE



FA0647
1/4" MINI HEX CELL
LOUVER FOR LFL014/
(LFL018 USES 2)



LFL012LEDM1027MV ★
(1.92' / 23")

MATERIAL OPTIONS
ALUMINUM



LFL013LEDM1030MV ★
(2.87' / 34.5")

MATERIAL OPTIONS
ALUMINUM



LFL014LEDM1041MV ★
(3.875' / 46.5")

MATERIAL OPTIONS
ALUMINUM



LFL016LEDM1041MV (6' / 72")

MATERIAL OPTIONS
ALUMINUM



LFL018LEDM1027MV (8' / 96")

MATERIAL OPTIONS
ALUMINUM

LFL012LEDM10MV | LFL013LEDM10MV | LFL014LEDM10MV
LFL016LEDM10MV | LFL018LEDM10MV

10w LEDM 50,000 Hrs

With Internal Driver

120v - 277v (Available in 2700K | 3000K | 4100K CCT's)

30w LEDM Available. Consult factory for more information

★ FIXTURES CURRENTLY COMPATIBLE
FOR HOOD EXTENSION ADD ON



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



LFL014LEDM1041MVCAM

Hanging Fixtures

12V

SL15 STARLIGHT HANGING FIXTURES

WITH SOLID FROSTED ACRYLIC ACCENTS
CUSTOM CHAIN LENGTHS AVAILABLE. CONSULT FACTORY FOR DETAILS.



SL15S2L12BRS

4" BRASS CYLINDER /
3"X 9.37" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS
BRASS

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS
3" CANOPY [12V] (SHOWN)



SL1510S2L24BRS

10" BRASS CYLINDER
3"X15.37" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS
BRASS

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510S2 CANOPY OPTIONS
3" CANOPY [12V] (SHOWN)



SL15S2L12COP

4" COPPER CYLINDER
3"X8.66" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS
COPPER

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS
2.65" CANOPY [12V] (SHOWN)



SL1510S2L24COP

10" COPPER CYLINDER
3"X14.66" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS
COPPER

18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510S2 CANOPY OPTIONS
2.65" CANOPY [12V] (SHOWN)

SL15S2L12 | SL1510S2L24

Cylinder Perforated Hanging Fixture w/ 2.5"DIA. X 3"
Frosted Acrylic Accent

3w Omni 3 Super Saver LED (L12) 50,000 Hrs 3000K 300
Lumen [12V] **(4" FIXTURE ONLY)**

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12V]
(10" FIXTURE ONLY)

5w MR16 BP 36° (L36) 40,000 Hrs 3000K 450 Lumen [12v]

7w MR16 BP 36° (L48) 40,000 Hrs 3000K 550 Lumen [12v]

12v / 120V

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL1510S2AL24CAR
Shown with amber accent

Pendent Fixtures

12V | 120V | 277V WITH INTERNAL DRIVER

RXS CYLINDER PENDENTS



PAR20

RXS10P24L140BRS

MATERIAL

BRASS
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24)
[12V / 120V] (SHOWN)
4.5" FLAT PLATE (PFP)
[12V / 120V]



MR11

RXS13PFPL68BRS

MATERIAL

BRASS
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24)
[12V / 120V]
4.5" FLAT PLATE (PFP)
[12V / 120V] (SHOWN)



LED MODULE

RXS18P24LEDM740BRS

MATERIAL

BRASS
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24)
[12V / 120V] (SHOWN)
4.5" FLAT PLATE (PFP)
[12V / 120V]



MR16

RXS12P24L24BRS


MATERIAL

BRASS
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)
4.5" CANOPY (P24)
[12V / 120V]
4.5" FLAT PLATE (PFP)
[12V / 120V]


HEX LOUVER AVAILABLE



FA086

2.25" DIA X 1/8" MINI HEX CELL
LOUVER FOR RXS18/RXS10


HEX LOUVER AVAILABLE



FA0817

1.5" DIA X 1/8" MINI HEX
CELL LOUVER FOR RXS12

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR RXS12



PAR20

RXS10P24L140COP

MATERIAL

COPPER
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24)
[12V / 120V] (SHOWN)
4.5" FLAT PLATE (PFP)
[12V / 120V]



MR11

RXS13PFPL68COP

MATERIAL

COPPER
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS08 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24)
[12V / 120V]
4.5" FLAT PLATE (PFP)
[12V / 120V] (SHOWN)



LED MODULE

RXS18P24LEDM740COP

MATERIAL

COPPER
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24) [12V / 120V]
4.5" FLAT PLATE (PFP) [12V / 120V]



MR16

RXS12PL108COP

MATERIAL

COPPER
12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.5" CANOPY (P24)
[12V / 120V] (SHOWN)
4.5" FLAT PLATE
(PFP) [12V / 120V]

RXS10P24L24 | RXS13PFPL68 | RXS18P24LEDM740

Brass Cylinder Pendant

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12V]

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen [12V]

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 50,000 hrs 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available

BRASS
CUSTOM STEM LENGTHS AVAILABLE.
CONSULT FACTORY FOR DETAILS.



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



RXS CYLINDER PENDENTS

COPPER/ STAINLESS STEEL
CUSTOM STEM LENGTHS AVAILABLE.
CONSULT FACTORY FOR DETAILS.



MR16
RXS12PL24SS

MATERIAL
STAINLESS STEEL

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)



MR16
RXS12PFPL24SS

MATERIAL
STAINLESS STEEL

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

4.5" FLAT PLATE (PFP)
[12V / 120V] (SHOWN)



MR16
RXS12P24L24SS


MATERIAL
STAINLESS STEEL

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

4.5" CANOPY (P24) [12V / 120V] (SHOWN)


HEX LOUVER AVAILABLE



FA086

2.25" DIA X 1/8" MINI HEX CELL
LOUVER FOR RXS18/RXS10


HEX LOUVER AVAILABLE



FA087

1.5" DIA X 1/8" MINI HEX
CELL LOUVER FOR RXS13

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR DL-21/RXS12



3" CANOPY AND
4.5" CANOPY
AVAILABLE IN
BRASS OR
STAINLESS STEEL



3" Canopy

4.5" canopy



RXS10PL24 | RXS08PFPL68 | RXS18P24LED740

Copper Cylinder Pendant

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12v]

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K
300 Lumen [12v]

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K
270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 50,000 hrs 3000K 720
Lumen (RXS10 Only)

12v - 277v (277v with driver)

RXS12PL24 | RXS12PFPL24 | RXS12P24L24

Stainless Steel Cylinder Pendant

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen [12v]

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen [12v]

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen [12v]

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K
270 Lumen [120v]

5w MR16 GU10 Base 36° (L116) 40,000 hrs 3000K
450 Lumen [120v]

7w MR16 GU10 Base 36° (L126) 40,000 hrs 3000K
550 Lumen [120v]

12v - 277v (277v with driver)

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

*Note: Powder coat, and Acid finishes available.
See page 32 for more details.



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

Pendent Fixtures

12V | 120V

SL15 STARLIGHT PENDENT FIXTURES

WITH SOLID FROSTED ACRYLIC ACCENTS
CUSTOM STEM LENGTHS AVAILABLE. CONSULT FACTORY FOR DETAILS.



SL15PS2L12BRS

4" BRASS CYLINDER
3" X 8.2" FROSTED
ACRYLIC ACCENT

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15P CANOPY OPTIONS

3" CANOPY (P) [12V] (SHOWN)
4.5" CANOPY (P24) [120V]
4.5" FLAT PLATE (PFP) [12V / 120V]



SL1510PFPS2L24BRS

10" BRASS CYLINDER
3" X 14.25" FROSTED
ACRYLIC ACCENT

MATERIAL
BRASS

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510P CANOPY OPTIONS

3" CANOPY (P) [12V]
4.5" CANOPY (P24) [120V]
4.5" FLAT PLATE (PFP)
[12V / 120V] (SHOWN)



SL15PS2L12COP

4" COPPER CYLINDER
3" X 7.5" FROSTED
ACRYLIC ACCENT

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15P CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)
4.5" CANOPY (P24) [120V]
4.5" FLAT PLATE (PFP) [12V / 120V]



SL1510PS2L24COP

10" COPPER CYLINDER
3" X 13.5" FROSTED
ACRYLIC ACCENT

MATERIAL
COPPER

12" STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510P CANOPY OPTIONS

2.65" CANOPY (P) [12V] (SHOWN)
4.5" CANOPY (P24) [120V]
4.5" FLAT PLATE (PFP)
[12V / 120V]

SL15PS2L12 | SL1510PS2L24

Brass / Copper Cylinder Perforated Pendant Fixture w/ 2.5" DIA. X 3" Frosted Acrylic Accent

3w SC Omni 3 Super Saver LED (L12) 50,000 Hrs 3000K 300 Lumen (4") [12V]

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen (10") [12V]

3w MR16 Super Saver GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120V]

(for GU10 Base, must use P24 Canopy or PFP Flat Plate)
12v / 120v

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL1510P24S2RL24BRS

Path Lighting

12V | 120V WITH INTERNAL DRIVER

PL26 ADDRESS BOLLARD

ADDRESS BOLLARDS



FLAT TOP
(STANDARD)



PL26ABDMLEDS812VBLT

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

2.25" X 26"

MOUNTING

DECK MOUNT / U-BRACKET

DESIGN

1 SIDE NUMBERING

TOP

FLAT TOP



PL26LGABDMLEDS812VCPR

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 36"

MOUNTING

DECK MOUNT / U-BRACKET

DESIGN

1 SIDE NUMBERING

TOP

FLAT TOP

PL26AB | PL26LGAB

Aluminum / Brass (1 side numbering)

2x 4w LED Strip 40,000 hrs 2700K

12v - (120v with driver)



Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER

PL26 CUSTOM DESIGN SERIES

10 CUSTOM STYLE DESIGNS

CUSTOM LENGTHS & DESIGNS AVAILABLE. CONSULT FACTORY FOR DETAILS.

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

2.25" x 24"

4" x 30"

4" x 36"

**CUSTOM
DESIGNS
AVAILABLE**

SEND US YOUR DESIGN
WE CAN MAKE IT!

2.25" AND 4" BOLLARDS




SANDSTONE

PL26DMCD001L24 (24")
PL26LGDMCD00130L24 (30")
PL26LGDMCD00136L108 (36")



TROPICAL LEAF

PL26DMCD014L24 (24")
PL26LGDMCD01430L24 (30")
PL26LGDMCD01436L108 (36")



GRASS BLADES

PL26DMCD021L24 (24")
PL26LGDMCD02130L24 (30")
PL26LGDMCD02136L108 (36")



CORAL

PL26DMCD010L24 (24")
PL26LGDMCD01030L24 (30")
PL26LGDMCD01036L108 (36")



OCEAN WAVES

PL26LGDMCD116L24 (24")
PL26LGDMCD11630L24 (30")
PL26LGDMCD11636L108 (36")

4" BOLLARDS ONLY



HELICONIA

PL26LGDMCD00230L24 (30")
PL26LGDMCD00236L108 (36")




MONSTERA

PL26LGDMCD01830L24 (30")
PL26LGDMCD01836L108 (36")



BAMBOO

PL26LGDMCD00630L24 (30")
PL26LGDMCD00636L108 (36")



SHELL

PL26LGDMCD11430L24 (30")
PL26LGDMCD11436L108 (36")



BANANA LEAF

PL26LGDMCD01330L24 (30")
PL26LGDMCD01336L108 (36")

PL26

Aluminum / Brass

3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen

12v

PL26LG

Aluminum / Brass

3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen
3w MR16 GU10 Base Super Saver LED 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

12v - 120V




Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER

PL23LG / PL23LG S SERIES

DECK MOUNT



PL23LGDM24ATL24BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
TOP
ANGLE TOP



PL23LGDM24L24BAR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
TOP
FLAT TOP



PL23LGS1WDM30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
1 WINDOW
TOP
FLAT TOP



PL23LGS2WDM30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
2 WINDOW
TOP
FLAT TOP



PL23LGS3WDM30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
3 WINDOW
TOP
FLAT TOP



PL23LGS4W30L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 24"
4" X 30"
4" X 36"

MOUNTING
DECK MOUNT
DESIGN
4 WINDOW
TOP
FLAT TOP

PL23LGDMAT | PL23LGDM | PL23LGS1 | PL23LGS2 | PL23LGS3 | PL23LGS4

Aluminum / Brass (4 window openings for S Series)

3w MR16 Super Saver LED 36° (L24) 40,000 hrs 3000K 270 Lumen

5w MR16 Super Saver LED 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 Super Saver LED 36° (L48) 40,000 hrs 3000K 550 Lumen

3w MR16 Super Saver LED GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

5w MR16 Super Saver LED GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]

7w MR16 Super Saver LED GU10 Base 36° (L126) 40,000 hrs 3000K 550 Lumen [120v]



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Path Lighting

12V | 120V | 277V WITH INTERNAL DRIVER

PL23 | PL23 S SERIES

DECK MOUNT / ANGLE CUT / STAKE MOUNT



PL2328L12BRT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 28"
2.25" X 34"

MOUNTING
ANGLE CUT

TOP
FLAT TOP



PL23DM18L12BAR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

TOP
FLAT TOP



PL23S1WDM18L24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
1 WINDOW

TOP
FLAT TOP



PL23S2WDM18L24WHT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
2 WINDOW

TOP
FLAT TOP



PL23S3WDM18L24STU

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
3 WINDOW

TOP
FLAT TOP



PL23S4WDM18L24RST

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2.25" X 18"
2.25" X 24"

MOUNTING
DECK MOUNT

DESIGN
4 WINDOW

TOP
FLAT TOP

PL23 | PL23DM | PL23S1 | PL23S2 | PL23S3 | PL23S4

Aluminum / Brass (4 window openings for S Series)

3w SC Ba15s bayonet base (L12) 50,000 hrs 3000K 300 Lumen

3w SC Ba15s bayonet base (L15) 50,000 hrs 2700K 270 Lumen

3w MR16 BP 36° (L24) 40,000 hrs 3000K 270 Lumen

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen

5w MR16 BP 36° (L40) 40,000 hrs 590NM TURTLE FRIENDLY

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen

4w LED Round "EGG" Panel (LEDP) 50,000 hrs 3000K 300 Lumen

12v - 277v (277v with driver)

120V OPTION

3w MR16 GU10 Base 80° (L110) 40,000 hrs 3000K 270 Lumen

5w MR16 GU10 Base 80° (L118) 40,000 hrs 3000K 450 Lumen

7w MR16 GU10 Base 80° (L128) 40,000 hrs 3000K 550 Lumen

DECK MOUNT

Item number:

FA03LG



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



PL23S1WDM24L24BRS

Specialty Lighting

LED CANDLE LANTERN

BRASS



SL67SQNLCD929RBV
Solid Brass Lantern
Agave
4"W x 6.25"H



SL67SQNLCD116BAR
Solid Brass Lantern
OCEAN WAVES
4"W x 6.25"H



SL67SQNLCD010BLT
Solid Brass Lantern
CORAL
4"W x 6.25"H



SL67SQLEDFCD006BLT
Solid Brass Lantern
wireless LED simulated
flame light
BAMBOO
4"W x 6.25"H




HIGH IMPACT WHITE ACRYLIC
Add (-WL) after LED option and
before pattern option in part number



SL67SQNLCD018BAR
Solid Brass Lantern
MONSTERA
4"W x 6.25"H



SL67SQLEDFCD928BLT
Solid Brass Lantern
wireless LED simulated
flame light
CRACKED MOSIAC
4"W x 6.25"H



SL67SQLEDFCD001BLT
Solid Brass Lantern
wireless LED simulated
flame light
SANDSTONE
4"W x 6.25"H



*Round lantern
option available for
Monstera Design



GOLD IRIDESCENT GLASS
Add (-IG) after LED option and
before pattern option in part number



CRACKED ICE
Add (-CI) after LED option and
before pattern option in part number



FLLEDF
Optional Light Source

**LED USB CHARGING
SIMULATED FLAME W/REMOTE**
Four Flame Modes: Flame, Light,
Breath and Dimming
150 Lumens (max)
Color temp: 1400-1600k
Charging time: 4 hours
Continuous use: Light:(8hrs)
Flame:(20 hours)
Comes with USB charging cable
and remote

SL67RDCD

Solid brass standing lantern with a 4" diameter and 6" height.
Optional glass or acrylic paneling available.

SL67SQCD

Solid brass standing lantern with a 4" width and 6" height.
Optional glass or acrylic paneling available.

FLLEDF

Wireless LED simulated flabe light source. 150 lumens max.
1400-1600K.

Custom plasma cut designs are available,
consult factory for more details.
White Acrylic, Cracked Ice Acrylic and Gold
Iridescent Glass paneling are optional

POWDER COAT OPTIONS AVAILABLE

*Powder coat finishes over Brass are
custom and Non-Returnable



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350




SL67SQCD010NLBLT

Specialty Lighting

12V

SL37 CIRCULAR BOCCE BALL LIGHT

BOCCE



SL37BLL24BRS

MATERIAL OPTIONS
BRASS

SIZE
3" OD X 3" D

SL37BLBRS

Circular Drop-in Bocce Ball Light. Brass or Acid Treatment
3w MR16 Super Saver BP 36° (L24) 40,000 hrs 3000K
270 Lumen 12v

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL37BLL24BRS

Step & Brick Lighting

12V | 120V | 277V WITH INTERNAL DRIVER

RECESSED LED BRICK LIGHT

ALUMINUM / BRASS



SL62LEDMBRS

MATERIAL OPTIONS
BRASS

SIZE
8.25" X 3"

SL62LEDM | SL62LEDM120 | SL62LEDM277

Brass

2x 3w LEDM 50,000 hrs 2800K - 3000K 285 Lumen (570 Lumens Total)

12v (277v w/ Driver)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL62LEDMBRS

Surface Mounts

12V

SL66 LIGHT POD

BRASS / ALUMINIUM



SL66LEDSBRS

BRASS LIGHT POD

2800K / 285LM

1.07" H x 1.350" Dia.

Frosted Acrylic Accent

SL66LEDSBLT

ALUMINUM LIGHT POD

2800K / 285LM

1.07" H x 1.350" Dia.

Frosted Acrylic Accent



SL66LEDSBAR

LAMP SUPPLIED: 2.3w COB LED Strip 3000K

SOCKET: None, LEDS

WIRING: Black 2 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number

SL66LEDSBLT

LAMP SUPPLIED: 2.3w COB LED Strip 3000K

SOCKET: None, LEDS

WIRING: Black 2 foot 18/2 zip cord from base of fixture

For 25 foot 16/2 fixture lead wire add -25F to catalog number

POWDER COAT OPTIONS AVAILABLE

(refer to back of Brochure)

*Powder coat finishes over Brass are custom and Non-Returnable

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL66LEDM3BRS

Surface Mounts

12V

LED LIGHT WAND WALL MOUNT

CLEAR ACRYLIC, FROSTED ACRYLIC WITH CAP,
FROSTED ACRYLIC NO CAP, OR CLEAR ACRYLIC
WITH BUBBLES
12" / 18" / 24"



SL68MDWML24S112BRS
Clear Acrylic Wand
Brass Mount
Size Options:
12" 18" 24"



SL68SMWML68S318BRS
Frosted Acrylic Wand
Brass Wall Mount Options:
12" 18" 24"



SL68SMWML68S424BRS
Clear W/ Bubbles
Acrylic Wand
Brass Wall Mount
Size Options:
12" 18" 24"

SL68SM

3W MR11 LED SS 40° FL
GU4 BP LED L68 50,000 hrs 3000K
300 Lumen 12v
1.7" DIA.

SL68MD

3W MR16 LED SS 36° FL
GU5.3 BI-PIN SOCKETS -3000k Dimmable L24
40,000 hrs 270 Lumen 12v
2.36" DIA.

ALL ACRYLIC TYPES AVAILABLE IN 12", 18", AND 24"

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL68SMWML6818S2BRS

Surface Mounts

12V | 120V | 277V WITH INTERNAL DRIVER

CYLINDER SURFACE MOUNTS

SURFACE MOUNTS

SURFACE MOUNT CANOPY OPTIONS

3" CANOPY [12V] (SM)

4.5" CANOPY [12V / 120V] (SM24)

4.5" FLAT PLATE [12V / 120V] (SMFP)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



PAR20

RXS10SM24P20NLBRS



PAR20

RXS10SMFPL142BRS



MR16

RXS12SML24BRS



LED MODULE

RXS18SM24LEDM740BRS

WATTAGE OPTIONS

11W/15W/20W Available

Consult factory for more information



PAR20

RXS10SM24P20NLCOP



PAR20

RXS10SMFPL142COP



MR16

RXS12SML24COP



LED MODULE

RXS18SM24LEDM740COP WATTAGE

OPTIONS

11W/15W/20W Available

Consult factory for more information



MR16

RXS12SML242SS



MR16


RXS12SM24L24SS



MR16

RXS12SMFPL24SS


HEX LOUVER AVAILABLE



FA086

2.25" DIA X 1/8" MINI HEX CELL
LOUVER FOR RXS18/RXS10

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR RXS12

RXS10SM24P20 | RXS10SMFPL142 | RXS12SML24 | RXS18SM24LEDM740

Brass Cylinder Surface Mounts

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)

8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)

RXS12SML24 | RXS12SMP24L24 | RXS12SMFPL24

Stainless Steel Cylinder Surface Mounts

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

5w MR16 GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]

7w MR16 GU10 Base 36° (L126) 40,000 hrs 3000K 550 Lumen [120v]

12v - 277v (277v with driver)

RXS10SM24P20 | RXS10SMFPL142COP | RXS12SML24COP | RXS18SMP24LEDM740

Copper Cylinder Surface Mounts

3w MR16 BP 36° (L24) 40,000 Hrs 3000K 270 Lumen

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)

8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350




RXS12SMFPL126BRSWHT

Surface Mounts

12V | 120V | 277V WITH DRIVER

2x2 SQUARE SURFACE MOUNTS

SURFACE MOUNTS / WALL MOUNTS



MR16

SL63WMDL24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY



MR16

SL63CMFPL108STU

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
CEILING MOUNT

OPTIONS
EXTENSION

MOUNT
4.5" FLAT PLATE



MR16

SL63CMEL24CPR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
CEILING MOUNT

OPTIONS
EXTENSION

MOUNT
4.5" SQUARE CANOPY



MR16

SL63WML24BLT


MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY

HEX LOUVER AVAILABLE



FA0821
2" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL63

SL63WMDL24 | SL63CMFPL24 | SL63CML24 | SL63WML24

Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)

3w MR16 BP 36° (L24) 40,000 hrs 3000K 270 Lumen

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen

For 120v use:

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen

12v - 277v (277v with driver)

For extension add (-E) to part number (Ceiling Mount Only)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350




SL63WMDL24BLT

Surface Mounts

12V | 120V | 277V WITH DRIVER

4x4 SQUARE SURFACE MOUNTS

ALUMINUM / BRASS



PAR20/PAR30

SL63LGCMNLBRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 4"

MOUNTING
CEILING MOUNT

MOUNT
4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGWML140BRSBKM

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 4"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGWMDL142BAV

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 4"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY



PAR20/PAR30

SL63LGCMDEL142BAR


MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
4" X 4"

MOUNTING
CEILING MOUNT

OPTION
EXTENSION
MOUNT
4.5" SQUARE CANOPY


HEX LOUVER AVAILABLE



FA086

4" X 1/4" MINI HEX CELL
LOUVER FOR SL63LG par20

HEX LOUVER AVAILABLE



FA0830

5" DIA X 1/4" MINI HEX CELL
LOUVER FOR SL63LG par30

SL63LGCM | SL63LGWM | SL63LGWMD

Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)

8w PAR20 Super Saver 15° Spot Warm White (L140) 50,000 hrs 720 Lumen

8w PAR20 Super Saver 40° Flood Warm White (L142) 50,000 Hrs 720 Lumen

12w PAR30 Super Saver 15° Spot Warm White (L148) 50,000 hrs 1080 Lumen (Brass Only)

12w PAR30 Super Saver 40° Spot Warm White (L150) 50,000 hrs 1080 Lumen (Brass Only)

120v - 277v 2700k-3000k

For extension add (-E) to part number (Ceiling Mount Only)

COLOR LENS OPTIONS AVAILABLE



Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Surface Mounts

12V

SL58LEDP

SURFACE MOUNT



SL58LEDPBRSBKM

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
2.25" X 8.25"

SL58LEDP

Aluminum / Brass Surface Mount

3w Omni Super Saver LED SC Ba15s bayonet base (L12) 50,000 hrs 3000K 300 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L16) 50,000 hrs 3000K 270 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L18)

Turtle Friendly Amber 50,000 hrs 590NM

4w Round LED Panel 50,000 hrs 3000K 300 Lumen **12v**

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL58LEDPCPR

Surface Mounts

12V

SL58SM VERTICAL / HORIZONTAL

SURFACE MOUNTS



SL58SMLEDMBRS

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
1" X 2" X 4.75"



SL58SMHORLEDSWIR

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
SURFACE MOUNT

SIZE
2" X 1" X 4.75"

SL58SMLEDM (VERTICAL)

Aluminum / Brass

3w LED Module 50,000 hrs 2800-3000K 285 Lumen

12v

SL58SMHORLEDS (HORIZONTAL)

Aluminum / Brass

2w LED Strip 40,000 hrs 2700K 140 Lumen

0.7w LED Strip Turtle Friendly 40,000 hrs 590NM 10 Lumen

12v

COLOR LENS OPTIONS AVAILABLE

VERTICAL



HORIZONTAL



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350




SL58SMHORLEDSBRT

Surface Mounts

12V

SL58LG HORIZONTAL

SURFACE MOUNTS



SL58LGHORLEDSBRS

MATERIAL OPTIONS

ALUMINUM / BRASS

MOUNTING

SURFACE MOUNT

SIZE

1" X 2" X 13.25"

SL58LGHORLEDS (HORIZONTAL)

Aluminum / Brass

4w LED Strip 40,000 hrs 2700K 245 Lumen

2w LED Strip Turtle Friendly 40,000 hrs 590NM 30 Lumen

12v

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Surface Mounts

12V | 120V | 277V WITH DRIVER

2.25" x 2.25" / 4" x 4" SL64 CUBE SERIES

SURFACE MOUNTS

SMALL CUBE



SL64SM

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
WALL/ CEILING
SURFACE MOUNT

SIZE
2.25" X 2.25"

STANDARD CUBE



SL64213EOSMWHT

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
WALL SURFACE MOUNT

SIZE
4" X 4"




SL64DL24BLT

MATERIAL OPTIONS
ALUMINUM / BRASS

MOUNTING
CEILING SURFACE MOUNT

SIZE
4" X 4"


HEX LOUVER AVAILABLE



FA0823

1" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL64SM

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL64D/SL64EOSM

SL64SM (Down Light) [SMALL]

Aluminum / Brass

1.5w MR8 LED 120° (L74) 25,000 hrs 3000K 65 Lumen

2w Omni2 Mini BP (L4) 40,000 hrs 3000K 180 Lumen 12v

SL64EOSM (Up/Down Light)

Aluminum / Brass

(2) 6w EOS Module 50,000 hrs 3000K 500 Lumen

(2) 13w EOS Module 50,000 hrs 3000K 900 Lumen 120v or 277v

SL64D (Down Light)

Aluminum / Brass

3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen

3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (120v)

(GU10 BASE) 12v or 120v

COLOR LENS OPTIONS AVAILABLE



Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)

*Note: Powder coat, and Acid finishes available.

See page 32 for more details.



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



Surface Mounts

12V

SL65 SMALL / MEDIUM

SURFACE / WALL MOUNTS



SL65SML12BRT

MATERIAL OPTIONS

ALUMINUM

MOUNTING

SURFACE / WALL MOUNT

SIZE

1.5" X 1.5" X 4.125"

DESIGN

DOWN LIGHT



SL65MDL24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS

MOUNTING

SURFACE / WALL MOUNT


SIZE

2.25" X 2.25" X 4.125"

DESIGN

DOWN LIGHT

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL65MD

SL65SM | SL65MD

Aluminum / Brass

3w Omni Super Saver SC (L12) 50,000 hrs 3000K 300 Lumen

3w MR16 BP 36°(L24) 40,000 hrs 3000K 270 Lumen (Medium
fixture only) 12v

Brass available in Medium ONLY

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL65SML12BLT

Finish Options

POWDER COAT / ACID TREATMENT

TO PLACE ORDERS:

TOLL FREE (888)882.1350

ORDERS@FOCUSINDUSTRIES.COM

CUSTOMIZE

CUSTOM FINISHES

Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?

<https://www.ralcolor.com/>

PANTONE #:


Need help finding a Pantone color?

<https://www.pantone.com/color-finder>

STANDARD FINISHES



Black Texture
(-BLT)



Bronze Texture
(-BRT)

PREMIUM FINISHES

NEW



Dark Bronze
(-DBZ)

NEW




Black Magic
(-BKM)



White Gloss
(-WHT)



White Texture
(-WTX)




Chrome Powder
(-CPR)



Weathered Iron
(-WIR)



Weathered Brown
(-WBR)



Rust
(-RST)



Rubbed Verde
(-RBV)




Hunter Texture
(-HTX)



Designer Beige
(-DBE)




Stucco
(-STU)



Camel Tone
(-CAM)

ACID FINISHES Brass and Copper fixtures only



Acid Rust
Copper (-CAR)
Brass (-BAR)



Black Acid Treatment
(-BAT)



Acid Verde
Copper (-CAV)
Brass (-BAV)

* Powder Coat Finishes over Brass are custom and **Non-Returnable**



SCAN FOR FULL SIZE
COLOR SWATCHES

LED Guide



FLLEDOMNI2MINISSBP
2w Omni2MiniSSBP Super
saver
2W, G4 BI-PIN BASE,
WARM WHITE, DIMMABLE
L4 3000K/180LM
40,000 HRS 12V
LED



FLLEDOMNI3SS
3W OMNI
3W, SC (SINGLE CONTACT)
BA15S BASE, DIMMABLE
L12 3000K/300LM
50,000 HRS 12V LED



FLLEDOMNI3G2SS
FLLEDOMNI3G2SS27K
3W OMNI G2
3W SC, (SINGLE CONTACT)
BA15S BASE DIMMABLE L15
3000K/270LM 50,000 HRS
12V LED



FLLEDMR8NL
1.5w MR8 SUPER SAVER
1.5W GU4.0 BI-PIN
SOCKETS, MR8 LED, 120°
L74 3000K/65LM
25,000 HRS
12V LED



FLLEDMR11SS3W38
FLLEDMR11SS3W15
3w MR11 SUPER SAVER
3w MR11 GU4 BI-PIN SOCKET LED
15° AND 38° SPOT, DIMMABLE
L66 3000K/170LM
50,000 HRS 12V LED



3W MR16 SUPER SAVER
FLLEDMR16SS3W15
3W MR16 GU5.3 BI-PIN SOCKET
LED 15° SPOT, DIMMABLE L22
FLLEDMR16SS3W36
3W MR16 GU5.3 BI-PIN SOCKET
LED 40° FLOOD, DIMMABLE L24
FLLEDMR16SS3W80
3W MR16 GU5.3 BI-PIN SOCKET
LED 80° FLOOD, 3000K,
DIMMABLE L26
3000K/300LM 40,000 HRS
12V LED



5W MR16 SUPER SAVER
FLLEDMR16SS5W15
5W MR16 GU5.3 BI-PIN SOCKET
LED 15° SPOT, DIMMABLE L34
FLLEDMR16SS5W36
5W MR16 GU5.3 BI-PIN SOCKET
LED 40° FLOOD, DIMMABLE L36
FLLEDMR16SS5W80
5W MR16 GU5.3 BI-PIN SOCKET
LED 80° FLOOD, DIMMABLE L38
FLLEDMR16SS5W36TF
5W MR16 GU5.3 BI-PIN SOCKET
LED 80° FLOOD, DIMMABLE, TF
L40 3000K/150LM 40,000 HRS
12V LED



7W MR16 SUPER SAVER
FLLEDMR16SS7W15
7W MR16 GU5.3 BI-PIN SOCKET
LED 15° SPOT, 3DIMMABLE L46
FLLEDMR16SS7W36
7W MR16 GU5.3 BI-PIN SOCKET
LED 40° FLOOD, DIMMABLE L48
FLLEDMR16SS7W80
7W MR16 GU5.3 BI-PIN SOCKET
LED 80° FLOOD, DIMMABLE L50
3000K/550LM 40,000 HRS
12V LED



3W MR16 GU10 SUPER SAVER
FLLEDMR16SS1203W15
3W MR16 GU10 BASE LED 15°
SPOT, 3000K, DIMMABLE L106
FLLEDMR16SS1203W36
3W
MR16 GU10 BASE LED 40° FLOOD,
3000K, DIMMABLE L108
FLLEDMR16SS1203W80
3W MR16 GU10 BASE LED 80°
FLOOD, 3000K, DIMMABLE L110
3000K/270LM 40,000 HRS 120V
LED



5W MR16 GU10 SUPER SAVER
FLLEDMR16SS1205W15
5W MR16 GU10 BASE LED 15° SPOT,
3000K, DIMMABLE L114
FLLEDMR16SS1205W36
5W MR16 GU10 BASE LED 40° FLOOD,
3000K, DIMMABLE L116
FLLEDMR16SS1205W80
5W MR16 GU10 BASE LED 80° FLOOD,
3000K, DIMMABLE L118
FLLEDMR16SS120W36TF
5W MR16 GU10 BASE LED 80° FLOOD,
3000K, DIMMABLE, TF L119
3000K/450LM 40,000hrs 120V LED



7W MR16 GU10 SUPER SAVER
FLLEDMR16SS1207W15
7W MR16 GU10 BASE LED 15° SPOT,
3000K, DIMMABLE L124
FLLEDMR16SS1207W36
7W MR16 GU10 BASE LED 40°
FLOOD, 3000K, DIMMABLE L126
FLLEDMR16SS1207W80
7W MR16 GU10 BASE LED 80°
FLOOD, 3000K, DIMMABLE L128
3000K/550LM 40,000 HRS
120V LED



8W PAR20 SUPER SAVER
FLLEDP20SS15
8W PAR20 15° SPOT, WARM
WHITE 3000K, MED BASE L140
FLLEDP20SS40 8W PAR20 40°
FLOOD, WARM WHITE 3000K,
MED BASE L142
3000K/720LM 50,000 HRS
120V-277V LED



12W PAR30 SUPER SAVER
FLLEDP30SS15 12W PAR30 15°
SPOT, WARM WHITE,
DIMMABLE L148
FLLEDP30SS40
12W PAR 30 40° FLOOD, WARM
WHITE, DIMMABLE
L150 3000K/1000LM
50,000 HRS 120V-277V LED



15w AR111 LED
FLLEDP36SS15
15W AR111 15° SPOT, WARM
WHITE 3000K, MED BASE L96
FLLEDP36SS40
15W AR111 40° FLOOD, WARM
WHITE 3000K, MED BASE
L98
3000K/1350LM 50,000 HRS
12V-120V LED



4W LED PANEL
RPLEDP4WR
4W LED ROUND "EGG" PANEL 12V
RPLEDP4WR52
4W LED ROUND "EGG" PANEL 12V
5200K/320LM 50,000 HRS 12V LED
LEDP ONLY WORKS WITH DC, USE
DRIVER TO CONVERT AC TO DC
HW12535012LED
5W 350mA LED DRIVER AC/DC IN,
12V DC OUT



4W LED MODULE
RPLEDM3W
3W HALF MOON LED MODULE
12V 2800K/285LM
50,000 HRS 12V LED



LED MODULE
RPLEDM7W
REPLACEMENT 7W 12V AC/DC 6
MODULE 12V 2800-3000K 50,000 HRS
RPLEDM11W
REPLACEMENT 11W 12V AC/DC 6
LED MODULE 12V 2800-3000K
50,000 HRS
RPLEDM15W
REPLACEMENT 15W 12V AC/DC 6
LED MODULE 12V 2800-3000K
50,000 HRS
RPLEDM20W
REPLACEMENT 20W 12V AC/DC 6
LED MODULE 12V 2800-3000K
50,000 HRS



2W LED STRIP
RPLEDS2W375
2W LED STRIP 3.75" X 0.55"
12V 2700K/140LM 50,000 HRS
RPLEDSM07WTF
0.7W LED STRIP 3.75" X 0.55"
TURTLE FRIENDLY TF 12V
590NM/10LM
50,000 HRS



LED STRIP
RPLEDS4W
4W LED STRIP 11.875" X 0.55"
12V 2700K/245LM 50,000 HRS
RPLEDS4WTF
2W LED STRIP 11.875" X 0.55" TURTLE
FRIENDLY TF 12V 590NM/30LM
50,000 HRS




TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

TO PLACE ORDERS Please call
TOLL FREE (888)882.1350
Or Email
ORDERS@FOCUSINDUSTRIES.COM



landscape • architectural • hospitality • entertainment • *illumination*







DESIGNED
MANUFACTURED
IN THE USA

© 2021 FOCUS INDUSTRIES. ALL RIGHTS RESERVED
NEW PRODUCTS BROCHURE 2022_JANUARY 2022

Focus Industries
25301 Commercentre Drive
Lake Forest, CA. 92630
(949)830-1350
www.focusindustries.com

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350