



Designed
In the USA

FOCUS
INDUSTRIES®

landscape • architectural • hospitality • entertainment • illumination



2023 NEW PRODUCTS

NEWEST PRODUCT RELEASES FROM FOCUS INDUSTRIES



NEW SL66LEDTSS (STAINLESS STEEL VERSION)



CUBE PATH LIGHT



LED FLAME LANTERN



AUTO IGNITE TORCH



DESIGNER CUBE

Stay **FOCUSED** — WE'LL MAKE IT YOUR WAY!

FOCUS INDUSTRIES, INC. © NEWEST PRODUCT RELEASES OF 2023

WE ARE FOCUS INDUSTRIES

Welcome to the Focus **family**

We have made it easier to research our great quality products by redesigning the New Products Brochure to meet the needs of customers like you. See in-depth product details, new designs and an array of quality products, accessories and LED's.

Need some design consulting? We can help with that. Speak with one of our knowledgeable sales team members or customer care agents about creating a lighting schedule specific to your project.

We have a great family of sales representatives and distributors located around the United States, which provides you with helpful specs, tips and answers to all your lighting needs. Let us know if you need assistance in finding the nearest one to you.

Stay connected with us

We love seeing how you have incorporated Focus products into the interior or exterior spaces of your project, home or business. Just like you, we love showing it off, and we would love to share your inspirational photos.

Follow us on Facebook, Instagram, and Youtube for great helpful tips, new product releases, clearance items and all the latest happenings with Focus Industries.



#stayfocused

TABLE OF CONTENTS

AREA LIGHTING.....	4-6
AL26 LED LIGHT WAND.....	4
AL08 S2 BOLLARDS.....	5
AL18 AUTO IGNITE TORCH.....	6
DIRECTIONAL LIGHTING.....	7
DL50 PAR30 / DL50LEDM.....	7
FLAG POLE	8
FLAG POLE RING	8
FLOOD LIGHTING.....	9-10
DL10 LEDM.....	9
LFL01LEDM	9
LFL01LEDM (2', 3', 4', 6', 8')	10
HANGING FIXTURES / PENDENTS.....	11-14
SL15 "STARLIGHT" HANGING FIXTURES.....	11
RXS CYLINDER PENDENTS	12-13
SL15 "STARLIGHT" PENDENTS.....	14
PATH LIGHTING	15-19
PL23 S1/S2/S3/S4 BOLLARDS.....	15
PL23LG SERIES S1/S2/S3/S4 SERIES.....	16
PL26 ISLAND STYLE BOLLARD.....	17
PL26 ADDRESS BOLLARD.....	18
PL27 CUBE PATH LIGHT.....	19
SPECIALTY LIGHTING	20-21
LED CANDLE LANTERN.....	20
BOCCE BALL.....	21
STEP/BRICK LIGHTING	22
SL62 LEDM.....	22
SURFACE MOUNTS.....	23-32
LIGHT POD	23
LED LIGHT WAND WALL MOUNT	24
CYLINDER SURFACE MOUNTS	25
2X2 SQUARE SURFACE MOUNTS.....	26
4X4 SQUARE SURFACE MOUNTS	27
SL58 LEDP	28
SL58 SM VERTICAL / HORIZONTAL.....	29
SL58LG HORIZONTAL.....	30
SL64 "CUBE"	31
SL64CD DESIGNER CUBE.....	31
SL65.....	32
FINISH OPTIONS.....	33
LED LIST GUIDE	34-35



AREA LIGHTING

12v | 120v

LED LIGHT WANDS



AL26MDL24S112BRS

MATERIAL OPTIONS
BRASS

SIZE OPTIONS
12" BRASS LIGHT WAND
12"(STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL26SML68S318BRS

MATERIAL OPTIONS
BRASS

SIZE OPTIONS
18" BRASS LIGHT WAND
18" (STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL26MDL24S424BRS

MATERIAL OPTIONS
BRASS

SIZE OPTIONS
24" BRASS LIGHT WAND
24" (STANDARD)
CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL26SM

3W MR16 LED SS 40° FL GU4 BI-PIN LED (L68) 50,000 HRS
3000K / 300 LUMEN 12V
1.7" DIA.

AL26MD

3W MR16 LED SS 36° FL GU5.3 BI-PIN (L24) 40,000 HRS
3000K / 270 LUMEN 12V
2.36" DIA.

ALL ACRYLIC TYPES AVAILABLE IN 12", 18", AND 24"

COLOR LENS OPTIONS AVAILABLE



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



BOLLARDS w/ FROSTED ACRYLIC ACCENTS



AL08SMDMS2L4COP

MATERIAL OPTIONS

COPPER

SIZE OPTIONS

12" ONLY

12" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL08MDDMS2L24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS / COPPER

SIZE OPTIONS

18" ONLY

18" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY

AL08LGDMS2L24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

24" ONLY

24" (STANDARD)

CUSTOM HEIGHTS ARE AVAILABLE,
CONSULT FACTORY**AL08SMS2**2W OMNI MINI LED GU4 BI-PIN LED (L68) 50,000 HRS
3000K / 300 LUMEN 12V**AL08MDS2**3W MR16 LED SS 36° FL GU5.3 BI-PIN LED (L24) 40,000 HRS
3000K / 270 LUMEN 12V**AL08LGS2**3W MR16 LED SS 36° FL GU5.3 BI-PIN LED (L24) 40,000 HRS
3000K / 270 LUMEN 12V

120-Volt options available. Consult factory.

**COLOR LENS
OPTIONS AVAILABLE**
 Red (add -R)
 Amber (add -A)
 Green (add -G)
 Blue (add -B)




AREA LIGHTING

120v

AUTO IGNITE TORCHES



AL18LGNGAI120VCOP

MATERIAL OPTIONS
COPPER TORCH HEAD

HAT SIZE
11.50" X 7.50" OD

SLEEVE
2.00" SIMULATED BAMBOO SLEEVE



FASBUVR62MB

2.00" Simulated Sleeve
For Auto Ignite Torch
2"OD x 6' UVR Simulated
Bamboo Sleeve



AL18CYNGAI120VSS

MATERIAL OPTIONS
STAINLESS STEEL TORCH HEAD

HAT SIZE
11.50" X 7.50" OD

SLEEVE
2.00" SIMULATED BAMBOO SLEEVE

AL18LGNGAI120VCOP

120V AUTOMATIC IGNITE TORCH, WITH DIRECT BURIAL CONTROL BOX FOR NATURAL GAS

AL18LGPAl120VCOP

120V AUTOMATIC IGNITE TORCH, WITH DIRECT BURIAL CONTROL BOX FOR PROPANE

AL18CYNGAI120VSS

120V AUTOMATIC IGNITE TORCH, WITH DIRECT BURIAL CONTROL BOX FOR NATURAL GAS

AL18CYPAl120VSS

120V AUTOMATIC IGNITE TORCH, WITH DIRECT BURIAL CONTROL BOX FOR PROPANE

Simulated Bamboo Sleeve

FASBUVR62MB
SIMULATED MEDIUM BROWN COLOR—HAND PAINTED



LARGE LED DIRECTIONAL BULLETS



DL50L150BRS

MATERIAL OPTIONS
ALUMINUM / BRASS



DL50LEDM20BAR

MATERIAL OPTIONS
ALUMINUM / BRASS



DL60L158BLT

MATERIAL OPTIONS
ALUMINUM / BRASS



DL60L96WIR

MATERIAL OPTIONS
ALUMINUM / BRASS

DL50PAR30

10W PAR30 LED 36° MEDIUM BASE (L152) 50,000 HRS
3000K / 1000 LUMEN 120V

DL50LEDM20

20W LED MODULE 40° (LEDM20) 50,000 HRS
2800K / 1800 LUMEN 12V

DL60PAR38

15W PAR38 LED 36° MEDIUM BASE (L164) 50,000 HRS
3000K / 1350 LUMEN 120V

DL50L96

15W AR111 15° (L96) 40,000 HRS
3000K / 1350 LUMEN 12V

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)





FLAG POLE LIGHTING

12v | 120v

FLAG POLE RING



FAPM72H12VCPR (12V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA.
12V CAN BE FITTED UP
TO 3 FIXTURES

FAPM73H120VBLT (120V)

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
7" DIA. (120V)
UP TO 3 FOCUS FIXTURES
OPTIONAL DIA. AVAILABLE
CONSULT FACTORY

Shown with DL45 Directional Lights
(Fixtures Sold Separately)



FAPM72H12V
ALUMINUM OR BRASS 7.00" DIA. W/ HUBS
GITS POLE UP TO 5.00" WITH 3 FIXTURES
12-VOLT

FAPM73H120V
ALUMINUM OR BRASS 7.00" DIA. W/ HUBS
GITS POLE UP TO 5.00" WITH 3 FIXTURES
120-VOLT



Optional Diameters Available.

For a list of compatible directionals, consult Factory.

LARGE LED MODULE FLOOD LIGHTS



DL10LEDM3027MVBLT

MATERIAL OPTIONS
ALUMINUM



DL10HELEDM3027MVBLT

SHOWN WITH HOOD EXTENSION



LFL01LEDM1027MVBLT

MATERIAL OPTIONS
ALUMINUM

120V/277V OPTION
AVAILABLE.
CONSULT FACTORY FOR
MORE INFORMATION


DL10LEDM30

30W LED MODULE (LEDM30) 50,000 HRS
2700K, 3000K, 4100K / 2400 LUMEN 120-277V

LFL01LEDM10

10W LED MODULE (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 800 LUMEN 120-277V

Optional Hood Extension Available. Add (HE) to part number upon ordering.
Hex louvers available. Consult factory.





FLOOD LIGHTING

120v | 277v

LED MODULE FLOOD LIGHTS



LFL012LEDM1027MV
1.92ft (23.00")

MATERIAL OPTIONS
ALUMINUM



LFL013LEDM1030MV
2.87ft (34.50")

MATERIAL OPTIONS
ALUMINUM



LFL014LEDM1041MV
3.875ft (46.50")

MATERIAL OPTIONS
ALUMINUM



LFL016LEDM1041MV
6.00ft (72.00")

MATERIAL OPTIONS
ALUMINUM



LFL018LEDM1027MV
8.00ft (96.00")

MATERIAL OPTIONS
ALUMINUM

LFL012LEDM10

X3 10W LED MODULES (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 2400 LUMEN 120-277V

LFL013LEDM10

X4 10W LED MODULES (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 3200 LUMEN 120-277V

LFL014LEDM10

X6 10W LED MODULES (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 4800 LUMEN 120-277V


LFL016LEDM10

X9 10W LED MODULES (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 7200 LUMEN 120-277V

LFL018LEDM10

X12 10W LED MODULES (LEDM10) 50,000 HRS
2700K, 3000K, 4100K / 9600 LUMEN 120-277V

Optional Hood Extension Available. Add (HE) to part number upon ordering.
Hex louvers available. Consult factory.



LFL012KEDM10CAM

LED STARLIGHT HANGING FIXTURES



SL15S2L12BRS

4" BRASS CYLINDER /
3"X 9.37" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS

BRASS
18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS

3" CANOPY [12V] (SHOWN)



SL1510S2L24BRS

10" BRASS CYLINDER
3"X15.37" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS

BRASS
18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS

3" CANOPY [12V] (SHOWN)



SL15S2L12COP

4" COPPER CYLINDER
3"X8.66" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS

COPPER
18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15S2 CANOPY OPTIONS

2.65" CANOPY [12V] (SHOWN)



SL1510S2L24COP

10" COPPER CYLINDER
3"X14.66" FROSTED
ACRYLIC ACCENT

MATERIAL OPTIONS

COPPER
18" BRASS CHAIN (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL1510S2 CANOPY OPTIONS

2.65" CANOPY [12V] (SHOWN)

SL15S2L12

3W OMNI 3 SUPER SAVER LED (L12) 50,000 HRS
3000K / 300 LUMEN 12V

SL1510S2L24

3W MR16 BI-PIN LED 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V


5W MR16 BI-PIN LED 36° (L36) 40,000 HRS
3000K / 450 LUMEN 12V

7W MR16 BI-PIN LED 36° (L48) 40,000 HRS
3000K / 550 LUMEN 12V

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



SL1510S2AL24CAR
Shown with amber accent



PENDENT FIXTURE LIGHTING

12v | 120v | 277v

RXS BRASS & COPPER CYLINDER PENDENTS

MR11



RXS13PFPL68BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3.00" CANOPY (P) 12V
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V (SHOWN)

MR16



RXS12P24L24BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3.00" CANOPY (P) 12V
4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V

PAR20



RXS10P24L140BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V

LED MODULE



RXS18P24LEDM740BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V



RXS13PFPL68COP

MATERIAL OPTIONS

COPPER
12" COPPER STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3.00" CANOPY (P) 12V
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V (SHOWN)



RXS12P24L24COP

MATERIAL OPTIONS

COPPER
12" COPPER STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS13 CANOPY OPTIONS

3.00" CANOPY (P) 12V
4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V



RXS10P24L140BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS10 CANOPY OPTIONS

4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V



RXS18P24LEDM740COP

MATERIAL OPTIONS

COPPER
12" COPPER STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS18 CANOPY OPTIONS

4.50" CANOPY (P24) 12-120V (SHOWN)
4.50" FLAT PLATE (PFP) 12-120V

RXS10P24L24 | RXS12P24L24 | RXS13PFPL68 | RXS18P24LEDM740
BRASS / COPPER CYLINDER PENDANT

3W MR11 GU4 BP LED 40° (L68) 50,000 HRS 3000K 300 LUMEN (12V)

3W MR16 BP 36°(L24) 40,000 HRS 3000K 270 LUMEN (12V)
3W MR16 GU10 BASE 36° (L108) 40,000 HRS 3000K 270 LUMEN (120V)

8W PAR20 15° SPOT(L140) 50,000 HRS 3000K 720 LUMEN (RXS10 ONLY)

7W LEDM 2800K 450 LUMEN
11W LEDM 2800K 600 LUMEN
15W LEDM 2800K 900 LUMEN
20W LEDM 2800K 1500 LUMEN

**COLOR LENS
OPTIONS AVAILABLE**
Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

Hex louvers available. Consult factory.



RXS STAINLESS STEEL PENDENTS

MR16



RXS12PL24SS

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3.00" CANOPY (P) 12-120V

MR16



RXS12PFPL24SS

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

3.00" CANOPY (P) 12-120V

MR16



RXS12P24L24SS

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

RXS12 CANOPY OPTIONS

4.50" CANOPY (P) 12-120V

BRASS & STAINLESS STEEL SLOPE ADAPTER



RXS12PL24BRS

3.00" BRASS SLOP ADAPTER
3.00" BRASS CANOPY (SHOWN)



RXS12PL24SS

3.00" STAINLESS STEEL SLOP ADAPTER
4.50" STAINLESS STEEL CANOPY (SHOWN)

RXS12L24

3W MR16 BI-PIN LED 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V

5W MR16 BI-PIN LED 36° (L36) 40,000 HRS
3000K / 450 LUMEN 12V

7W MR16 BI-PIN LED 36° (L48) 40,000 HRS
3000K / 550 LUMEN 12V

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

Hex louvers available. Consult factory.



**NEW!
SLOPE
ADAPTER
AVAILABLE**
CONSULT
FACTORY FOR
MORE DETAILS



PENDENT FIXTURE LIGHTING

12v | 120v | 277v

LED STARLIGHT PENDENT FIXTURES



SL15PS2L12BRS

MATERIAL OPTIONS

BRASS
12" BRASS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15PS2 CANOPY OPTIONS

3.00" CANOPY (P) 12V (SHOWN)
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V



SL1510PFPS2L24BRS

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15PS2 CANOPY OPTIONS

3.00" CANOPY (P) 12V
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V (SHOWN)



SL15PS2L12COP

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15PS2 CANOPY OPTIONS

2.65" CANOPY (P) 12V (SHOWN)
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V



SL1510PS2L24COP

MATERIAL OPTIONS

BRASS
12" SS STEM (STANDARD)
CUSTOM LENGTHS AVAILABLE,
CONSULT FACTORY

SL15PS2 CANOPY OPTIONS

2.65" CANOPY (P) 12V (SHOWN)
4.50" CANOPY (P24) 12-120V
4.50" FLAT PLATE (PFP) 12-120V

SL15PS2L12

3W SC OMNI 3 SUPER SAVER LED (L12) 50,000 HRS
3000K / 300 LUMEN (4.00") 12V

SL1510PS2L24

3W MR16 BI-PIN 36° (L24) 40,000 HRS
3000K / 270 LUMEN (10") 12V

3W MR16 GU10 BASE 36° (L108) 40,000 HRS
3000K / 270 LUMEN 120V

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



SL1510P24S2RL24BRS

For GU10 base, must use P24 Canopy or PFP Flat Plate (120v)

ADDRESS BOLLARDS



PL26ABDMLEDS812VBLT

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

2.25" X 26"

MOUNTING

DECK MOUNT / U-BRACKET

DESIGN

1 SIDE NUMBERING

TOP

FLAT TOP



PL26LGABDMLEDS812VCPR

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 36"

MOUNTING

DECK MOUNT / U-BRACKET

DESIGN

1 SIDE NUMBERING

TOP

FLAT TOP

PL26AB4W LED STRIP (LEDS) 50,000 HRS
2700K / 245 LUMEN 12V**PL26LGAB**X2 4W LED STRIP (LEDS) 50,000 HRS
2700K / 490 LUMEN 12-120V

Standard Aluminum or Brass Flat Cap






PATH LIGHTING

12v | 120v | 277v


PL26 CUSTOM DESIGN BOLLARDS



SANDSTONE



TROPICAL LEAF



GRASS BLADES



CORAL



OCEAN WAVES

SIZE OPTIONS

PL26DMCD001L24BRT (2.25" X 24")
PL26LGDMCD00130L24BRT (4" X 30")
PL26LGDMCD00136L24BRT (4" X 36")

SIZE OPTIONS

PL26DMCD014L24BRT (2.25" X 24")
PL26LGDMCD01430L24BRT (4" X 30")
PL26LGDMCD01436L24BRT (4" X 36")

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

PL26DMCD021L24BRT (2.25" X 24")
PL26LGDMCD02130L24BRT (4" X 30")
PL26LGDMCD02136L24BRT (4" X 36")

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

PL26DMCD010L24BRT (2.25" X 24")
PL26LGDMCD01030L24BRT (4" X 30")
PL26LGDMCD01036L24BRT (4" X 36")

MATERIAL OPTIONS


ALUMINUM / BRASS

SIZE OPTIONS

PL26DMCD116L24BRT (2.25" X 24")
PL26LGDMCD11630L24BRT (4" X 30")
PL26LGDMCD11636L24BRT (4" X 36")

MATERIAL OPTIONS

ALUMINUM / BRASS



HELICONIA

SIZE OPTIONS

PL26LGDMCD00230L24BRT (4" X 30")
PL26LGDMCD00236L24BRT (4" X 36")



MONSTERA

SIZE OPTIONS

PL26LGDMCD01830L24BRT (4" X 30")
PL26LGDMCD01836L24BRT (4" X 36")



BAMBOO

SIZE OPTIONS

PL26LGDMCD00630L24BRT (4" X 30")
PL26LGDMCD00636L24BRT (4" X 36")



SHELL

SIZE OPTIONS

PL26LGDMCD11430L24BRT (4" X 30")
PL26LGDMCD11436L24BRT (4" X 36")



BANANA LEAF

SIZE OPTIONS

PL26LGDMCD01330L24BRT (4" X 30")
PL26LGDMCD01336L24BRT (4" X 36")

PL26 (2.25" x 24.00")

3W MR16 SAVER LED 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V

4W LED STRIP (LEDS) 50,000 HRS
2700K / 245 LUMEN 12V

PL26LG (4.00" x 30.00" / 4.00" x 36.00")
3W MR16 SAVER LED 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V

3W MR16 GU10 BASE 36° (L108) 40,000 HRS
3000K / 270 LUMEN 120V

4W LED STRIP (LEDS) 50,000 HRS
2700K / 245 LUMEN 12V

X2 4W LED STRIP (LEDS) 50,000 HRS
2700K / 490 LUMEN 12-120V

Size options: 2.25" x 24.00" / 4.00" x 30.00" / 4.00" x 36.00"



PL23LG / PL23LG S SERIES



PL23LGDM24ATL24BRT

SIZE OPTIONS

PL23DM24L24BRT (24")
 PL23LGDM30L24BRT (30")
 PL23LGDM36L24BRT (36")

MATERIAL OPTIONS

ALUMINUM / BRASS



PL23LGDM24L24BAR

SIZE OPTIONS

PL23DM24L24BAR (24")
 PL23LGDM30L24BAR (30")
 PL23LGDM36L24BAR (36")

MATERIAL OPTIONS

ALUMINUM / BRASS

**1 WINDOW**

PL23LGDS1WDM24L24BRS

SIZE OPTIONS

PL23LGDS1WDM24L24BRS (24")
 PL23LGDS1WDM30L24BRS (30")
 PL23LGDS1WDM36L24BRS (36")

MATERIAL OPTIONS

ALUMINUM / BRASS

**2 WINDOW**

PL23LGDS2WDM30L24BRS

SIZE OPTIONS

PL23LGDS2WDM24L24BRS (24")
 PL23LGDS2WDM30L24BRS (30")
 PL23LGDS2WDM36L24BRS (36")

MATERIAL OPTIONS

ALUMINUM / BRASS

**3 WINDOW**

PL23LGDS3WDM30L24BRS

SIZE OPTIONS

PL23LGDS3WDM24L24BRS (24")
 PL23LGDS3WDM30L24BRS (30")
 PL23LGDS3WDM36L24BRS (36")

MATERIAL OPTIONS

ALUMINUM / BRASS

**4 WINDOW**

PL23LGDS4WDM30L24BRS

SIZE OPTIONS

PL23LGDS4WDM24L24BRS (24")
 PL23LGDS4WDM30L24BRS (30")
 PL23LGDS4WDM36L24BRS (36")

MATERIAL OPTIONS

ALUMINUM / BRASS

PL26 (2.25" x 24.00")

3W MR16 SAVER LED 36° (L24) 40,000 HRS
 3000K / 270 LUMEN 12V

4W LED STRIP (LEDS) 50,000 HRS
 2700K / 245 LUMEN 12V

PL26LG (4.00" x 30.00" / 4.00" x 36.00")
 3W MR16 SAVER LED 36° (L24) 40,000 HRS
 3000K / 270 LUMEN 12V

3W MR16 GU10 BASE 36° (L108) 40,000 HRS
 3000K / 270 LUMEN 120V

4W LED STRIP (LEDS) 50,000 HRS
 2700K / 245 LUMEN 12V

X2 4W LED STRIP (LEDS) 50,000 HRS
 2700K / 490 LUMEN 12-120V

Size options: 2.25" x 24.00" / 4.00" x 30.00" / 4.00" x 36.00"

Cap Options: Angle top available in aluminum only





PATH LIGHTING

12v | 120v | 277v

PL23 / PL23 S SERIES



ANGLE CUT
PL2328L12BRS

SIZE OPTIONS
PL2328L12BRS (28")
PL2330L12BRS (34")

MATERIAL OPTIONS
ALUMINUM / BRASS



DECK MOUNT
PL23DM18L12BRS

SIZE OPTIONS
PL23DM18L12BRS (18")
PL23DM24L24BRS (24")

MATERIAL OPTIONS
ALUMINUM / BRASS



1 WINDOW
PL23S1WDM18L24BRS

SIZE OPTIONS
PL23S1WDM18L24BRS (18")
PL23S1WDM24L24BRS (24")

MATERIAL OPTIONS
ALUMINUM / BRASS



2 WINDOW
PL23S2WDM18L24WHT

SIZE OPTIONS
PL23S1WDM18L24BRS (18")
PL23S1WDM24L24BRS (24")

MATERIAL OPTIONS
ALUMINUM / BRASS



3 WINDOW
PL23S3WDM18L24STU

SIZE OPTIONS
PL23S3WDM18L24BRS (18")
PL23S3WDM24L24BRS (24")

MATERIAL OPTIONS
ALUMINUM / BRASS



4 WINDOW
PL23S4WDM18L24RST

SIZE OPTIONS
PL23S4WDM18L24BRS (18")
PL23S4WDM24L24BRS (24")

MATERIAL OPTIONS
ALUMINUM / BRASS

PL23

3W OMNI3 SC SUPER SAVER LED (L12) 50,000 HRS
3000K / 300 LUMEN 12V

3W OMNI3 G2 SC SUPER SAVER LED (L15) 50,000 HRS
3000K / 270 LUMEN 12V

PL23S SERIES

3W MR16 SUPER SAVER LED 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V

3W MR16 GU10 BASE 36° (L108) 40,000 HRS
3000K / 270 LUMEN 120V

Size options: 2.25" x 24.00"

Angle cut option available

Stake mount available (FA03LG)



PL27 CUBE PATH LIGHTS



PL27SM1L4WHT

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE

24.00" X 2.25" X 4.50"



PL27SM2L4WHT

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE

24.00" X 2.25" X 6.75"



PL27LG1LEDM30CPR

MATERIAL OPTIONS

ALUMINUM / BRASS

LED OPTION

13W EOS MODULE (120V)

SIZE

36.00" X 4.50" X 8.00"



PL27LG2LEDM30WIR

MATERIAL OPTIONS

ALUMINUM / BRASS

LED OPTION

13W EOS MODULE (120V)

SIZE

36.00" X 4.50" X 12.00"

PL27SM12W OMNI2 G4 BP SAVER LED (L4) 40,000 HRS
3000K / 180 LUMEN 12V**PL27SM2**X2 2W OMNI2 G4 BP SAVER LED (L4) 40,000 HRS
3000K / 360 LUMEN 12V**PL27LG1**30W LED MODULE (LEDM30) 50,000 HRS
2700K, 3000K, 4100K / 2400 LUMEN 120-277V**PL27LG1 LED OPTION:**13W EOS MODULE (EOSM13) 50,000 HRS
3000K, 4100K / 900 LUMEN 120-277V**PL27LG2**X2 30W LED MODULE (LEDM30) 50,000 HRS
2700K, 3000K, 4100K / 4800 LUMEN 120-277V**PL27LG2 LED OPTION:**X2 13W EOS MODULE (EOSM13) 50,000 HRS
3000K, 4100K / 1800 LUMEN 120-277V**COLOR LENS****OPTIONS AVAILABLE**

Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)





SPECIALTY LIGHTING

LED FLAME LANTERNS

Aluminum / Brass simulated flame lanterns



SL67SQNLCDg29RBV
SOLID BRASS LANTERN
AGAVE
4" W X 6.25" H



SL67SQNLCD116BAR
SOLID BRASS LANTERN
OCEAN WAVES
4" W X 6.25" H



SL67SQNLCD010BLT
SOLID BRASS LANTERN
CORAL
4" W X 6.25" H



SL67SQNLCD018BAR
SOLID BRASS LANTERN
MONSTERA
4" W X 6.25" H



SL67SQLEDFCD928BLT
SOLID BRASS LANTERN
CRACKED MOSAIC
4" W X 6.25" H



SL67SQLEDFCD001BLT
SOLID BRASS LANTERN
SANDSTONE
4" W X 6.25" H



SL67RDNLCD018BAR
SOLID BRASS LANTERN
MONSTERA
4" D X 6" H



FLLEDF
LED USB CHARGING
SIMULATED FLAME W/REMOTE
FOUR FLAME MODES: FLAME, LIGHT, BREATH AND DIMMING
150 LUMENS (MAX)
COLOR TEMP: 1400-1600K
CHARGING TIME: 4 HOURS
CONTINUOUS USE: LIGHT(8HRS) FLAME:(20 HOURS)
COMES WITH USB CHARGING CABLE AND REMOTE

SL67RD

SOLID BRASS ROUND STANDING LED FLAME LANTERN,
4.00" DIA. X 6.00" H
WITH OPTIONAL LENSES (IRIDESCENT GLASS OR ACRYLIC)

SL67SQCD

SOLID BRASS SQUARE STANDING LED FLAME LANTERN
4.00" SQ. X 6.00" H
WITH OPTIONAL LENSES (IRIDESCENT GLASS OR ACRYLIC)

LED (FLLEDF) SIMULATED LED LANTERN

WIRELESS, RECHARGEABLE SIMULATED FLAME LED.
4 LIGHT MODES.
1400-1600K / 150 LUMENS

LENS OPTIONS



GOLD IRIDESCENT
GLASS (IG)



HIGH IMPACT WHITE
ACRYLIC (WL)




CRACKED ICE
ACRYLIC (CI)

Custom plasma cut designs are available. Consult factory for details.

Lens Options: white acrylic, cracked ice acrylic, and Gold Iridescent glass.



CIRCULAR BOCCE BALL LIGHT



SL37BLL24BRS

MATERIAL OPTIONS

BRASS

SIZE

3.00" OD. X 3.00"

SL37BLBRS

CIRCULAR DROP-IN BOCCÉ BALL LIGHT. BRASS OR ACID TREATMENT
3W MR16 SUPER SAVER BP 36° (L24) 40,000 HRS
3000K / 270 LUMEN 12V

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)





STEP LIGHTING

12v | 120v | 277v

RECESSED BRICK LIGHT



SL62LEDMBRS

MATERIAL OPTIONS

BRASS

SIZE

8.25" OD X 3.00"

MOUNTING

COMPOSITE BACK BOX

SL62LEDMBRS


2X 3W LEDM (LEDM) 50,000 HRS
2800K - 3000K 500 LUMEN 12V

SL62LEDM120BRS

2X 3W LEDM (LEDM) 50,000 HRS
2800K - 3000K 500 LUMEN 120V

SL62LEDM277BRS

2X 3W LEDM (LEDM) 50,000 HRS
2800K - 3000K 500 LUMEN 277V



277-Volt available with driver. Consult factory for more information.

LIGHT PODS



SL66LEDTBAR

MATERIAL OPTIONS

BRASS

SIZE

107" H X 350" DIA.



SL66LEDTSS

MATERIAL OPTIONS

STAINLESS STEEL

SIZE

107" H X 350" DIA.

SL66LEDTBAR

2W COB LED TAPE (LEDT) 50,000 HRS
2700K / 147 LUMENS 12V

SL66LEDTSS

2W COB LED TAPE (LEDT) 50,000 HRS
2700K / 147 LUMENS 12V

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

Powder coat options available.

Please note that powder coat and acid finishes over brass are considered custom and therefore non-returnable.





SURFACE MOUNT LIGHTING

12v

LED LIGHT WANDS



SL68MDWML24S12BRS

MATERIAL OPTIONS

BRASS

ACRYLIC ACCENT

CLEAR (S1) / FROSTED / BUBBLE
12.00" / 18.00" / 24.00"

MOUNTING

SMALL BRASS CANOPY

SL68SMWML68S318BRS

MATERIAL OPTIONS

BRASS

ACRYLIC ACCENT

CLEAR / FROSTED (S3) / BUBBLE
12.00" / 18.00" / 24.00"

MOUNTING

SMALL BRASS CANOPY

SL68SMWML68S424BRS

MATERIAL OPTIONS

BRASS

ACRYLIC ACCENT

CLEAR / FROSTED / BUBBLE
12.00" / 18.00" / 24.00"

MOUNTING

SMALL BRASS CANOPY

SL68SM

3W MR11 LED SS 40° FL GU4 BP LED (L68) 50,000 HRS
3000K / 300 LUMEN 12V
17" DIA.

SL68MD

3W MR16 LED SS 36° FL GU5.3 BP (L24) 40,000 HRS
3000K / 270 LUMEN 12V
2.36" DIA.

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)

ALL ACRYLIC TYPES AVAILABLE IN 12", 18", AND 24"



SURFACE MOUNT LIGHTING

12v | 120v | 277v



CYLINDER SURFACE MOUNTS



RXS10SM24P20NLBRS



RXS10SMFPL142BRS



RXS12SML24BRS



RXS18SM24LEDM740BRS

WATTAGE OPTIONS
11W/15W/20W AVAILABLE
CONSULT FACTORY FOR MORE INFORMATION



RXS10SM24P20NLCOP



RXS10SMFPL142COP



RXS12SML24COP



RXS18SM24LEDM740COP

WATTAGE OPTIONS
11W/15W/20W AVAILABLE
CONSULT FACTORY FOR MORE INFORMATION



RXS12SML24SS



RXS12SM24L24SS



RXS12SMFPL24SS

RXS10SM24P20 | RXS10SMFPL142 | RXS12SML24 | RXS18SM24LEDM740

Brass Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen

15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)

8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)

RXS12SML24 | RXS12SM24L24 | RXS12SMFPL24

Stainless Steel Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

5w MR16 GU10 Base 36° (L116) 40,000 hrs 3000K 450 Lumen [120v]

7w MR16 GU10 Base 36° (L126) 40,000 hrs 3000K 550 Lumen [120v]

12v - 277v (277v with driver)

RXS10SM24P20 | RXS10SMFPL142COP | RXS12SML24COP | RXS18SM24LEDM740

Copper Cylinder Surface Mounts

3w MR16 BP 36°(L24) 40,000 Hrs 3000K 270 Lumen

3w MR11 GU4 BP LED 40° (L68) 50,000 hrs 3000K 300 Lumen

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen [120v]

7w LEDM 2800K 450 Lumen

11w LEDM 2800K 600 Lumen


15w LEDM 2800K 900 Lumen

20w LEDM 2800K 1500 Lumen

8w PAR20 15° Spot(L140) 3000K 720 Lumen (RXS10 Only)

8w PAR20 40° Spot(L142) 3000K 720 Lumen (RXS10 Only)

12v - 277v (277v with driver)





SURFACE MOUNT LIGHTING

12v | 120v | 277v

2X2 SQUARE SURFACE MOUNTS



MR16

SL63WMDL24BRS

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY



MR16

SL63CMFPL108STU

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
CEILING MOUNT

OPTIONS
EXTENSION

MOUNT
4.5" FLAT PLATE



MR16

SL63CMEL24CPR

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
CEILING MOUNT

OPTIONS
EXTENSION

MOUNT
4.5" SQUARE CANOPY



MR16

SL63WML24BLT

MATERIAL OPTIONS
ALUMINUM / BRASS

SIZE OPTIONS
2" X 2"

MOUNTING
WALL MOUNT

MOUNT
4.5" SQUARE CANOPY

SL63WMDL24 | SL63CMFPL24 | SL63CML24 | SL63WML24

Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)

3w MR16 BP 36° (L24) 40,000 hrs 3000K 270 Lumen

5w MR16 BP 36° (L36) 40,000 hrs 3000K 450 Lumen

7w MR16 BP 36° (L48) 40,000 hrs 3000K 550 Lumen


For 120v use:

3w MR16 GU10 Base 36° (L108) 40,000 hrs 3000K 270 Lumen

12v - 277v (277v with driver)

For extension add (-E) to part number (Ceiling Mount Only)

CANOPY MOUNTING OPTIONS



FLAT PLATE



CANOPY

HEX LOUVER AVAILABLE



2" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL63

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SL63WMDL24BLT

4X4 SQUARE SURFACE MOUNTS

**PAR20/PAR30**

SL63LGCMNLBRS

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

CEILING MOUNT

MOUNT

4.5" SQUARE CANOPY

**PAR20/PAR30**

SL63LGCMDEL142BAR

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

CEILING MOUNT

OPTION

EXTENSION

MOUNT

4.5" SQUARE CANOPY

**PAR20/PAR30**

SL63LGWMDL142BAV

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"

MOUNTING

WALL MOUNT

MOUNT

4.5" SQUARE CANOPY

**PAR20/PAR30**

SL63LGWML140BRSBKM

MATERIAL OPTIONS

ALUMINUM / BRASS

SIZE OPTIONS

4" X 4"


MOUNTING

WALL MOUNT

MOUNT

4.5" SQUARE CANOPY


HEX LOUVER AVAILABLE



FA086

4" X 1/4" MINI HEX CELL
LOUVER FOR SL63LG par20

HEX LOUVER AVAILABLE



FA0830

5" DIA X 1/4" MINI HEX CELL
LOUVER FOR SL63LG par30**SL63LGCM | SL63LGWM | SL63LGWMD**

Aluminum / Brass Surface Mounts (Flat Plate or Canopy Mounts)

8w PAR20 Super Saver 15° Spot Warm White (L140) 50,000 hrs
720 Lumen8w PAR20 Super Saver 40° Flood Warm White (L142) 50,000 Hrs
720 Lumen12w PAR30 Super Saver 15° Spot Warm White (L148) 50,000 hrs
1080 Lumen (Brass Only)12w PAR30 Super Saver 40° Spot Warm White (L150) 50,000 hrs
1080 Lumen (Brass Only)**120v - 277v 2700k-3000k**

For extension add (-E) to part number (Ceiling Mount Only)



CANOPY

**COLOR LENS
OPTIONS AVAILABLE**Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350



SURFACE MOUNT LIGHTING

12v

SURFACE MOUNT



SL58LEDPBRSBKM

MATERIAL OPTIONS

ALUMINUM / BRASS

MOUNTING

SURFACE MOUNT

SIZE

2.25" X 8.25"

SL58LEDP

Aluminum / Brass Surface Mount

3w Omni Super Saver LED SC Ba15s bayonet base (L12) 50,000 hrs

3000K 300 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L16) 50,000 hrs

3000K 270 Lumen

3w Omni Super Saver LED SC Ba15s bayonet base (L18)


Turtle Friendly Amber 50,000 hrs 590NM

4w Round LED Panel 50,000 hrs 3000K 300 Lumen **12v**

**COLOR LENS
OPTIONS AVAILABLE**



Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL58LEDPCPR

VERTICAL / HORIZONTAL SURFACE MOUNTS

**SL58SMLEDMBR****MATERIAL OPTIONS**

ALUMINUM / BRASS

MOUNTING

SURFACE MOUNT

SIZE

1" X 2" X 4.75"

**SL58SMHORLEDSWIR****MATERIAL OPTIONS**

ALUMINUM / BRASS

MOUNTING

SURFACE MOUNT

SIZE

2" X 1" X 4.75"

SL58SMLEDM (VERTICAL)

Aluminum / Brass

3w LED Module 50,000 hrs 2800-3000K 285 Lumen

12v

SL58SMHORLEDS (HORIZONTAL)

Aluminum / Brass

2w LED Strip 40,000 hrs 2700K 140 Lumen

0.7w LED Strip Turtle Friendly 40,000 hrs 590NM 10 Lumen

12v

**COLOR LENS
OPTIONS AVAILABLE**

VERTICAL



- Red (add -R)
- Amber (add -A)
- Green (add -G)
- Blue (add -B)

HORIZONTAL



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
 TOLL FREE (888)882.1350

**SL58SMHORLEDSBRT**



SURFACE MOUNT LIGHTING

12v

LARGE HORIZONTAL SURFACE MOUNT



SL58LGHORLEDSBRS

MATERIAL OPTIONS

ALUMINUM / BRASS

MOUNTING

SURFACE MOUNT

SIZE

1" X 2" X 13.25"

SL58LGHORLEDS (HORIZONTAL)

Aluminum / Brass

4w LED Strip 40,000 hrs 2700K 245 Lumen

2w LED Strip Turtle Friendly 40,000 hrs 590NM 30 Lumen

12v

COLOR LENS

OPTIONS AVAILABLE



Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL58LGHORLEDSBLT

2.25X2.25 / 4X4 SQUARE SURFACE MOUNTS

SMALL CUBES



SL64SM
MATERIAL OPTIONS
 ALUMINUM / BRASS
MOUNTING
 WALL/ CEILING
 SURFACE MOUNT
SIZE
 2.25" X 2.25"

STANDARD CUBES



SL64213EOSMWHT

MATERIAL OPTIONS
ALUMINUM / BRASS**MOUNTING**
WALL SURFACE MOUNT**SIZE**
4" X 4"

SL64DL24BLT

MATERIAL OPTIONS
ALUMINUM / BRASS**MOUNTING**
CEILING SURFACE MOUNT**SIZE**
4" X 4"

DESIGNER CUBE



SL64CD404L24IGDBZ

MATERIAL OPTIONS
ALUMINUM / BRASS**MOUNTING**
WALL SURFACE MOUNT**SIZE**
4" X 4"

SL64SM (Down Light) [SMALL]

Aluminum / Brass

1.5w MR8 LED 120° (L74) 25,000 hrs 3000K 65 Lumen
2w Omni2 Mini BP (L4) 40,000 hrs 3000K 180 Lumen **12v**

SL64EOSM (Up/Down Light)

Aluminum / Brass

(2) 6w EOS Module 50,000 hrs 3000K 500 Lumen
(2) 13w EOS Module 50,000 hrs 3000K 900 Lumen **120v or 277v**

SL64D (Down Light)

Aluminum / Brass

3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen
3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (120v)
(GU10 BASE) **12v or 120v**

SL64DCD (Down Light)

Aluminum / Brass

3w MR16 LED 36° (L24) 40,000 hrs 3000K 270 Lumen
3w MR16 LED 36° (L108) 40,000 hrs 3000K 270 Lumen (120v)
(GU10 BASE) **12v or 120v**

COLOR LENS

OPTIONS AVAILABLE

Red (add -R)

Amber (add -A)

Green (add -G)

Blue (add -B)

TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
 TOLL FREE (888)882.1350



MULTIPLE
MOUNTING
POSSIBILITIES
UP AND DOWN
LIGHTING





SURFACE MOUNT LIGHTING

12v

SMALL / MEDIUM RECTANGULAR SURFACE MOUNTS



SL65SML12BRT

MATERIAL OPTIONS

ALUMINUM

MOUNTING

SURFACE / WALL MOUNT

SIZE

1.5" X 1.5" X 4.125"

DESIGN

DOWN LIGHT



SL65MDL24BRS

MATERIAL OPTIONS

ALUMINUM / BRASS

MOUNTING

SURFACE / WALL MOUNT


SIZE

2.25" X 2.25" X 4.125"

DESIGN

DOWN LIGHT

HEX LOUVER AVAILABLE



FA0821

2" DIA X 1/8" MINI HEX CELL
LOUVER FOR SL65MD

SL65SM | SL65MD

Aluminum / Brass

3w Omni Super Saver SC (L12) 50,000 hrs 3000K 300 Lumen

3w MR16 BP 36°(L24) 40,000 hrs 3000K 270 Lumen (Medium fixture only) **12v**

Brass available in Medium ONLY

**COLOR LENS
OPTIONS AVAILABLE**

Red (add -R)
Amber (add -A)
Green (add -G)
Blue (add -B)



TO PLACE ORDERS:
ORDERS@FOCUSINDUSTRIES.COM
TOLL FREE (888)882.1350

SL65SML12BLT

FINISHES

STANDARD / PREMIUM / ACID FINISHES

FOCUS CAN CUSTOM MATCH ANY COLOR FOR ANY JOB

Visit FocusIndustries.com Literature Request, to order color chip samples

STANDARD FINISHES



Black Texture
(-BLT)



Bronze Texture
(-BRT)


PREMIUM FINISHES



Dark Bronze
(-DBZ)



Black Magic
(-BKM)



White Gloss
(-WHT)



White Texture
(-WTX)



Chrome Powder
(-CPR)



Weathered Iron
(-WIR)



Weathered Brown
(-WBR)



Rust
(-RST)



Rubbed Verde
(-RBV)



Hunter Texture
(-HTX)



Luna
(-LUN)




Stucco
(-STU)

ACID FINISHES

Brass and Copper fixtures only



Acid Rust
Copper (-CAR)
Brass (-BAR)



Black Acid Treatment
(-BAT)



Acid Verde
Copper (-CAV)
Brass (-BAV)



* Powder Coat Finishes over Brass are custom and Non-Returnable

SCAN FOR FULL SIZE
COLOR SWATCHES

5 LED TECHNOLOGIES



MODULE



PANEL



RETROFIT



STRIP



TAPE

LED REFERENCE GUIDE

LED RETROFIT

Retrofit led's can be factory installed in fixtures or easily installed in the field. (See page 52-55 for more information on CCT and Lumens)

RETROFIT LED MODEL	ADD TO PART NUMBER	RETROFIT LED MODEL (120v)	ADD TO PART NUMBER
12v 1.5w G4 BiPin	L2	120V 3w Arrow Super Saver MR16 15°/36°/80°	L106 / L108 / L110
12v 2w Omni3 MiniBP 27/30k	L3 / L4	120V 5w Arrow Super Saver MR16 15°/36°/80°	L114 / L116 / L118
12v 3w Omni3 BP	L6	120V 5w Arrow Super Saver MR16 36° Turtle	L119
12v 3w Omni3	L8	120V 7w Arrow Super Saver MR16 15°/36°/80°	L124 / L126 / L128
12v 3w Omni3 BP Super Saver	L10	120V 7w Arrow Super Saver PAR16 36°	L134
12v 3w Omni3 Super Saver	L12	120V 8w Super Saver PAR20 15°	L144
12v 3w Omni3 BP Super Saver G2 27k	L13	120V 8w Super Saver PAR20 36°	L146
12v 3w Omni3 BP Super Saver G2 30k	L14	120V 10w Super Saver PAR30 15°	L152
12v 3w Omni3 Super Saver G2 27k	L15	120V 10w Super Saver PAR30 36°	L154
12v 3w Omni3 Super Saver G2 30k	L16	120V 3w Arrow Super Saver GY6.35	L160
12v 3w Omni3 BP Super Saver G2 Turtle Friendly	L17	120V 15w Super Saver PAR38 15°	L162
12v 3w Omni3 Super Saver G2 Turtle Friendly	L18	120V 15w Super Saver PAR38 36°	L164
12v 3w Arrow Super Saver MR16 15°/36°/80°	L22 / L24 / L26	RETROFIT LED MODEL (277v)	
12v 5w Arrow Super Saver MR16 15°/36°/80°	L34 / L36 / L38	277V 8w Super Saver PAR20 15°	L140
12v 5w Arrow Super Saver MR16 36° Turtle	L40	277V 8w Super Saver PAR20 36°	L142
12v 7w Arrow Super Saver MR16 15°/36°/80°	L46 / L48 / L50	277V 12w Super Saver PAR30 15°	L148
12v 8.5w Green Creative MR16 15°	L58	277V 12w Super Saver PAR30 36°	L150
12v 8.5w Green Creative MR16 35°	L60	277V 15w Super Saver PAR38 15°	L156
12v 3w Arrow Super Saver MR11 15° / 40°	L66/L68	277V 15w Super Saver PAR38 36°	L158
12v 1.5w MR8 LED	L74		
12v 15w Arrow Super Saver AR111 15° / 40°	L96 / L98		
12v 13w Arrow PAR36 15° / 40°	L84 / L88		

LED MODULE

MODULE LED MODEL	ADD TO PART NUMBER	MODULE LED MODEL	ADD TO PART NUMBER
3w 3 LED Module	LEDM	15w 6 LED Module 60° Wide Flood	LEDM1560
7w 6 LED Module 60° Wide Flood	LEDM760	15w 6 LED Module 40° Flood	LEDM1540
7w 6 LED Module 40° Flood	LEDM740	15w 6 LED Module 15° Spot	LEDM1515
7w 6 LED Module 15° Spot	LEDM715	15w 6 LED Module Widest Flood (No Optics)	LEDM15WF
7w 6 LED Module Widest Flood (No Optics)	LEDM7WF	20w 6 LED Module 60° Wide Flood	LEDM2060
10w 12 LED Module Flood 27k / 30k / 41k	LEDM10 / 27 / 30 / 41	20w 6 LED Module 40° Flood	LEDM2040
11w 6 LED Module 60° Wide Flood	LEDM1160	20w 6 LED Module 15° Spot	LEDM2015
11w 6 LED Module 40° Flood	LEDM1140	20w 6 LED Module Widest Flood (No Optics)	LEDM20WF
11w 6 LED Module 15° Spot	LEDM1115	30w 36 LED Module Flood 27k / 30k / 41k	LEDM30 27 / 30 / 41
11w 6 LED Module Widest Flood (No Optics)	LEDM11WF	FOR MORE INFORMATION SEE PAGES 52-55	

LED FLAT PANEL

Flat Panel LEDs are factory installed in fixtures.

Field installed LEDP kits available for some fixtures. (12v-277v)

PANEL LED MODEL	ADD TO PART NUMBER
4w / 5w / 8w / 12w Rectangle 30k	LEDPR4 / 5 / 8 / 12
4w / 5w / 8w / 12w Rectangle 52k	LEDPR452 / 552 / 852 / 1252
4w / 8w Round 30k	LEDP4 / 8
4w / 8w Round 52k	LEDP452 / 852

LED STRIP

LED Strip is factory installed. Field installed LEDs kit available for SL44 Series Paver Lights.

STRIP LED MODEL	ADD TO PART NUMBER
2w LED Strip	LEDS2
4w LED Strip	LEDS4
0.7w LED Strip Turtle	LEDS2TF
2W LED Strip Turtle	LEDS3TF

LED TAPE

LED Tape is factory installed. Field installed LEDs kit available for SL66 Series Light Pod.

TAPE LED MODEL	ADD TO PART NUMBER
4w	LEDT

TO PLACE ORDERS:
 ORDERS@FOCUSINDUSTRIES.COM
 TOLL FREE (888)882.1350



RETROFIT & PLUG & PLAY




LED MODULES, PANELS, STRIPS





NEW SL64
**SURFACE
MOUNTS**



with
Frosted Acrylic Accent



NEW Path Lights
PL23Bollards



NEW Hanging FIXTURES SERIES

Same Focus Product. New Accents.



DESIGNED
MANUFACTURED
IN THE USA