

# New + Product Catalog

A complete and comprehensive new products line of LED lighting fixtures from Focus Industries.



### **WE ARE**

### FOCUS INDUSTRIES

### Welcome to the Focus family

We have made it easier to research our great quality products by redesigning the New Products Brochure to meet the needs of customers. See in-depth product details, new designs, and an array of quality products, accessories, and LEDs.

Need some design consulting? We can help with that. Speak with one of our knowledgeable sales team members or customer care agents about creating a lighting schedule specific to your project.

We have a great family of sales representatives and distributors located around the United States, which provides you with helpful specs, tips, and answers to all your lighting needs. Let us know if you need assistance in finding the nearest one to you.

### Stay connected with us

We love seeing how you have incorporated Focus products into the interior or exterior spaces of your project, home, or business. Just like you, we love showing it off, and we would love to share your inspirational photos.

Follow us on Facebook, Instagram, and YouTube for great helpful tips, new product releases, clearance items and all the latest happenings with Focus Industries.







#stayfocused



### Table of **Contents**

AREA LIGHTING	.4
TORCHES	.8
DIRECTIONAL LIGHTING	.10
FLOOD LIGHTING	.12
HANGING / PENDANT LIGHTING	.14
PATH LIGHTING	.22
SPECIALTY LIGHTING	.28
SURFACE MOUNT LIGHTING	.32

### STANDARD FINISHES







**Bronze Texture** (-BRT)

### PREMIUM FINISHES



(-DBZ)



(-BKM)



White Gloss (-WHT)



White Texture



(-WTX)



NEW

Chrome Powder (-CPR)



Weathered Iron (-WIR)



(-WBR)





**Rubbed Verde** (-RBV)





(-HTX)







Supply RAL or Pantone upon ordering

### **ACID FINISHES**

Brass and Copper fixtures only







**Black Acid Treatment** (-BAT)



Acid Verde Copper (-CAV) Brass (-BAV)





# AREA LIGHTS LIGHT WANDS





MATERIAL Brass

**ACRYLIC SIZE** 12in / 18in / 24in | 1.7in dia. (SM)

**LED** 3w MR11 LED 40° FL

 CCT
 3000K

 LUMENS
 170lm

 VOLTAGE
 12v

**MOUNT** FA033P 3 prong stake

**MOUNT OPTION** FA24 4.5in brass round canopy

### AL26MDL24S324BRS

MATERIAL Brass

**ACRYLIC SIZE** 12in / 18in / 24in | 2.36in dia.(MD)

LED 36° FL (L24)

 CCT
 3000K

 LUMENS
 270lm

 VOLTAGE
 12v | 120v

**MOUNT** FA033P 3 prong stake

**MOUNT OPTION** FA24 4.5in brass round canopy

#### **ACRYLIC TYPES**

MATERIAL Acrylic

ACRYLIC FEATURE Clear (S1) / Frosted (S2) / Bubble (S3)

ACRYLIC SIZE 12in / 18in / 24in

**ACRYLIC DIAMETER** 1.7in dia. (SM) / 2.36in dia. (MD)

COLOR LENS
OPTIONS AVAILABLE







### AREA LIGHTS ACRYLIC BOLLARDS



### AL08SMDMS2L4COP

**MATERIAL** Copper

SIZE 12in x 1.58in dia. (SM)

**LED** 2w Omni Mini GU4 Bi-Pin (L4)

CCT 3000K 180lm **LUMENS** 12v **VOLTAGE** 

FA03 9in ABS stake **MOUNT** 

#### AL08MDDMS2L24BRS

**MATERIAL OPTIONS** Aluminum / Brass / Copper

SIZE 18in x 2.56in dia. (MD)

**LED** 3w MR16 LED 36° FL (L24)

CCT 3000K 270lm **LUMENS** 

**VOLTAGE** 12v / 120v - Available

**MOUNT** FA03LG large 9in ABS stake

### AL08SLGDMS2L24BRS

**MATERIAL OPTIONS** Aluminum / Brass

SIZE 24in x 3.14in dia.(LG)

LED 3w MR16 LED 36° FL (L24)

CCT 3000K

**LUMENS** 270lm

**VOLTAGE** 12v / 120v - Available

**MOUNT** Stainless steel U-bracket

**MOUNT OPTION** Angle cut with black ABS fins















# AUTO IGNITE TORCHES

The automatic ignition system provides a flip-of-a-switch convenience for igniting and turning off your gas torch. It can be linked to your existing exterior 12 or 120-volt lighting system, or placed on a separate circuit. No need to manually turn on the gas and light the flame. Just flip a switch or connect to a timer. A smart circuit can be used to plug into and use the APP to control your torches.

Flame monitoring by the ignition system is constant and ongoing. Should the torch die out, it will automatically detect the loss of flame and re-ignite. After three failed re-ignition attempts, the ignition controller will turn off the gas and pause five minutes before attempting to re-ignite.





### TORCHES AUTO IGNITION





### AL18LGNGAI12VCOP

MATERIAL Copper

**SIZE** 9in x 7.50in dia. x 6ft sleeve (sold separately)

GAS TYPE Propane (P) / Natural Gas (NG)

**VOLTAGE** 12v / 120v

**SLEEVE** UVR simulated bamboo sleeve



### AL18CY001NGAI120VSS

MATERIAL Stainless Steel

**SIZE** 12in x 3.50in dia. x 6ft sleeve (sold separately)

GAS TYPE Propane (P) / Natural Gas (NG)

VOLTAGE 12v | 120v

\*\*\*For more designs, please reference Focus torch brochure.




### DBS997AI12V / DBS997AI120V

TYPE Direct Burial Auto Ignite Control Box

SIZE 9in x 9in x 7in

**VOLTAGE** 12v / 120v



### DIRECTIONAL LIGHTS LARGE LED BULLETS





### DL50L154BRS / DL50LEDM20BAR

MATERIAL OPTIONS Aluminum / Brass

**SIZE** 4in x 9.25in (PAR30) / 4in x 7.25in (LEDM)

LED 10w PAR30 LED 36° (L154) 120v / 20w LED module 40° (LEDM) 12v

**CCT** 2800K (LEDM) / 3000K (PAR30) **LUMENS** 1000lm (PAR30) / 1800lm (LEDM)

**VOLTAGE** 12v / 120v

**MOUNT** FA03LG large 9in ABS stake (12v only)

**MOUNT OPTIONS** FA26BLT or BRS mounting post with matching cap



#### DL60L164BRT / DL60L96WIR

MATERIAL OPTIONS Aluminum / Brass

 SIZE
 5.20in x 11.25in (PAR38) / 5.20in x 7.25in (AR111)

 LED
 15w PAR38 LED 36° (L164) / 15w AR111 15° (L96)

**CCT** 3000K

**LUMENS** 1,350lm (PAR30) / 1350lm (AR111)

**VOLTAGE** 12v / 120v

**MOUNT** FA03LG large 9in ABS stake (12v only)

**MOUNT OPTIONS** FA26BLT or BRS mounting post with matching cap









### FLOOD LIGHTS MODULE LED FLOOD LIGHTS





### LFL012LEDM1027MV / LFL013LEDM1027MV

MATERIAL Aluminum

**SIZE** 2ft (LFL012) / 3ft(LFL013)

**LED** 10w LED module **CCT** 2700K / 3000K / 4100K

**LUMENS [2ft]** 2,580lm (2700K) / 2,700lm (3000K) / 4,500lm (4100K) **LUMENS [3ft]** 3,440lm (2700K) / 3,600lm (3000K) / 6,000lm (4100K)

4ft (shown)

VOLTAGE 120-277v
MOUNT x2 3/4" swivels



LFL014LEDM1027MV / LFL016LEDM1027MV

#### - -

MATERIAL OPTIONS Aluminum

**SIZE** 4ft (LFL014) / 6ft (LFL016)

**LED** 10w LED Module **CCT** 2700K / 3000K / 4100K

**LUMENS [4ft]** 5,160lm (2700K) / 5,400lm (3000K) / 9,000lm (4100K) **LUMENS [6ft]** 7,740lm (2700K) / 8,100lm (3000K) / 13,500lm (4100K)

**VOLTAGE** 120-277v

**MOUNT** x2 3/4" swivels (4ft) / x3 3/4" swivels (6ft)



#### LFL018LEDM1027MV

 MATERIAL OPTIONS
 Aluminum

 SIZE
 8ft (LFL018)

 LED
 10w LED Module


 CCT
 2700K / 3000K / 4100K

**LUMENS** 10,320lm (2700K) / 10,800lm (3000K) / 18,000lm (4100K)

**VOLTAGE** 120-277v

MOUNT x4 3/4" swivels (8ft)









### SPECIALTY LIGHTS STARLIGHT HANGING FIXTURES





### SL15S2L12BRS / SL1510S2L24BRS

**MATERIAL** Brass

SIZE 4in (SL15S2) / 10in (SL1510S2)

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT

**LUMENS** 300lm (L12) / 270lm (L24)

**VOLTAGE** 

**CHAIN SIZE** Brass 18in (custom sizes available)

**MOUNT** 3in brass round canopy



### SL15S2L12COP / SL1510S2L24COP

**MATERIAL** Copper

4in (SL15S2) / 10in (SL1510S2) SIZE

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT 3000K

**LUMENS** 300lm (L12) / 270lm (L24

**VOLTAGE** 12v

**CHAIN SIZE** Brass 18in (custom sizes available)

**MOUNT** 2.65in copper round canopy

#### **ACRYLIC**

**MATERIAL** Acrylic solid **ACRYLIC FEATURE** Frosted (S2)

3in (custom sizes available) **ACRYLIC SIZE** 

**ACRYLIC DIAMETER** 2.50in dia.











### SPECIALTY LIGHTS STARLIGHT PENDANT FIXTURES





### SL15PS2L12BRS / SL1510PS2L24BRS

MATERIAL Brass

**SIZE** 4in (SL15S2) / 10in (SL1510S2)

**LED** 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

**CCT** 3000K

**LUMENS** 300lm (L12) / 270lm (L24)

VOLTAGE 12v

STEM SIZE Brass 12in (custom sizes available)

**MOUNT** 3in brass round canopy



### SL15PS2L12COP / SL1510PS2L24COP

MATERIAL Copper

**SIZE** 4in (SL15S2) / 10in (SL1510S2)

**LED** 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

**CCT** 3000K

**LUMENS** 300lm (L12) / 270lm (L24

VOLTAGE 12v

STEM SIZE Brass 12in (custom sizes available)

**MOUNT** 2.65in copper round canopy

### ACRYLIC

MATERIAL Acrylic solid
ACRYLIC FEATURE Frosted (S2)

**ACRYLIC SIZE** 3in (custom sizes available)

ACRYLIC DIAMETER 2.50in dia.











# SPECIALTY LIGHTS RXS PENDANT LIGHTING





MATERIAL Brass

**SIZE** 3in x 1.75in dia. (RXS13P) / 4.25in x 2.25in dia. (RXS12P)

**LED** 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

**CCT** 3000K

**LUMENS** 300lm (L68) / 270lm (L24)

**VOLTAGE** 12v / 120v - Available

STEM SIZE Brass 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

#### RXS13PCOP / RXS12PCOP

MATERIAL Copper

**SIZE** 3in x 1.75in dia. (RXS13P) / 4.25in x 2.25in dia. (RXS12P)

**LED** 3w MR11 LED (L68) / 3w MR16 LED 36° (L24)

**CCT** 3000K

**LUMENS** 300lm (L68) / 270lm (L24)

VOLTAGE 12v

STEM SIZE Copper 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

### RXS12PSS

MATERIAL Stainless Steel

**SIZE** 4.25in x 2.25in dia. (RXS12P)

LED 3w MR16 Super Saver 36° LED (L24)

**CCT** 3000K

**LUMENS** 270lm (L24)

**VOLTAGE** 12v / 120v

**STEM SIZE** Stainless Steel 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

COLOR LENS
OPTIONS AVAILABLE



### SPECIALTY LIGHTS RXS PENDANT LIGHTING



### RXS18PLEDMBRS / RXS10PBRS

MATERIAL Brass

**SIZE** 3.625in x 3in dia. (RXS18) / 5.875in x 4in dia. (RXS10)

**LED** 7,11,15,20 LED module (RXS18) / 8w PAR20 LED 15° (RXS10)

**CCT** 2800K (LEDM) / 3000K (PAR20)

**LUMENS** 450,600,900,1500lm (LEDM) / 600lm (PAR20)

**VOLTAGE** 12v / 120v / 277v

STEM SIZE Brass 12in (custom sizes available)

MOUNT 4.50in canopy (P) / 4.50in flat plate (PFP)

### RXS18PLEDMCOP / RXS10PCOP

MATERIAL Copper

**SIZE** 3.625in x 3in dia. (RXS18) / 5.875in x 4in dia. (RXS10)

**LED** 7,11,15,20 LED module (RXS18) / 8w PAR20 LED 15° (RXS10)

**CCT** 2800K (LEDM) / 3000K (PAR20)

**LUMENS** 450,600,900,1500lm (LEDM) / 600lm (PAR20)

**VOLTAGE** 12v / 120v /277v

STEM SIZE Copper 12in (custom sizes available)

MOUNT 4.50in canopy (P) / 4.50in flat plate (PFP)













# PATH LIGHTS ADDRESS BOLLARDS



### PL26ABDMLEDS812VBLT

MATERIAL Aluminum / Brass

**SIZE** 2.25in sq. x 26in

**LED** x2 4w LED strip (LEDS)

9in

 CCT
 2700K

 LUMENS
 490lm

 VOLTAGE
 12v

MOUNT Deck mount / Stake mount (FA03 large ABS stake)

### FA03LG (Large ABS Stake)

MATERIAL ABS

**DIAMETER** 3in dia.

### PL26LGABDMLEDS812VCPR

MATERIAL Aluminum / Brass

**SIZE** 4in sq. x 36in

**LED** x2 4w LED strip (LEDS)

 CCT
 2700K

 LUMENS
 490lm

VOLTAGE 12v

MOUNT Deck mount / Stainless Steel U-bracket

### **FACBUS**

MATERIAL Stainless Steel

**SIZE** 4in

#### PLZ0ABDIVILED301ZVBLI



SIZE



### PATH LIGHTS CUSTOM DESIGN





MATERIAL Aluminum / Brass

LED 3w MR16 LED 36° (L24) / 4w LED strip (standard)

2.25in sq. x 24in

CCT 3000K (MR16) / 2700K (LEDS)

LUMENS 270Im (L24) / 245Im (LEDS)

VOLTAGE 12v

MOUNT Deck mount / Stake mount (FA03 large ABS stake)

### FA03LG (Large ABS Stake)

MATERIAL ABS
SIZE 9in

**DIAMETER** 3in dia.

See LED custom design bollards brochure for more standard design options. Custom designs are available. Please consult factory for more information.

### PL26LGDMCD001LEDS812VBRT 001-Sandstone design (shown)

MATERIAL Aluminum / Brass

**SIZE** 4in sq. x 24in / 30in / 36in

LED 36° (L24) / x2 4w LED strip (standard)

CCT 3000K (MR16) / 2700K (LEDS)

LUMENS 270Im (L24) / 490Im (LEDS)

**VOLTAGE** 12v / 120v / 277v

**MOUNT** Deck mount / Stainless Steel U-bracket

### **FACBUS**

MATERIAL Stainless Steel


SIZE 4in

See LED custom design bollards brochure for more standard design options. Custom designs are available. Please consult factory for more information.




SIZE











# PATH LIGHTS CUBE PATH LIGHTS



### PL27SM1L4WHT / PL27SM2L4BLK



MATERIAL Aluminum / Brass
SIZE 2.25in sg. x 24in

**LED** 2w Omni 2 G4 (L4) (SM1) / x2 2w Omni 2 G4 (L4) (SM2)

**CCT** 3000K

**LUMENS** 180lm (SM1) / 360lm (SM2)

VOLTAGE 12v

MOUNT Deck mount / Stake mount (FA03 large ABS stake)



### FA03LG (Large ABS Stake)

MATERIAL ABS
SIZE 9in
DIAMETER 3in dia.



### PL27LG1LED30CPR / PL27LG2LED30WIR

MATERIAL Aluminum / Brass
SIZE 4in sq. x 36in

LED 30w LED module (LG1) / x2 30w LED module (LG2)

**CCT** 2700K / 3000K / 4100K **LUMENS** 900lm (LG1) / 1800lm (LG2)

**VOLTAGE** 120v / 277v

MOUNT Deck mount / Stainless Steel U-bracket



#### **FACBUS**

MATERIAL Stainless Steel

SIZE 4in

### SPECIALTY LIGHTS LED FLAME LANTERNS





018-Monstera design (shown)



MATERIAL Aluminum / Brass

SIZE 4in sq. x 6in

**LED** Simulated LED flame

**CCT** 1400-1600K

LUMENS 150lm
MOUNT None

See more custom designs in the Flame Lantern brochure for more standard design options.

Custom designs are available. Please consult factory for more information.

#### SL67RDNLCD018BRS

018-Monstera design (shown)

**MATERIAL** 

Aluminum / Brass

SIZE

4in dia. x 6in

LED

Simulated LED flame

CCT

1400-1600K

LUMENS

150lm

MOUNT

None

See more custom designs in the Flame Lantern brochure for more standard design options.

Custom designs are available. Please consult factory for more information.





**FEATURES** 4 flame modes (flame, solid light, breath, dimming)

**CCT** 1400-1600K

LUMENS 150lm

CHARGE TIME 4 hours

**USAGE** 8 hours continuous with solid light, 4 hours with others

**INCLUDES** USB charging cable and remote











MATERIAL Iridescent Glass (IG) White Lens (WL) Cracked Ice (CI)

SIZE Each lens option is uniquely cut to fit the lantern













# SPECIALTY LIGHTS LED POST TOP LIGHTS



83	100	=		
23	-			=
30			_	-

SL69LGPFTL12WHT Flat Top (shown)

MATERIAL Aluminum / Brass

**SIZE** 4.125in × 4in

LED 3w Omni super saver LED (L12)

 CCT
 3000K

 LUMENS
 270lm

 VOLTAGE
 12v

**LENS** High impact white acrylic lens



SL69LGPATL12WHT Angle Top (shown)

MATERIAL Aluminum / Brass

**SIZE** 5.125in x 4in

**LED** 3w Omni super saver LED (L12)

 CCT
 3000K

 LUMENS
 300lm

 VOLTAGE
 12v

**LENS** High impact white acrylic lens





# SPECIALTY LIGHTS SURFACE MOUNT LIGHT WANDS



#### SL68MDWML24S112BRS

MATERIAL Brass

**ACRYLIC SIZE** 12in / 18in / 24in | 1.7in dia. (SM)

**LED** 3w MR16 LED 36° FL (L24)

 CCT
 3000K

 LUMENS
 270lm

 VOLTAGE
 12v

MOUNT 3 in small brass canopy

#### SL68SMWML68S324BRS

MATERIAL Brass

**ACRYLIC SIZE** 12in / 18in / 24in | 2.36in dia.(MD)

LED 3w MR11 LED 40° FL

 CCT
 3000K

 LUMENS
 300lm

 VOLTAGE
 12v

MOUNT 3in small brass canopy

#### **ACRYLIC TYPES**

MATERIAL Acrylic

ACRYLIC FEATURE Clear (S1) / Frosted (S2) / Bubble (S3)

ACRYLIC SIZE 12in / 18in / 24in

**ACRYLIC DIAMETER** 1.7in dia. (MR11) / 2.36in dia. (MR16)









# SPECIALTY LIGHTS DESIGNER CUBES





Hook, Plumeria, Hibiscus design (shown)

MATERIAL

Aluminum / Brass

SIZE

4in x 4in

LED

3w MR16 LED 36° (L24)

CCT

3000K (MR16)

LUMENS

270lm (L24)

**VOLTAGE** 

12v

**MOUNT** 

Surface mount, 316 stainless steel wood screws

Custom designs are available. Please consult factory for more information.









MATERIAL


Iridescent Glass (IG) White Lens (WL)

SIZE

Each lens option is uniquely cut to fit the lantern







### **CONTACT US**

www.focusindustries.com (949)830-1350 | Toll Free: (888)882-1350 order@focusindustries.com marketing@focusindustries.com

### STAY FOCUSED - WE'LL MAKE IT YOUR WAY!