

CATALOG NUMBER:





CATALOG ORDER	RLOGIC				
EXAMPLE:	BQFD02L48S	S			
FIXTURE					
BQ	Barbecue Ligh	t			
MOUNTING					
☐ FD ☐ TM ☐ FC5 ☐ QC	Flex Deck (For 12 Volt and 120 Volt) Top Mount (For 12 Volt and 120 Volt) Focus Clamp 5 inch (For 12 Volt and 120 Volt) Quick Connect (For 12 Volt)				
TYPE					
02	Angled Bullet				
12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN	
☐ NLBP (No Lamp) ☐ L48	~	GU5.3 Bi-Pin GU5.3 Bi-Pin	~ 3000K	~ 550lm	
120 VOLT LED	WATT	SOCKET	KELVIN	LUMEN	
☐ NL120V	~	E26 Medium Base	~	~	
☐ L134	7w	E26 Medium Base	3000K	550lm	
FINISH (standard finis	shes listed)				
SS					
Premium and Acid Finishes (See page 4 for more color options) Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)					
POWER SUPPLIE	<b>S</b> (Order separately	<i>'</i> )			
BQFA03	Kit 1: FA05 quick connector and 20' 18/2 wire to existing voltage systems				
BQFA04	Kit 2: 9ft power cord 18/3 SJTW with plug				
SHIP WEIGHT					

### ADDITIONAL INFORMATION

Stainless Steel 316 (2.0lbs)

120 volt option uses 7w PAR16 medium base LED



IES Files available for download Intertek








FOCUS INDUSTRIES Inc. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM






CATALOG NUMBER:


### DIMENSIONS

## **Dimensions Shown** with Deck Mount (12-120V)




## **Dimensions Shown** with FC3/FC5 (12-120V)

Focus 3" or 5" Clamp



## **Dimensions Shown** with QC (12-120V)

**Quick Connect** 



### **SPECIFICATIONS**


INTERNALS	VOLTAGE	12V-120v
	WATTAGE	7w 12v MR16 / 7w 120v PAR16
	LUMENS	MR16 LED: 550lm / PAR16 LED: 550lm
	WIRING	12v Black 4 foot 18/2 zip cord from base of fixture. For 25 foot 16/2 fixture lead wire add -25F to catalog number 120VAC 9' power cord with plug from base of fixture
	LENS	High impact clear tempered flat glass
	O-RING	2x - 70 Durometer 400° red silicone
	OPTICS	36° (Standard on MR16/PAR16 LEDS)
EXTERNALS	BODY	316 Stainless Steel
	MATERIALS	316 Stainless Steel, Stainless Steel rigid stem, 16 inch Stainless Steel flex arm
	MOUNT	12v-Flex Deck, 5" Clamp, Quick Connect
	FINISH	Stainless Steel Powder coat options available (see page 4) Residual carbon steel dust on surface of fixture left over from application of brushed finish may rust. This will not damage the fixture and can be cleaned off with a stainless steel cleanser.
	LISTINGS	IP66. ETL rated for Indoor / Outdoor use. Suitable for wet locations Made in the United States of America



FOCUS INDUSTRIES Inc.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM





PROJECT: TYPE:

CATALOG NUMBER:

KIT #1 (12V)

KIT #2 (120V)

BQFA03

BQFA04





Kit Includes: 9' Power Cord 18/3

**Kit Inlcudes:** FA05 Quick Connector and 20FT 18/2 Wire To Existing

Existing SJTW with Plug

Voltage Systems

12v-120v 12v-120v 12v 12v 12v BQFC502L48SS BQF002L48SS BQQC02L48SS BQQC02L48SS








FOCUS INDUSTRIES Inc.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM





CATALOG NUMBER:

#### LIGHT DISTRIBUTION

### 12v MR16 LED DATA

L#	ССТ	CRI	WATTS	LUMENS	RATED HOURS
L48	3000K	83	7	550	50,000

### 120v PAR16 LED DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS
L134	3000K	83	3	550	40,000

## **FINISHES**

### PREMIUM FINISHES




(-CPR)













(-LUN)



(-RBV)



Rubbed Verde

**Hunter Texture** 

(-HTX)

## **CUSTOM FINISHES** Supply RAL or Pantone here

Need help finding a RAL color? https://www.ralcolor.com/

PANTONE #:

Need help finding a Pantone color? https://www.pantone.com/color-finder



FOCUS INDUSTRIES Inc.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

