

LED BBQ LIGHT		BQ03
PROJECT:	TYPE:	DATE:
0.1711.00.1111.1017		

CATALOG ORDER LOGIC

EXAMPLE: BQFD03L48SS

FIXTURE

□ BQ (Barbecue Light)

MOUNTING

☐ FD (Flex Deck 12v-120v)

☐ TM (Top Mount 12v-120v)

☐ FC3 (3 inch Focus Clamp 12v-120v)
☐ FC5 (5 inch Focus Clamp 12v-120v)

☐ QC (Quick Connect 12v)

Series

03

LED

□ L48 (7w MR16 LED 36°, 3000K/550Im, 12v GU5.3 Bi-Pin Socket)
 □ L134 (7w PAR16 LED 36°, 3000K/550Im, 120v Medium Base Socket)

FINISH (standard finishes listed)

SS (Stainless Steel - Brushed)

Premium finishes (See page 4 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number on page 4)

POWER SUPPLIES

☐ BQFA02 (Kit 2: Battery, 10ft 18/2 lead wire, battery charger—12v)

☐ BQFA03 (Kit 3: FA05 Quick Connector, 20ft 18/2 lead wire to extisting system 12v)


☐ BQFA04 (Kit 4: 9ft power cord 18/3 SJTW and plug—120v)

WEIGHT

Stainless Steel (1.0lbs)

ADDITIONAL INFORMATION

12v option with standard cap (shown) 120v option available (Uses 7w PAR16)










FOCUS INDUSTRIES Inc.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM






LED BBQ LIGHT


CATALOG NUMBER:

DIMENSIONS


Dimensions Shown with Deck Mount (12-120V)



Dimensions Shown with FC3/FC5 (12-120V)



Dimensions Shown with QC (12-120V)



SPECIFICATIONS

INTERNALS	VOLTAGE	12V-120v
	WATTAGE	7w 12v MR16 / 7w 120v PAR16
	LUMENS	MR16 LED: 550lm / PAR16 LED: 550lm
	WIRING	12v Black 4 foot 18/2 zip cord from base of fixture. For 25 foot 16/2 fixture lead wire add -25F to catalog number 120VAC 9' power cord with plug from base of fixture
	LENS	High impact clear tempered flat glass
	O-RING	2x - 70 Durometer 400° red silicone
	OPTICS	36° (Standard on MR16/PAR16 LEDS)
EXTERNALS	BODY	316 Stainless Steel
LATERINALS		
	MATERIALS	316 Stainless Steel, Stainless Steel rigid stem, 16 inch Stainless Steel flex arm
	MOUNT	12v-Flex Deck, 3"/5" Clamp, Quick Connect
	FINISH	Stainless Steel Powder coat options available (see page 4) Residual carbon steel dust on surface of fixture left over from application of brushed finish may rust. This will not damage the fixture and can be cleaned off with a stainless steel cleanser.
	LISTINGS	IP66. ETL rated for Indoor / Outdoor use. Suitable for wet locations Made in the United States of America
		IES Files available for download Intertek IP66




FOCUS INDUSTRIES Inc.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM







LED BBQ LIGHT

TYPE

DATE:

CATALOG NUMBER:

ACCESSORIES



KIT #1 (12V)
BQFA02

KIT #2 (12V)


BQFA03

KIT #3 (120V)

BQFA04










Kit Includes: Battery w/ 10ft 18/2 Lead Wire & Battery Charger

Kit Inlcudes: FA05 Quick Connector and 20FT 18/2 Wire To Existing Voltage Systems

Kit Includes: 9' Power Cord 18/3 SJTW & Plug












FOCUS INDUSTRIES Inc.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM






LED BBQ LIGHT

CATALOG NUMBER:

LIGHT DISTRIBUTION







FINISHES

PREMIUM FINISHES



(-CPR)

Chrome Powder























Hunter Texture (-HTX)

CUSTOM FINISHES Supply RAL or Pantone here

Need help finding a RAL color? https://www.ralcolor.com/

PANTONE #:

Need help finding a Pantone color? https://www.pantone.com/color-finder



IES Files available for download







FOCUS INDUSTRIES Inc.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

