

Designed
In the USA



landscape • architectural • hospitality • entertainment • illumination



STAINLESS STEEL

Barbecue & Grill lights

Brochure



BBQ Brochure

LANDSCAPE • ARCHITECTURAL • HOSPITALITY • ENTERTAINMENT • ILLUMINATION

BBQ & GRILL LED LIGHTS

12v | 120v

BQ01 SERIES : THREADED EGG



BQFD01L48SS



Deck (-FD)

NEW



Top Mount (-TM)



3" Clamp (-FC3)
5" Clamp (-FC5)

NEW



Quick Connect
(-QC)

FIXTURE: 316 stainless steel housing

ARM: 12" 316 stainless steel rigid stem with 16" stainless steel flex arm on top.
Clear polyolefin shrink cover protection on flex arm.

LENS: High impact clear tempered flat glass

O-RING: High temperature red silicone

12v SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

12v LED SUPPLIED: 7w MR16 Super Saver LED (L48); 40,000 hours, 36°, 550 lumen, 3000K

120v SOCKET: High temperature ceramic medium base with 250°C silicone lead wires

120v LED SUPPLIED: 7w, PAR16, medium base LED (L134), 40,000 hours, 36°, 550 lumen, 3000K

FINISH: Stainless Steel - brushed

ORDERING INFORMATION


BQFD01L48SS	12v 316 stainless steel flex deck mount bbq light
BQFC301L48SS	12v 316 stainless steel flex w/ 3" clamp bbq light
BQFC501L48SS	12v 316 stainless steel flex w/ 5" clamp bbq light
BQQC01L48SS	12v 316 stainless steel w/ quick connect bbq light
BQTM01L48SS	12v 316 stainless steel top mount bbq light
BQFD01L134SS	120v 316 stainless steel flex deck mount bbq light
BQFC301L134SS	120v 316 stainless steel flex w/ 3" clamp bbq light
BQFC501L134SS	120v 316 stainless steel flex w/ 5" clamp bbq light
BQTM01L134SS	120v 316 stainless steel flex deck bbq light

POWER KIT NEEDED

02, 03
02, 03
02, 03
03
02, 03
04
supplied
supplied
04

POWER KITS

BQFA02	12v battery w/ 10ft 18/2 lead wire & battery charger
BQFA03	FA05 quick connector & 20ft 18/2 wire to existing voltage systems-12v
BQFA04	9' power cord 18/3 SJTW & plug-120v



BBQ & GRILL LED LIGHTS

12v | 120v

BQ02 SERIES : ANGLED BULLET



Deck (-FD)

NEW



Top Mount (-TM)



3" Clamp (-FC3)
5" Clamp (-FC5)

NEW



Quick Connect
(-QC)

FIXTURE: 316 stainless steel housing

ARM: 12" 316 stainless steel rigid stem with 16" stainless steel flex arm on top.
Clear polyolefin shrink cover protection on flex arm.

LENS: High impact clear tempered flat glass

O-RING: High temperature red silicone

12v SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

12v LED SUPPLIED: 7w MR16 Super Saver LED (L48); 40,000 hours, 36°, 550 lumen, 3000K

120v SOCKET: High temperature ceramic medium base with 250°C silicone lead wires

120v LED SUPPLIED: 7w, PAR16, medium base LED (L134), 40,000 hours, 36°, 550 lumen, 3000K

FINISH: Stainless Steel - brushed

ORDERING INFORMATION

POWER KIT NEEDED

BQFD02L48SS	12v 316 stainless steel flex deck mount bbq light	02, 03
BQFC302L48SS	12v 316 stainless steel flex w/ 3" clamp bbq light	02, 03
BQFC502L48SS	12v 316 stainless steel flex w/ 5" clamp bbq light	02, 03
BQQC02L48SS	12v 316 stainless steel w/ quick connect bbq light	03
BQTM02L48SS	12v 316 stainless steel top mount bbq light	02, 03
BQFD02L134SS	120v 316 stainless steel flex deck mount bbq light	04
BQFC302L134SS	120v 316 stainless steel flex w/ 3" clamp bbq light	supplied
BQFC502L134SS	120v 316 stainless steel flex w/ 5" clamp bbq light	supplied
BQTM02L134SS	120v 316 stainless steel flex deck bbq light	04

POWER KITS

BQFA02	12v battery w/ 10ft 18/2 lead wire & battery charger
BQFA03	FA05 quick connector & 20ft 18/2 wire to existing voltage systems-12v
BQFA04	9' power cord 18/3 SJTW & plug-120v



BBQ & GRILL LED LIGHTS

12v | 120v

BQ03 SERIES : THREADED CYLINDER



BQFD03L48SS



Deck (-FD)

NEW



Top Mount (-TM)



3" Clamp (-FC3)
5" Clamp (-FC5)

NEW



Quick Connect
(-QC)

FIXTURE: 316 stainless steel housing

ARM: 12" 316 stainless steel rigid stem with 16" stainless steel flex arm on top.
Clear polyolefin shrink cover protection on flex arm.

LENS: High impact clear tempered flat glass

O-RING: High temperature red silicone

12v SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires

12v LED SUPPLIED: 7w MR16 Super Saver LED (L48); 40,000 hours, 36°, 550 lumens, 3000K

120v SOCKET: High temperature ceramic medium base with 250°C silicone lead wires

120v LED SUPPLIED: 7w, PAR16, medium base LED (L134), 40,000 hours, 36°, 550 lumens, 3000K

FINISH: Stainless Steel - brushed

ORDERING INFORMATION

POWER KIT NEEDED

BQFD01L48SS	12v 316 stainless steel flex deck mount bbq light	02, 03
BQFC301L48SS	12v 316 stainless steel flex w/ 3" clamp bbq light	02, 03
BQFC501L48SS	12v 316 stainless steel flex w/ 5" clamp bbq light	02, 03
BQQC01L48SS	12v 316 stainless steel w/ quick connect bbq light	03
BQTM01L48SS	12v 316 stainless steel top mount bbq light	02, 03
BQFD01L134SS	120v 316 stainless steel flex deck mount bbq light	04
BQFC301L134SS	120v 316 stainless steel flex w/ 3" clamp bbq light	supplied
BQFC501L134SS	120v 316 stainless steel flex w/ 5" clamp bbq light	supplied
BQTM01L134SS	120v 316 stainless steel flex deck bbq light	04

POWER KITS

BQFA02	12v battery w/ 10ft 18/2 lead wire & battery charger
BQFA03	FA05 quick connector & 20ft 18/2 wire to existing voltage systems-12v
BQFA04	9' power cord 18/3 SJTW & plug-120v



BBQ & GRILL LED LIGHTS

12v | 120v

COMMERCIAL SERIES



FIXTURE: 316 stainless steel housing
COMMERCIAL STEM: 24" tall 316 stainless steel rigid stem and 335° x 90° rotating swivel
COMMERCIAL DOUBLE STEM: Commercial grade 0.8" x 24" 316 stainless steel rigid stem and 1" x 2.5" bar on top with two 335° x 90° rotating swivels
MOUNT: Cast 316 stainless steel deck mount canopy or weighted base
SWITCH: On/Off push button with weatherproof rubber boot cover
LENS: High impact clear tempered flat glass
O-RING: High temperature red silicone
12v SOCKET: High temperature ceramic GU5.3 bi-pin with 250°C silicone lead wires
12v LED SUPPLIED: 7w MR16 Super Saver LED (L48); 40,000 hours, 36°, 550 lumens
120v SOCKET: High temperature ceramic medium base with 250°C silicone lead wires
120v LED SUPPLIED: 7w, PAR16, medium base LED (L134), 40,000 hours, 36°, 550 lumens
FINISH: Stainless Steel - Brushed



ORDERING INFORMATION		POWER KIT NEEDED
BQCD01L48SS	12v, Commercial Deck Mount 316 SS BBQ Light	03
BQCD02L48SS	12v, Commercial Deck Mount 316 SS BBQ Light	03
BQCD03L48SS	12v, Commercial Deck Mount 316 SS BBQ Light	03
BQTC01L48SS	12v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	03
BQTC02L48SS	12v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	03
BQTC03L48SS	12v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	03
BQTTM01L48SS	12v, Commercial Deck Mount 316 SS BBQ Light	03
BQCD01L134SS	120v, Commercial Deck Mount 316 SS BBQ Light	04
BQCD02L134SS	120v, Commercial Deck Mount 316 SS BBQ Light	04
BQCD03L134SS	120v, Commercial Deck Mount 316 SS BBQ Light	04
BQTC01L134SS	120v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	04
BQTC02L134SS	120v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	04
BQTC03L134SS	120v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	04
BQTTM03L134SS	120v, Commercial Deck Mount 316 SS BBQ Light with Twin Heads	04

POWER KITS

BQFA02	12v battery w/ 10ft 18/2 lead wire & battery charger
BQFA03	FA05 quick connector & 20ft 18/2 wire to existing voltage systems-12v



BBQ & GRILL LED LIGHTS

12v | 120v

UMBRELLA LED LIGHTS



UL03

3x 3.5" Laser Bullets
Aluminum, Brass, or Copper
(Brass Hardware included)
3x 1.5w MR8 LED 120V
1.25" - 1.625" Ø

4.5w Total
Using 3x MR8 LED's

- 3 fully adjustable mini bullets
- 3 MR8 Floodlights fully cover table top and / or umbrella canopy
- Supplied with 10' of black SPT-1W lead wire for easy connection to 12v source
- Adjustable
- "Quick Mount" to all standard size umbrellas
- Custom diameter umbrella pole sizes or 4", 6" or 8" diameter palapa poles available



BBQ & GRILL LED LIGHTS

12v | 120v

POWER SUPPLIES 12V/120V



KIT 2

2. BQFA02 Battery w/ 10ft 18/2 Lead Wire & Battery Charger —12V




KIT 3

3. BQFA03 FA05 Quick Connector & 20FT 18/2 Wire To Existing Voltage Systems -12v




KIT 4

4. BQFA04 9' Power Cord 18/3 SJTW & Plug —120V




Focus Plug-In Transformer - BQFA01


2: Plug-in 12v transformer to 120v receptacle with 10' 18/2 SPT-1W black lead wire




3: Quick connect to 12v rechargeable/portable battery with 10' 18/2 SPT-1W black lead wire



4: Direct connection to 12v. landscape lighting system with supplied FA-05 Quick Connector with 20' 18/2 SPT-1W black lead wire



5: Plug 9' grounded power cord into weatherproof receptacle via power cord (supplied by Focus)



6: A: Hard wire directly into internal J-Box supplied within built in BBQ

B: If receptacle is present, attach a grounded mechanical plug and simply plug in

We are now
More Custom
THAN EVER BEFORE!

Resorts ▪ Hotels ▪ Restaurants
Shopping Centers ▪ Universities Colleges ▪ Amphitheaters
Amusement Parks ▪ Banks ▪ Sports Facilities
Hospitals ▪ Luxury Condos ▪ Custom Homes



DESIGNED
MANUFACTURED
IN THE USA