


New Products

Newest Product Releases from Focus Industries
















WE ARE

FOCUS INDUSTRIES

Welcome to the Focus family

We have made it easier to research our great quality products by redesigning the New Products Brochure to meet the needs of customers. See in-depth product details, new designs, and an array of quality products, accessories, and LEDs.

Need some design consulting? We can help with that. Speak with one of our knowledgeable sales team members or customer care agents about creating a lighting schedule specific to your project.

We have a great family of sales representatives and distributors located around the United States, which provides you with helpful specs, tips, and answers to all your lighting needs. Let us know if you need assistance in finding the nearest one to you.

Stay connected with us

We love seeing how you have incorporated Focus products into the interior or exterior spaces of your project, home, or business. Just like you, we love showing it off, and we would love to share your inspirational photos.

Follow us on Facebook, Instagram, and YouTube for great helpful tips, new product releases, clearance items and all the latest happenings with Focus Industries.







#stayfocused



Table of **Contents**

AREA LIGHTING	.4
TORCHES	8
DIRECTIONAL LIGHTING	10
FLOOD LIGHTING	12
HANGING / PENDANT LIGHTING	14
PATH LIGHTING	22
SPECIALTY LIGHTING	28
SURFACE MOUNT LIGHTING	32

STANDARD POWDER COAT FINISHES





Black Texture (BLT)

Bronze Texture

(BRT)

ACID FINISHES Brass and Copper fixtures only







Black Acid Treatment (BAT)

Acid Verde Copper (CAV) Brass (BAV)

MATERIALS

Copper (CAR)

Brass (BAR)









Stainless Steel (SS)

PREMIUM FINISHES





Dark Bronze (DBZ)

Black Magic (BKM)


Optional Powder Coat Finishes











Chrome Powder (CPR) Weathered Iron (WIR)

Weathered Brown (WBR)

Rust (RST)

Rubbed Verde (RBV)











Copper (COP) Brass (BRS)

Hunter Texture (HTX)


LUNA (LUN)

White Gloss (WHT)

White Texture (WTX)

Stucco





AREA LIGHTS LIGHT WANDS





MATERIAL Brass

ACRYLIC SIZE 12in / 18in / 24in I 1.7in dia. (SM)

LED 3w MR11 LED 40° FL

CCT 3000K **LUMENS** 170lm **VOLTAGE** 12v

MOUNT FA033P 3 prong stake

MOUNT OPTION FA24 4.5in brass round canopy

AL26MDL24S324BRS

MATERIAL Brass

ACRYLIC SIZE 12in / 18in / 24in | 2.36in dia.(MD)

3w MR16 LED 36° FL (L24) LED

CCT 3000K 270lm **LUMENS VOLTAGE** 12v I 120v

MOUNT FA033P 3 prong stake

MOUNT OPTION FA24 4.5in brass round canopy

ACRYLIC TYPES

MATERIAL Acrylic

Clear (S1) / Frosted (S2) / Bubble (S3) **ACRYLIC FEATURE**

ACRYLIC SIZE 12in / 18in / 24in

ACRYLIC DIAMETER 1.7in dia. (SM) / 2.36in dia. (MD)

COLOR LENS OPTIONS AVAILABLE









AREA LIGHTS ACRYLIC BOLLARDS



AL08SMDMS2L4COP

MATERIAL Copper

SIZE 12in x 1.58in dia. (SM)

LED 2w Omni Mini GU4 Bi-Pin (L4)

CCT 3000K 180lm **LUMENS** 12v **VOLTAGE**

FA03 9in ABS stake **MOUNT**

AL08MDDMS2L24BRS

MATERIAL OPTIONS Aluminum / Brass / Copper

SIZE 18in x 2.56in dia. (MD)

LED 3w MR16 LED 36° FL (L24)

CCT 3000K **LUMENS** 270lm

VOLTAGE 12v / 120v - Available

MOUNT FA03LG large 9in ABS stake

AL08SLGDMS2L24BRS

MATERIAL OPTIONS Aluminum / Brass

SIZE 24in x 3.14in dia.(LG)

LED 3w MR16 LED 36° FL (L24)

CCT 3000K

LUMENS 270lm

VOLTAGE 12v / 120v - Available

MOUNT Stainless steel U-bracket

MOUNT OPTION Angle cut with black ABS fins













INTRODUCING AUTO IGNITE TORCHES

The automatic ignition system provides a flip-of-a-switch convenience for igniting and turning off your gas torch. It can be linked to your existing exterior 12 or 120-volt lighting system, or placed on a separate circuit. No need to manually turn on the gas and light the flame. Just flip a switch or connect to a timer. A smart circuit can be used to plug into and use the APP to control your torches.

Flame monitoring by the ignition system is constant and ongoing. Should the torch die out, it will automatically detect the loss of flame and re-ignite. After three failed re-ignition attempts, the ignition controller will turn off the gas and pause five minutes before attempting to re-ignite.





TORCHES **AUTO IGNITION**





MATERIAL Copper

9in x 7.50in dia. x 6ft sleeve (sold separately) SIZE

GAS TYPE Propane (P) / Natural Gas (NG)

VOLTAGE 12v / 120v

SLEEVE UVR simulated bamboo sleeve



MATERIAL Stainless Steel

12in x 3.50in dia. x 6ft sleeve (sold separately) SIZE

GAS TYPE Propane (P) / Natural Gas (NG)

VOLTAGE 12v I 120v

***For more designs, please reference Focus torch brochure.

DBS997AI12V / DBS997AI120V

TYPE Direct Burial Auto Ignite Control Box


SIZE $9in \times 9in \times 7in$

VOLTAGE 12v / 120v









DIRECTIONAL LIGHTS LARGE LED BULLETS





DL50L154BRS / DL50LEDM20BAR

MATERIAL OPTIONS Aluminum / Brass

SIZE 4in x 9.25in (PAR30) / 4in x 7.25in (LEDM)

LED 10w PAR30 LED 36° (L154) 120v / 20w LED module 40° (LEDM) 12v

CCT 2800K (LEDM) / 3000K (PAR30)

LUMENS 1000lm (PAR30) / 1800lm (LEDM)

VOLTAGE 12v / 120v

MOUNT FA03LG large 9in ABS stake (12v only)

MOUNT OPTIONS FA26BLT or BRS mounting post with matching cap



DL60L164BRT / DL60L96WIR

MATERIAL OPTIONS Aluminum / Brass

5.20in x 11.25in (PAR38) / 5.20in x 7.25in (AR111) SIZE

15w PAR38 LED 36° (L164) 120v / 15w AR111 15° (L96) 12v LED

3000K CCT

1,350lm (PAR30) / 1350lm (AR111) **LUMENS**

VOLTAGE 12v / 120v

MOUNT FA03LG large 9in ABS stake (12v only)

MOUNT OPTIONS FA26BLT or BRS mounting post with matching cap









FLOOD LIGHTS MODULE LED FLOOD LIGHTS





LFL012LEDM1027MV / LFL013LEDM1027MV

MATERIAL Aluminum

SIZE 2ft (LFL012) / 3ft(LFL013)

LED 10w LED module **CCT** 2700K / 3000K / 4100K

 LUMENS [2ft]
 2,580lm (2700K) / 2,700lm (3000K) / 4,500lm (4100K)

 LUMENS [3ft]
 3,440lm (2700K) / 3,600lm (3000K) / 6,000lm (4100K)

VOLTAGE 120-277v
MOUNT x2 3/4" swivels



4ft (shown)

LFL014LEDM1027MV / LFL016LEDM1027MV

MATERIAL OPTIONS Aluminum

SIZE 4ft (LFL014) / 6ft (LFL016)

LED 10w LED Module **CCT** 2700K / 3000K / 4100K

LUMENS [4ft] 5,160lm (2700K) / 5,400lm (3000K) / 9,000lm (4100K) **LUMENS [6ft]** 7,740lm (2700K) / 8,100lm (3000K) / 13,500lm (4100K)

VOLTAGE 120-277v

MOUNT x2 3/4" swivels (4ft) / x3 3/4" swivels (6ft)



LFL018LEDM1027MV

 MATERIAL OPTIONS
 Aluminum

 SIZE
 8ft (LFL018)

 LED
 10w LED Module


 CCT
 2700K / 3000K / 4100K

LUMENS 10,320lm (2700K) / 10,800lm (3000K) / 18,000lm (4100K)

VOLTAGE 120-277v

MOUNT x43/4" swivels (8ft)









SPECIALTY LIGHTS STARLIGHT HANGING FIXTURES





SL15S2L12BRS / SL1510S2L24BRS

MATERIAL Brass

SIZE 4in (SL15S2) / 10in (SL1510S2)

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT

LUMENS 300lm (L12) / 270lm (L24)

VOLTAGE

CHAIN SIZE Brass 18in (custom sizes available)

MOUNT 3in brass round canopy



SL15S2L12COP / SL1510S2L24COP

MATERIAL Copper

4in (SL15S2) / 10in (SL1510S2) SIZE

3w Omni3 LED (L12) / 3w MR16 LED 36° (L24) LED

CCT 3000K

LUMENS 300lm (L12) / 270lm (L24

VOLTAGE 12v

CHAIN SIZE Brass 18in (custom sizes available)

MOUNT 2.65in copper round canopy

ACRYLIC

MATERIAL Acrylic solid **ACRYLIC FEATURE** Frosted (S2)

3in (custom sizes available) **ACRYLIC SIZE**

ACRYLIC DIAMETER 2.50in dia.











SPECIALTY LIGHTS STARLIGHT PENDANT FIXTURES





SL15PS2L12BRS / SL1510PS2L24BRS

MATERIAL Brass

SIZE 4in (SL15S2) / 10in (SL1510S2)

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT 3000K

LUMENS 300lm (L12) / 270lm (L24)

VOLTAGE 12v

STEM SIZE Brass 12in (custom sizes available)

MOUNT 3in brass round canopy



SL15PS2L12COP / SL1510PS2L24COP

MATERIAL Copper

SIZE 4in (SL15S2) / 10in (SL1510S2)

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT 3000K

LUMENS 300lm (L12) / 270lm (L24

VOLTAGE 12v

STEM SIZE Brass 12in (custom sizes available)

MOUNT 2.65in copper round canopy

ACRYLIC

MATERIAL Acrylic solid
ACRYLIC FEATURE Frosted (S2)

ACRYLIC SIZE 3in (custom sizes available)

ACRYLIC DIAMETER 2.50in dia.











SPECIALTY LIGHTS RXS PENDANT LIGHTING



RXS13PBRS / RXS12PBRS

MATERIAL Brass

SIZE 3in x 1.75in dia. (RXS13P) / 4.25in x 2.25in dia. (RXS12P)

LED 3w Omni3 LED (L12) / 3w MR16 LED 36° (L24)

CCT 3000K

LUMENS 300lm (L68) / 270lm (L24)

VOLTAGE 12v / 120v - Available

STEM SIZE Brass 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

RXS13PCOP / RXS12PCOP

MATERIAL Copper

SIZE 3in x 1.75in dia. (RXS13P) / 4.25in x 2.25in dia. (RXS12P)

LED 3w MR11 LED (L68) / 3w MR16 LED 36° (L24)

CCT 3000K

LUMENS 300lm (L68) / 270lm (L24)

VOLTAGE 12v

STEM SIZE Copper 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

RXS12PSS

MATERIAL Stainless Steel

SIZE 4.25in x 2.25in dia. (RXS12P)

LED 3w MR16 Super Saver 36° LED (L24)

CCT 3000K

LUMENS 270lm (L24)

VOLTAGE 12v / 120v

STEM SIZE Stainless Steel 12in (custom sizes available)

MOUNT 3in Canopy (P) / 4.50in Canopy (P24) / 4.50in flat plate (PFP)

OPTIONS AVAILABLE



SPECIALTY LIGHTS RXS PENDANT LIGHTING



RXS18PLEDMBRS / RXS10PBRS

MATERIAL Brass

SIZE 3.625in x 3in dia. (RXS18) / 5.875in x 4in dia. (RXS10)

LED 7,11,15,20 LED module (RXS18) / 8w PAR20 LED 15° (RXS10)

CCT 2800K (LEDM) / 3000K (PAR20)

LUMENS 450,600,900,1500lm (LEDM) / 600lm (PAR20)

VOLTAGE 12v / 120v / 277v

STEM SIZE Brass 12in (custom sizes available)

MOUNT 4.50in canopy (P) / 4.50in flat plate (PFP)

RXS18PLEDMCOP / RXS10PCOP

MATERIAL Copper

SIZE 3.625in x 3in dia. (RXS18) / 5.875in x 4in dia. (RXS10)

LED 7,11,15,20 LED module (RXS18) / 8w PAR20 LED 15° (RXS10)

CCT 2800K (LEDM) / 3000K (PAR20)

LUMENS 450,600,900,1500lm (LEDM) / 600lm (PAR20)

VOLTAGE 12v / 120v /277v

STEM SIZE Copper 12in (custom sizes available)

MOUNT 4.50in canopy (P) / 4.50in flat plate (PFP)













PATH LIGHTS ADDRESS BOLLARDS



PL26ABDMLEDS812VBLT

MATERIAL Aluminum / Brass

SIZE 2.25in sq. x 26in

x2 4w LED strip (LEDS) LED

CCT 2700K 490lm **LUMENS**

VOLTAGE 12v

Deck mount / Stake mount (FA03 large ABS stake) **MOUNT**

FA03LG (Large ABS Stake)

MATERIAL ABS SIZE 9in

DIAMETER 3in dia.

PL26LGABDMLEDS812VCPR

Aluminum / Brass **MATERIAL**

SIZE 4in sq. x 36in

LED x2 4w LED strip (LEDS)

CCT 2700K 490lm **LUMENS VOLTAGE** 12v

Deck mount / Stainless Steel U-bracket **MOUNT**

FACBUS

MATERIAL Stainless Steel

SIZE 4in









PATH LIGHTS CUSTOM DESIGN





MATERIAL Aluminum / Brass

SIZE 2.25in sq. x 24in

LED 3w MR16 LED 36° (L24) / 4w LED strip (standard)

CCT 3000K (MR16) / 2700K (LEDS)

LUMENS 270lm (L24) / 245lm (LEDS)

VOLTAGE 12v

MOUNT Deck mount / Stake mount (FA03 large ABS stake)

FA03LG (Large ABS Stake)

MATERIAL ABS

SIZE 9in

DIAMETER 3in dia.

See LED custom design bollards brochure for more standard design options. Custom designs are available. Please consult factory for more information.

PL26LGDMCD001LEDS812VBRT 001-Sandstone design (shown)

MATERIAL Aluminum / Brass

SIZE 4in sq. x 24in / 30in / 36in

LED 36° (L24) / x2 4w LED strip (standard)

CCT 3000K (MR16) / 2700K (LEDS)

LUMENS 270lm (L24) / 490lm (LEDS)

VOLTAGE 12v / 120v / 277v

MOUNT Deck mount / Stainless Steel U-bracket

FACBUS

MATERIAL Stainless Steel

SIZE 4in


See LED custom design bollards brochure for more standard design options. Custom designs are available. Please consult factory for more information.













PATH LIGHTS CUBE PATH LIGHTS



PL27SM1L4WHT / PL27SM2L4BLK



MATERIAL Aluminum / Brass
SIZE 2.25in sg. x 24in

LED 2w Omni 2 G4 (L4) (SM1) / x2 2w Omni 2 G4 (L4) (SM2)

CCT 3000K

LUMENS 180lm (SM1) / 360lm (SM2)

VOLTAGE 12v

MOUNT Deck mount / Stake mount (FA03 large ABS stake)



FA03LG (Large ABS Stake)

MATERIAL ABS
SIZE 9in
DIAMETER 3in dia.



PL27LG1LED30CPR / PL27LG2LED30WIR

MATERIAL Aluminum / Brass
SIZE 4in sq. x 36in

LED 30w LED module (LG1) / x2 30w LED module (LG2)

CCT 2700K / 3000K / 4100K

LUMENS 900lm (LG1) / 1800lm (LG2)

VOLTAGE 120v / 277v

MOUNT Deck mount / Stainless Steel U-bracket



FACBUS

MATERIAL Stainless Steel

SIZE 4in

SURFACE MOUNTS SQUARE CEILING/SURFACE





SIZE

SL63WMDL24BRS Wall Mount Version Shown

MATERIAL Aluminum / Brass

LED 3w MR16 LED 36° (L24)/120v Options Available

2.25in x 2.25in

 CCT
 3000K (MR16)

 LUMENS
 270lm (L24)

 VOLTAGE
 12v / 120v

MOUNT Standard 4.5" Sqaure Canopy



SL63CMEL24CPR Ceiling Mount Version Shown

MATERIAL Aluminum / Brass

SIZE 2.25in x 2.25in

LED 3w MR16 LED 36° (L24)/120v Options Available

 CCT
 3000K (MR16)

 LUMENS
 270lm (L24)

 VOLTAGE
 12v / 120v

MOUNT Standard 4.5" Sqaure Canopy



SL63WML24BLT Wall Mount Up/Down Version Shown

MATERIAL Aluminum / Brass
SIZE 2.25in x 2.25in

LED 3w MR16 LED 36° (L24)/120v Options Available

 CCT
 3000K (MR16)

 LUMENS
 270lm (L24)

 VOLTAGE
 12v / 120v

MOUNT Standard 4.5" Sqaure Canopy



MATERIAL Aluminum/Brass

SIZE 4.5in x 4.5in

P/N EXAMPLE SL63CMEFPL24CPR

Add (E) to part number for extension as shown. Extension placed between fixture housing and canopy









SURFACE MOUNTS

LARGE SQUARE CEILING/SURFACE





SL63LGWMDL142BRS Wall Mount Version Shown

MATERIAL Aluminum / Brass

SIZE 4.00in x 4.00in

LED 8w PAR20 LED 36° (L142

CCT 3000K (PAR20) **LUMENS** 600lm (L142)

VOLTAGE 120v (120v-277v Options Available)

MOUNT Standard 4.5" Sqaure Canopy



SL63LGCMEL142CPR Ceiling Mount Version Shown

MATERIAL Aluminum / Brass

SIZE 4.00in x 4.00in

LED 8w PAR20 LED 36° (L142)/120v-277v Options Available

CCT 3000K (PAR20) **LUMENS** 600lm (L142)

VOLTAGE 120v (120v-277v Options Available)

MOUNT Standard 4.5" Sqaure Canopy



SL63LGWML142BLT Wall Mount Up/Down Version Shown

MATERIAL Aluminum / Brass
SIZE 4.00in x 4.00in

LED 8w PAR20 LED 36° (L142)/120v-277v Options Available

CCT 3000K (PAR20)

LUMENS 600lm (L142)

VOLTAGE 120v (120v-277v Options Available)

MOUNT Standard 4.5" Sqaure Canopy

Extension Option for Ceiling Mount Version

MATERIAL Aluminum/Brass
SIZE 4.5in x 4.5in

P/N EXAMPLE SL63LGCMEL24CPR

Add (E) to part number for extension as shown. Extension placed between fixture housing and canopy

SPECIALTY LIGHTS LED FLAME LANTERNS





018-Monstera design (shown)



MATERIAL Aluminum / Brass

SIZE 4in sq. x 6in

LED Simulated LED flame

CCT 1400-1600K

LUMENS 150lm
MOUNT None

See more custom designs in the Flame Lantern brochure for more standard design options. Custom designs are available. Please consult factory for more information.



018-Monstera design (shown)

MATERIAL

Aluminum / Brass

SIZE

4in dia. x 6in

LED

Simulated LED flame

CCT

1400-1600K

LUMENS

150lm

MOUNT

None

See more custom designs in the Flame Lantern brochure for more standard design options.

Custom designs are available. Please consult factory for more information.





FEATURES 4 flame modes (flame, solid light, breath, dimming)

CCT 1400-1600K

LUMENS 150lm

CHARGE TIME 4 hours

USAGE 8 hours continuous with solid light, 4 hours with others

INCLUDES USB charging cable and remote



WL

CI




LENS OPTIONS

MATERIAL Iridescent Glass (IG) White Lens (WL) Cracked Ice (CI)

SIZE Each lens option is uniquely cut to fit the lantern











SPECIALTY LIGHTS LED POST TOP LIGHTS





SL69LGPFTL12WHT	Flat Top (shown)
MATERIAL	Aluminum / Brass

SIZE 4.125in x 4in

LED 3w Omni super saver LED (L12)

 CCT
 3000K

 LUMENS
 270lm

 VOLTAGE
 12v

LENS High impact white acrylic lens



SL69LGPATL12WHT Angle Top (shown)

MATERIAL Aluminum / Brass

SIZE 5.125in x 4in

LED 3w Omni super saver LED (L12)

 CCT
 3000K

 LUMENS
 300lm

 VOLTAGE
 12v

LENS High impact white acrylic lens





SPECIALTY LIGHTS





SL68MDWML24S112BRS

MATERIAL Brass

ACRYLIC SIZE 12in / 18in / 24in | 2.36in dia. (MD)

LED 3w MR16 LED 36° FL (L24)

 CCT
 3000K

 LUMENS
 270lm

 VOLTAGE
 12v

MOUNT 4.5in brass canopy



MATERIAL Brass

ACRYLIC SIZE 12in / 18in / 24in | 1.70in dia. (SM)

LED 3w MR11 LED 40° FL

 CCT
 3000K

 LUMENS
 300lm

 VOLTAGE
 12v

MOUNT 3in small brass canopy

ACRYLIC TYPES

MATERIAL Acrylic

ACRYLIC FEATURE Clear (S1) / Frosted (S2) / Bubble (S3)

ACRYLIC SIZE 12in / 18in / 24in

ACRYLIC DIAMETER 1.70in dia. (MR11) / 2.36in dia. (MR16)

COLOR LENS
OPTIONS AVAILABLE







SPECIALTY LIGHTS DESIGNER CUBES





Hook, Plumeria, Hibiscus design (shown)

MATERIAL

Aluminum / Brass

SIZE

4in x 4in

LED

3w MR16 LED 36° (L24)

CCT

3000K (MR16)

LUMENS

270lm (L24)

VOLTAGE

12v

MOUNT

Surface mount, 316 stainless steel wood screws

Custom designs are available. Please consult factory for more information.







MATERIAL


Iridescent Glass (IG) White Lens (WL)

SIZE

Each lens option is uniquely cut to fit the lantern







CONTACT US

www.focusindustries.com (949)830-1350 | Toll Free: (888)882-1350 orders@focusindustries.com marketing@focusindustries.com

STAY FOCUSED - WE'LL MAKE IT YOUR WAY!

FOCUS INDUSTRIES, INC. © NEW PRODUCTS BROCHURE