



landscape • architectural • hospitality • entertainment • illumination

[www.focusindustries.com](http://www.focusindustries.com)

COPPER / STAINLESS STEEL

# FOCUS TORCHES


Liquid / Propane / Natural Gas

Introducing the Auto Ignite Torch



*Stay* **FOCUSED** — WE'LL MAKE IT YOUR WAY!

FOCUS INDUSTRIES, INC. © AL18 FOCUS TORCH BROCHURE



## LARGE LIQUID SERIES TORCH

12 VOLT

### FOCUS LARGE TORCH AND AREA LIGHT

Liquid Torch / Liquid Torch with Area Light



AL18LGAHL12COP



AL18LGHHAHSBL12CAR



**CONSTRUCTION:** Spun copper hat, snuff cap with brass adjustable hub; matching copper stanchion or brass reducer for simulated bamboo pole.

Hammered surface on hat available on -HH models

**FUEL CAPACITY:** Holds 20 oz. Approximately 10 hours burn time

**WICK:** Long lasting 3/4" round braided fiberglass

**LAMP SUPPLIED:** 3w Omni SS (Single Contact) (L12)

**LUMENS:** 300lm

**CCT:** 3000K

**SOCKET:** Single contact bayonet, brass nickel plated lamp socket screw shell (Ba15s) with 200°C silicone lead wires

**WIRING:** Black 3 foot 18/2 zip cord from base of fixture (12v only)  
For 25 foot 16/2 fixture lead wire add -25F to catalog number.


**CONNECTION:** FA-05 Quick Connector (not supplied) from fixture to main cable (12/2, 10/2 or 8/2 only)

**MOUNTING:** Angle cut stanchion

**FINISH:** Unfinished copper. Optional finishes available in Acid Rust (-CAR), Acid Verde (-CAV), Black Acid Treatment (-BAT)







## LARGE GAS TORCH

### FOCUS LARGE TORCH

Natural Gas (NG) and Propane (P)



AL18LGNGCOP (NG)  
AL18LGPCOP (P)

Smooth Hat (Standard)



AL18LGHHNGCAR (Natural Gas)  
AL18LGHHPCAR (Propane)

Hammered Hat (HH)



FAAL18LGGASBPC  
Optional cap for bird defense



**CONSTRUCTION:** Spun copper, Cast brass pipe adapter & internal parts.  
Stainless Steel perforated flame screen.

Hammered surface available on -HH models

**NATURAL GAS:** Uses 22,500 BTU/Hour normal inlet pressure 7" water column

**PROPANE GAS:** Uses 17,000 BTU/Hour normal inlet pressure 11" water column

**INSTALLATION:** 1" cast brass adapter has standard female NPT pipe threads for connection to 1" steel pipe (supplied by others). 3/4" Steel Pipe supplied by others ( great for residential)

Always check with local codes prior to installation.


**VALVE:** 1" brass shut-off valve required (supplied by others)

**IGNITION:** Manual ignition with extended lighter

**FINISH:** Unfinished copper

Optional finishes available in Acid Rust (CAR), Acid Verde (CAV),  
Black Acid Treatment (BAT)





## CYLINDER TORCH

### STAINLESS STEEL CYLINDER TORCH

Standard Designs / Natural Gas (NG) and Propane (P)



AL18CYNG008SS (NG)  
AL18CYP008SS (P)  
SANDSTONE  
(001)



AL18CYNG003SS (NG)  
AL18CYP003SS (P)  
CIRCLES  
(003)





AL18CYNG006SS (NG)  
AL18CYP006SS (P)  
BAMBOO  
(006)



AL18CYNG008SS (NG)  
AL18CYP008SS (P)  
HIBISCUS  
(008)



AL18CYNG009SS (NG)  
AL18CYP009SS (P)  
PLUMERIA  
(009)



AL18CYNG006SS (NG)  
AL18CYP006SS (P)  
BAMBOO  
(006)

AL18CYNG007SS (NG)  
AL18CYP007SS (P)  
BIRDS OF PARADISE  
(007)

AL18CYNG008SS (NG)  
AL18CYP008SS (P)  
HIBISCUS  
(008)

**CONSTRUCTION:** Stainless steel, Cast brass pipe adapter & internal parts.

Stainless Steel perforated flame screen.

**NATURAL GAS:** Uses 22,500 BTU/Hour normal inlet pressure 7" water column

**PROPANE GAS:** Uses 17,000 BTU/Hour normal inlet pressure 11" water column

**INSTALLATION:** 3/4" cast brass adapter has standard female NPT pipe threads for connection to 3/4" steel pipe (supplied by others).

**Always check with local codes prior to installation.**

**VALVE:** 1" brass shut-off valve required (supplied by others)


**IGNITION:** Manual ignition with extended lighter

**FINISH:** Unfinished Stainless Steel

\*\*\*See page 8 for Island Style design patterns\*\*\*

Custom Designs Welcome!





## LARGE AUTO IGNITE TORCH



12-120 VOLT

### FOCUS LARGE TORCH WITH AUTO IGNITION

Natural Gas (NG) and Propane (P) with Control Box



12V or 120V input options available

Hot Surface igniter for worry free ignition, even in wet conditions

Automatic re-ignition in case of flame out. Automatic gas shut off after 3 failed attempts


5-min re-strike intervals

Works with both our natural gas and propane outdoor torches.

The automatic ignition system provides a flip-of-a-switch convenience for igniting and turning off your gas torch. It can be linked to your existing exterior 120-volt lighting system, or placed on a separate circuit. No need to manually turn on the gas and light the flame. Just flip a switch or connect to a timer. A smart circuit can be used to plug into and use the APP to control your torches.

Flame monitoring by the ignition system is constant and ongoing. Should the torch die out, it will automatically detect the loss of flame and re-ignite. Three failed re-ignition attempts, the ignition controller will turn off the gas and pause five minutes before attempting to re-ignite.







## AUTO IGNITE TORCH



### CONICAL COPPER AUTO IGNITION TORCH

Natural Gas (NG) and Propane (P) with Control Box



**AL18LGNGAI120VCOP (Natural Gas)**  
**AL18LGPAI120VCOP (Propane Gas)**  
 Large Copper Auto Ignite Torch  
 Simulated Bamboo Sleeve (not included)

**FASBUVR62MB**  
 Dimensions  
 2.00" UVR Pipe  
 For Auto Ignite Torch

### Simulated Bamboo Sleeve / Cover

Helps to hide & rectify unsightly gas piping



**FASBUVR62MB**  
 2.00" Simulated Bamboo Sleeve  
 For Auto Ignite Torch  
 2"OD x 6' UVR  
 For 3/4" Pipe + Wire

### Voltage Options




#### Direct Burial

**DBS997AI12V (12V)**  
 Direct Burial  
 9"x9"x7"  
 Auto Ignition Control Box  
 12-Volt Option



#### AI Control Box

**DBS997AI120V (120V)**  
 Direct Burial  
 9"x9"x7"  
 Auto Ignition Control Box  
 120-Volt Option



# AUTO IGNITE TORCH



12-120VOLT

## STAINLESS STEEL CYLINDER TORCH

Standard and Custom Designs | Natural Gas (NG) and Propane (P)  
with Control Box




Direct Burial  
Control Box



### System

**DBS997AI12V (12V)**  
Direct Burial  
9"x9"x7"  
Auto Ignition Control Box  
12-Volt Option

**DBS997AI120V (120V)**  
Direct Burial  
9"x9"x7"  
Auto Ignition Control Box  
120-Volt Option



**FASBUVR62MB**  
Dimensions  
2.00" UVR Pipe  
For Auto Ignite Torch

**AL18CY001NGAI120VSS (Natural Gas)**  
**AL18CY001PAI120VSS (Propane Gas)**  
Stainless Steel Cylinder Auto Ignite Torch  
Simulated Bamboo Sleeve (not included)

## Island Style Designs

Custom Plasma Cut Patterns



**SANDSTONE**  
001



**HELICONIA**  
002



**BAMBOO**  
006



**SHELL**  
114



**TROPICAL LEAF**  
014



**BANANA LEAF**  
013



**GRASS BLADES**  
021



**MONSTERA**  
018




**OCEAN WAVES**  
116




**CORAL**  
010



**CONICAL & CYLINDER TORCH INSTALLATION DIAGRAM**

Natural Gas (NG) and Propane (P) Hookup Guide





## FOUR FINISHES AVAILABLE

For All AL18LG Models



Unfinished



Acid Rust (CAR)



Acid Verde (CAV)



Black Acid (BAT)

## HAT OPTIONS

For All AL18LG Models




Smooth



Hammered

## FOCUS SKIRT



FAAL18LGNGPSKIRT:  
Grass Focus Skirt,  
1.7" ID FOR AL18LG NG/P  
Gas Focus Series

## STEM OPTIONS

For All AL18LG Liquid and Light Models



Simulated Bamboo  
For Liquid and Light  
1.375" UVR



Brass  
Bamboo Stem



Standard  
Copper Stem

## STEM OPTION

For All AL18 Auto Ignite Torch



Simulated Bamboo  
For Auto Ignite Torch  
2.5" UVR





**TO PLACE ORDERS Please call**  
**TOLL FREE (888)882.1350**  
**Or Email**  
**ORDERS@FOCUSINDUSTRIES.COM**



DESIGNED.  
MANUFACTURED.  
IN THE USA

go green  
led solutions

© 2023 FOCUS INDUSTRIES. ALL RIGHTS RESERVED  
TORCHES BROCHURE 2023\_04072023

25301 Commercentre Drive, Lake Forest, CA. 92630  
(949) 830-1350 | (888)882-1350 | [www.focusindustries.com](http://www.focusindustries.com)

**TO PLACE ORDERS – TOLL FREE (888)882.1350**  
**ORDERS@FOCUSINDUSTRIES.COM**

**FOR MORE INFORMATION**  
**MARKETING@FOCUSINDUSTRIES.COM**