

DL42/43/45 DIRECTIONAL LIGHT

DL42/DL43/DL45LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



CATALOG ORDER LOGIC

EXAMPLE: DL42LEDM715BRS

FIXTURE

DL Directional Light

TYPE

- ☐ 42 (For 7w LED Module)
- ☐ 43 (For 11w LED Module)
- ☐ 45 (For 15w LED Module)

12 VOLT LED

	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> LEDM7	7w	~	2800K	560lm
<input type="checkbox"/> LEDM11	11w	~	2800K	960lm
<input type="checkbox"/> LEDM15	15w	~	2800K	1280lm

OPTICS OPTIONS

- ☐ 15 (15° Spot)
- ☐ 40 (40° Narrow Flood)
- ☐ 60 (60° Wide Flood)
- ☐ 160 (160° Very Wide Flood, No Optic)

DRIVER OPTIONS

- 12v (Power with magnetic transformer)
- 12v AC/DC input, Voltage Range 9v-18v Operating range: 12v-15v
- ☐ 120v input, (External universal driver—HW1260LED) Triac Dimmable Driver (Must use UL listed outdoor junction box, see page 3)
- ☐ 277v input, (External universal driver—HW1260277R1) (Must use UL listed outdoor junction box, see page 3)

CAP OPTIONS

- ☐ Angle Cap (Standard)
- ☐ FC (Flat Cap)

FINISH (STANDARD FINISHES LISTED)

- ☐ BLT Brass: Black Texture Polyester Powder Coat
- ☐ BRT Brass: Bronze Texture Polyester
- ☐ BRS Brass: Unfinished

Optional powder coat and acid finishes available. See page 3 for more information.

SHIP WEIGHT / CARTON DIMENSIONS

Aluminum 6061	1 lbs.	10" x 6" x 4"
Brass C27200	2 lbs.	10" x 6" x 4"




Click Icon
to Download

IP65



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED.
IN THE USA.



DL42/43/45 DIRECTIONAL LIGHT

DL42/DL43/DL45LEDM

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown with FA03 Stake (12V)

Standard Cap




Dimensions Shown with FA2660W Post (12V-277V)

Standard Cap




Dimensions Shown with FAJBox (12V-277V)

Standard Cap



Dimensions Shown with FA24LG (12V-277V)

Flat Cap



SPECIFICATIONS

INTERNALS	VOLTAGE WIRING	12 Volt: Standard 36.00" Black AWG 2/C, SPT1-W, 300V UL (Power with magnetic transformer) 120 Volt: (Use external driver)
	HEAT SINK	Pin fin heat sink, aluminum, 1070, 80mm OD x 40mm H, Base thickness 15mm, Black anodized
	O-RING	2x - 70 Durometer 400° red silicone
	CONNECTOR	Nut twist, insulated nylon, 16-14 AWG, Blue
	OPTICS	Interchangeable: 15° Spot, 40° Narrow Flood, 60° Wide Flood, 160° Very Wide Flood (no optics)
	OPTICS HOLDER	Stamped stainless steel optics holder, black anodized
EXTERNALS	HOUSING	Extruded Aluminum, Brass
	CAP	Cast Aluminum, Cast Brass,
	LENS	High impact clear tempered convex glass
	SWIVEL	Cast Aluminum, Cast Brass, (240° rotation)
	MOUNT (See page 3- for more options)	12V: Aluminum version: FA03 Black ABS 8.40" Stake 12V: Brass version FA03LG Large Black ABS 8.80" Stake 120V-277V: No mounting included.
	FINISH (See page 3- for more options)	Aluminum: Polyester textured powder coat (More options available. See page 5) Brass: Acid finishes (More options available. See page 5.)
LISTINGS		IP65. Indoor/Outdoor use. Suitable for wet locations




IP65

IP65



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED.
IN THE USA.



DL42/43/45 DIRECTIONAL LIGHT

DL42/DL43/DL45LEDM

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:


ACCESSORIES

(Configure and order accessories separately) If ordering alternative mounting accessory, check (NS) No Stake box on page 1, to avoid double mounting accessories.


Stakes




Mounting Posts




Extension Wands & Couplers




Canopies & Adapters




Tree Mounts



Lenses



Direct Burials & JBoxes




(Use like material of fixture with material of mounting device for better compatibility)

IP65



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED.
IN THE USA.



DL42/43/45 DIRECTIONAL LIGHT

DL42/DL43/DL45LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:




FINISH

STANDARD FINISHES



Black Texture
(-BLT)



Bronze Texture
(-BRT)

PREMIUM FINISHES



Dark Bronze
(-DBZ)



Black Magic
(-BKM)



White Gloss
(-WHT)



White Texture
(-WTX)



Stucco
(-STU)




Chrome Powder
(-CPR)



Weathered Iron
(-WIR)



Weathered Brown
(-WBR)



Rust
(-RST)



Luna
(-LUN)



Rubbed Verde
(-RBV)



Hunter Texture
(-HTX)



Mineral Bronze
(-BRZ)



Semi-Gloss Black
(-BLK)

CUSTOM FINISHES

Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?

<https://www.ralcolor.com/>


PANTONE #:

Need help finding a Pantone color?


<https://www.pantone.com/color-finder>

ACID FINISHES

Brass and Copper fixtures only



Acid Rust
Brass (-BAR)
Copper (-CAR)



Black Acid Treatment
Brass (-BAT)
Copper (-BAT)



Acid Verde
Brass (-BAV)
Copper (-CAV)

IP65



FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE

LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED.
MANUFACTURED.
IN THE USA.

