

LED MODULE DIRECTIONAL LIGHTING

DL42/DL43/DL45LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



CATALOG ORDER LOGIC

EXAMPLE: DL42LEDM715BRS

FIXTURE

DL Directional Light

Series

- ☐ 42 (For 7w LED Module)
- ☐ 43 (For 11w LED Module)
- ☐ 45 (For 15w LED Module)

12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> LEDM7	7w	~	2800K	560lm
<input type="checkbox"/> LEDM11	11w	~	2800K	960lm
<input type="checkbox"/> LEDM15	15w	~	2800K	1280lm

OPTICS

- ☐ 15 (15° Spot)
- ☐ 40 (40° Narrow Flood)
- ☐ 60 (60° Wide Flood)
- ☐ 160 (160° Very Wide Flood, No Optic)

DRIVER

12v Integrated on board driver, (No external driver required)
12v AC/DC input, Voltage Range 9v-18v Operating range: 12v-15v

- ☐ 120v input, (External universal driver—HW1260LED) Triac Dimmable Driver
(Must use UL listed outdoor junction box, see page 3)
- ☐ 277v input, (External universal driver—HW1260277LED)
(Must use UL listed outdoor junction box, see page 3)

CAP

- Angle Cap (Standard)
- ☐ EC (Extended Cap)
- ☐ FC (Flat Cap)
- ☐ TS (Tube Shield)

MATERIAL (standard material listed)

- ☐ BLT (Aluminum- Black Texture)
- ☐ BRS (Unfinished- Brass)

Premium and Acid Finishes (See page 4 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

MOUNTING

12v - FA03 Black 9" ABS stake (Included with Aluminum version)
12v - FA03LG Large black 9" ABS stake, tapped 1/2" NPS
(Included with Brass and Copper versions)
120-277v - Mounting options not supplied. FA26, or other Focus JBoxes
can be used. [Configure and order accessories separately see page 3]

WEIGHT

Aluminum (1.0lbs)
Brass (2.0lbs)

ADDITIONAL INFORMATION

12v option with standard cap (shown)
12v-277v and alternate cap styles available



Click Icon
to Download


IP66



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





LED MODULE DIRECTIONAL LIGHTING

DL42/DL43/DL45LEDM

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown with FA03 Stake (12V)

Standard Cap




Dimensions Shown with FA2660W Post (12V-277V)

Tube Shield




Dimensions Shown with FAJBox (12V-277V)

Extension Cap



Dimensions Shown with FA24LG (12V-277V)


Flat Cap



SPECIFICATIONS

INTERNALS	VOLTAGE	12V-277V
	WATTAGE	7W (DL42) / 11W (DL43) / 15W (DL45) LED Modules
	LUMENS	(7w)560lm / (11w) 960lm / (15w) 1280lm
	WIRING	12V Black 3 foot 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire add (-25F) to catalog number (12V Only) 120V-277V Black 12" pigtail from driver
	DRIVER	12V AC/DC-Integrated on board 120V-277V remote driver HW1260LED (Must use FA26 mounting post or approved weatherproof rated junction box)
	LENS	High impact clear tempered convex glass
	O-RING	2x - 70 Durometer 400° red silicone
	OPTICS	Interchangeable: 15° Spot, 40° Narrow Flood, 60° Wide Flood, 160° Very Wide Flood (no optics)
EXTERNALS	HOUSING	Extruded Aluminum, Brass
	HEAT SINK	Cast Aluminum, Cast Brass,
	SWIVEL	Cast Aluminum, Cast Brass, (240° rotation)
	CAP	Matching Aluminum, Brass
	MOUNT	12V: FA03 Black ABS 9" Stake - Aluminum version (standard); FA03LG Large Black ABS 9" Stake - Brass version (Standard) 120V-277V: No mounting included. Order separately.
	FINISH	Aluminum: Polyester textured powder coat (More options available. See page 5) Brass: Acid finishes (More options available. See page 5.)
	LISTINGS	IP66. Indoor/Outdoor use. Suitable for wet locations





LED MODULE DIRECTIONAL LIGHTING

DL42/DL43/DL45LEDM

PROJECT:

TYPE:


DATE:

ACCESSORIES PART NUMBER(S):

ACCESSORIES


(Configure and order accessories separately)

Stakes




FA03 8.75" (12v)
FA03LG 8.875" (12v)
FA03RX 7.00" (12v)
FA032P 8.235" (12v)
FA033P 8.235" (12v)

Mounting Posts




FA01 15.00" (12v)
FA24MDCSTPOST 13.00" to 16.00" (12v)
FA25 20.00" (12v)
FA26 20.00" (120-277v)

Extension Wands & Couplers




FA30-4 4.00"
FA30-8 8.00"
FA30 10.00"
FA31 13.00"
FA32 16.00"
FA33 21.00"
FA34 26.00"
(12-277v)

Canopies & Adapters




FA24/BRS 3.00" dia. (12v)
FA24MDCST/BRS 2.65" dia. (12v)
FA24MDCSTPC/BRS 2.65" dia. (12v)
FA24MD 2.65" dia. (12v)
FA24LGSPUN/BRS 4.75" dia. (12v)
FA24LGCST/BRS 4.75" dia. (12-277v)
FA24LGDHBR 4.75" dia. (12-277v)
FA23CST 5.75" (12-277v)
FA22LGCST/BRS 5.75" (12-277v)
FATAD (12-277v)

Tree Mounts



FA22TREE (12-277v)
FA24MDCSTTREE (12v)
FA24T (12v)
C/FA111TPS (12-277v)
C/FA111T (120-277v)
C/FA111 (12-277v)

Lenses



FA11DL42AMBER (Color Glass Lens)
FA11DL42RED (Color Glass Lens)
FA11DL42GREEN (Color Glass Lens)
FA11DL42BLUE (Color Glass Lens)
FA104DL42SB (Sand Blasted Lens)
FA08DL42 (Hex Cell Louver)

Direct Burials & JBoxes



DBR55JB (12-277v)
FA-JBOX (12-277v)


(Use like material of fixture with material of mounting device for better compatibility)



FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





LED MODULE DIRECTIONAL LIGHTING


DL42/DL43/DL45LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:




Images enhanced to illustrate usage of mounting options. Drawings not to scale. (see page 2 for product dimensions)



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





LED MODULE DIRECTIONAL LIGHTING

DL42/DL43/DL45LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:

LED DATA

12v LED MODULE DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS
LEDM7	2800K	80+	7	560	50,000
LEDM11	2800K	80+	11	960	50,000
LEDM15	2800K	80+	15	1280	50,000

OPTICS


OPTICS	ANGLE
SP - Spot	15°
FL - Flood	40°
WFL - Wide Flood	60°
VWFL - Very Wide Flood	160° No Optics

FINISHES

STANDARD FINISHES



Black Texture
(-BLT)



Bronze Texture
(-BRT)

PREMIUM FINISHES




Dark Bronze
(-DBZ)



Black Magic
(-BKM)



White Gloss
(-WHT)



White Texture
(-WTX)



Stucco
(-STU)



Luna
(-LUN)



Rubbed Verde
(-RBV)



Hunter Texture
(-HTX)




Weathered Iron
(-WIR)



Weathered Brown
(-WBR)



Chrome Powder
(-CPR)



Rust
(-RST)



Mineral Bronze
(-BRZ)

CUSTOM FINISHES

RAL #:

Need help finding a RAL color?


<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?

<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



Acid Rust
Brass (-BAR)
Copper (-CAR)



Black Acid Treatment
Brass (-BAT)
Copper (-BAT)



Acid Verde
Brass (-BAV)
Copper (-CAV)



FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA

