

# LED DIRECTIONAL LIGHTING

DL42LEDM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



## CATALOG ORDER LOGIC

EXAMPLE: DL42LEDM715BRS

## FIXTURE

DL Directional Light

## Series

- 42 (For 7w LED Module)
- 43 (For 11w LED Module)
- 45 (For 15w LED Module)

## LED TYPE

- LEDM7 (7w LED Module 2800K/450lm)
- LEDM11 (11w LED Module 2800K/600lm)
- LEDM15 (15w LED Module 2800K/900lm)

## OPTICS

- 15 (15° Spot)
- 40 (40° Narrow Flood)
- 60 (60° Flood)
- 160 (160° Wide Flood, No Optic)

## DRIVER

12v Integrated on board driver, (No external driver required)  
12v AC/DC input, Voltage Range 9v-18v Operating range: 12v-15v

- 120v input, (External universal driver—HW1260LED) Triac Dimmable Driver (Must use UL listed outdoor junction box, see page 3)
- 277v input, (External universal driver—HW1260277LED) (Must use UL listed outdoor junction box, see page 3)

## CAP

- Angle Cap (Standard)
- EC (Extended Cap)
- FC (Flat Cap)
- TS (Tube Shield)

## MATERIAL (standard material listed)

- BLT (Aluminum- Black Texture)
- BRS (Unfinished- Brass)

Premium and Acid Finishes (See page 4 for more color options)  
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

## MOUNTING

12v - FA03 Black 9" ABS stake (Included with Aluminum version)  
12v - FA03LG Large black 9" ABS stake, tapped 1/2" NPS (Included with Brass and Copper versions)  
120-277v - Mounting options not supplied. FA26, or other Focus JBoxes can be used. [Configure and order accessories separately see page 3]

## WEIGHT

Aluminum (1.0lbs)  
Brass (2.0lbs)

## ADDITIONAL INFORMATION

12v option with standard cap (shown)  
12v-277v and alternate cap styles available



IES Files available for download


IP66



landscape • architectural • hospitality • entertainment • illumination

**FOCUS INDUSTRIES INC.**  
25301 COMMERCENTRE DRIVE  
LAKE FOREST, CA. 92630  
949.830.1350 | TOLL FREE: 888.882.1350  
WWW.FOCUSINDUSTRIES.COM





# LED DIRECTIONAL LIGHTING

DL42LEDM


PROJECT: \_\_\_\_\_ TYPE: \_\_\_\_\_ DATE: \_\_\_\_\_

CATALOG NUMBER: \_\_\_\_\_

## DIMENSIONS


### Dimensions Shown with FA03 Stake (12V)

Standard Cap




### Dimensions Shown with FA2660W Post (12V-277V)

Tube Shield




### Dimensions Shown with FAJBox (12V-277V)

Extension Cap



### Dimensions Shown with FA24LG (12V-277V)

Flat Cap



## SPECIFICATIONS

INTERNALS	VOLTAGE	12V-277V
	WATTAGE	7W (DL42) / 11W (DL43) / 15W (DL45) LED Modules
	LUMENS	450lm (7w) / 600lm (11w) / 1000lm (15w)
	WIRING	12V Black 3 foot 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire add (-25F) to catalog number (12V Only) 120V-277V Black 12" pigtail from driver
	DRIVER	12V AC/DC-Integrated on board 120V-277V remote driver HW1260LED (Must use FA2660W post or outdoor rated junction box)
	LENS	High impact clear tempered convex glass
	O-RING	2x - 70 Durometer 400° red silicone
	OPTICS	Interchangeable: 15° Spot, 40° Narrow Flood, 60° Wide Flood, 160° Very Wide Flood (no optics)
EXTERNALS	HOUSING	Extruded Aluminum, Brass
	HEAT SINK	Cast Aluminum, Cast Brass,
	SWIVEL	Cast Aluminum, Cast Brass, (240° rotation)
	CAP	Matching Aluminum, Brass
	MOUNT	12V: FA03 Black ABS 9" Stake - Aluminum version (standard); FA03LG Large Black ABS 9" Stake 120V-277V: Mounting options not supplied. Order separately FAJBox or other outdoor rated mount (see accessories on page 3)
	FINISH	Aluminum: Polyester textured powder coat (More options available on page 4) Brass: Acid finishes (More options available on page 4)
	LISTINGS	IP66. Indoor/Outdoor use. Suitable for wet locations




**FOCUS INDUSTRIES INC.**  
 25301 COMMERCENTRE DRIVE  
 LAKE FOREST, CA. 92630  
 949.830.1350 | TOLL FREE: 888.882.1350  
 WWW.FOCUSINDUSTRIES.COM



# LED DIRECTIONAL LIGHTING

DL42LEDM







PROJECT: \_\_\_\_\_ TYPE: \_\_\_\_\_ DATE: \_\_\_\_\_

ACCESSORIES PART NUMBER(S): \_\_\_\_\_

## ACCESSORIES

(Configure and order accessories separately)

-  Glass lenses available in:  
**Red, Green, Amber, Light Blue, Dark Blue**
-  **FA11DL42**  
 (Color Glass Lens)
-  **FA104DL42SB**  
 (Sand Blasted Lens)
-  **FA08DL42**  
 (Hex Cell Louver)
-  **DBR55JB**  
 (12-277V)
-  **FA-JBOX**  
 (12-277V)
-  **FA03**  
 (12v)
-  **FA03LG**  
 (12v)
-  **FA03RX**  
 (12v)
-  **FA30**
-  **FA31**
-  **FA32**
-  **FA33**
-  **FA34**
-  **FA01**  
 (12v)
-  **FA24MDCSTPOST**  
 (12v)
-  **FA25**  
 (12v)
-  **FA26**  
 (120-277v)
-  **FA22TREE**  
 (12-277v)
-  **FA24MDCSTTREE**  
 (12v)
-  **FA TAD**  
 (12-277v)
-  **FA24MDCST**  
 (12v)
-  **FA24**  
 (12v)
-  **FA24LGCST**  
 (12-277v)
-  **FA24LGDHBR**  
 (12-277v)
-  **FA22CST**  
 (12-277v)
-  **FA23CST**  
 (12-277v)
-  **C/FA111TPS**  
 (12-277v)
-  **C/FA111T**  
 (120-277v)
-  **C/FA111**  
 (12-277v)
-  **FA24T**  
 (12v)




Images enhanced to illustrate usage of mounting options. Drawings not to scale. (see page 2 for product dimensions)  
 (Use like material of fixture with material of mounting device for better compatibility)



**FOCUS INDUSTRIES INC.**  
 25301 COMMERCENTRE DRIVE  
 LAKE FOREST, CA. 92630  
 949.830.1350 | TOLL FREE: 888.882.1350  
 WWW.FOCUSINDUSTRIES.COM





# LED DIRECTIONAL LIGHTING

DL42LEDM

PROJECT:


TYPE:

DATE:


CATALOG NUMBER:

## LIGHT DISTRIBUTION


### 15° Spot Beam Angle




### 40° Narrow Flood Beam Angle



### 60° Flood Beam Angle



### 160° Wide Flood Beam Angle



## FINISHES

### STANDARD FINISHES



### PREMIUM FINISHES



### CUSTOM FINISHES Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?

<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?

<https://www.pantone.com/color-finder>

### ACID FINISHES Brass and Copper fixtures only



SCAN FOR FULL SIZE COLOR SWATCHES



landscape • architectural • hospitality • entertainment • illumination

### FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE  
LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED  
MANUFACTURED  
IN THE USA

