

DL42/DL43/DL54LEDM

DATE:

960lm

1280lm

PROJECT: TYPE:

EXAMPLE:

CATALOG NUMBER:









CATALOG ORDER LOGIC

FIXTURE					
DL	Directional Light				
Series					
□ 42 □ 43 □ 45	(For 7w LED Module) (For 11w LED Module) (For 15w LED Module)				
12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN	
□ LEDM7	7w	~	2800K	560lm	

2800K

2800K

DL42LEDM715BRS

☐ LEDM15

LEDM11

□ 15	(15°	Spot)
□ 40	(40°	Narrow Flood)
	(600	Flood)

□ 160 (160° Wide Flood, No Optic)

11w

15w

DRIVER

12v Integrated on board driver, (No external driver required) 12v AC/DC input, Voltage Range 9v-18v Operating range: 12v-15v

- $\ \square$ 120v input, (External universal driver—HW1260LED) Triac Dimmable Driver (Must use UL listed outdoor junction box, see page 3)
- □ 277v input, (External universal driver—HW1260277LED) (Must use UL listed outdoor junction box, see page 3)

Angle Cap	(Standard)
□ EC	(Extended Cap)
□ FC	(Flat Cap)
□ TS	(Tube Shield)

MATERIAL (standard material listed)

(Aluminum-Black Texture) □ BRS (Unfinished-Brass)

Premium and Acid Finishes (See page 4 for more color options) Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

MOUNTING

12v - FA03 Black 9" ABS stake (Included with Aluminum version)

12v - FA03LG Large black 9" ABS stake, tapped 1/2" NPS

(Included with Brass and Copper versions)

120-277v - Mounting options not supplied. FA26, or other Focus JBoxes can be used. [Configure and order accessories separately see page 3]

Aluminum (1.0lbs) **Brass** (2.0lbs)

ADDITIONAL INFORMATION

12v option with standard cap (shown) 12v-277v and alternate cap styles available







FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM





DL42/DL43/DL54LEDM


PROJECT: TYPE: DATE:

CATALOG NUMBER:


DIMENSIONS

Dimensions Shown with FA03 Stake (12V)

Standard Cap



Dimensions Shown with FA2660W Post (12V-277V)




Dimensions Shown with FAJBox (12V-277V)

Extension Cap

Dimensions Shown with FA24LG (12V-277V)

Flat Cap



SPECIFICATI	ONS	
INTERNALS	VOLTAGE	12V-277V
	WATTAGE	7W (DL42) / 11W (DL43) / 15W (DL45) LED Modules
	LUMENS	560lm (7w) / 960lm (11w) / 1280lm (15w)
	WIRING	12V Black 3 foot 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire add (-25F) to catalog number (12V Only) 120V-277V Black 12" pigtail from driver
	DRIVER	12V AC/DC-Integrated on board 120V-277V remote driver HW1260LED (Must use FA2660W post or outdoor rated junction box)
	LENS	High impact clear tempered convex glass
	O-RING	2x - 70 Durometer 400° red silicone
	OPTICS	Interchangeable: 15° Spot, 40° Narrow Flood, 60° Wide Flood, 160° Very Wide Flood (no optics)
EXTERNALS	HOUSING	Extruded Aluminum, Brass
	HEAT SINK	Cast Aluminum, Cast Brass,
	SWIVEL	Cast Aluminum, Cast Brass, (240° rotation)
	CAP	Matching Aluminum, Brass
	MOUNT	12V: FA03 Black ABS 9" Stake - Aluminum version (standard); FA03LG Large Black ABS 9" Stake 120V-277V: Mounting options not supplied. Order separately FAJBox or other outdoor rated mount (More available. See page 3
	FINISH	Aluminum: Polyester textured powder coat (More options available. See page 4) Brass: Acid finishes (More options available. See page 4.)
	LISTINGS	IP66. Indoor/Outdoor use. Suitable for wet locations




FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM






DL42/DL43/DL54LEDM


PROJECT: TYPE: DATE:


ACCESSORIES PART NUMBER(S):


ACCESSORIES


(Configure and order accessories separately)


















(Use like material of fixture with material of mounting device for better compatibility)



FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM






DL42/DL43/DL54LEDM DATE:

PROJECT: TYPE:

CATALOG NUMBER:





Images enhanced to illustrate usage of mounting options. Drawings not to scale. (see page 2 for product dimensions)







FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM






DL42/DL43/DL54LEDM DATE:


PROJECT: TYPE:

CATALOG NUMBER:


LIGHT DISTRIBUTION


15° Spot Beam Angle





60° Flood Beam Angle





5-10fc

(15ft)

FINISHES

STANDARD FINISHES



(-BLT)

RAL#

PANTONE #:



Need help finding a RAL color? https://www.ralcolor.com/

Need help finding a Pantone color?

https://www.pantone.com/color-finder

Bronze Texture

(-BRT)

CUSTOM FINISHES Supply RAL or Pantone here

PREMIUM FINISHES

20-50fc

(5ft)





10-20fc

(10ft)

160° Wide Flood Beam Angle





Rust

(-RST)



Chrome Powder

Weathered Iron



(-WTX) (-STU)

3-5fc

(20ft)

(-CPR)

Rubbed Verde

(-RBV)

(-WIR)

Hunter Texture

(-HTX)

(-WBR) Mineral Bronze

(-BRZ)

Luna (-LUN)

ACID FINISHES Brass and Copper fixtures only







Acid Rust Copper (-CAR) Brass (-BAR)

Black Acid Treatment (-BAT)

Copper (-CAV) Brass (-BAV)



FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM



5