



[www.focusindustries.com](http://www.focusindustries.com)





# LED Bollards

PL23 / PL26 LED Bollards

---

Focus Industries LED Bollards redefine outdoor illumination, blending functionality with exceptional design. Our range encompasses custom solutions tailored to your unique vision, seamlessly integrating into any landscape or architectural setting. From illuminating pathways to enhancing security, our address bollards offer both practicality and style, ensuring every space is elegantly lit and easily navigated. With Focus Industries, your outdoor lighting becomes a statement of excellence, crafted to meet your every need and surpass your every expectation.





## PL23 SERIES

12-120VOLT

### ALUMINUM / BRASS LED BOLLARDS

Deck Mount / Angle Cut / Stake Mount



#### PL23DM18L12BAR

3w Omni Super Saver LED  
2.5" x 18.00" SQ  
2.5" x 24.00" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



#### PL2328L12BRT

3w Omni Super Saver LED  
2.5" x 28.00" SQ  
2.5" x 34.00" SQ  
Flat Top  
Angle Cut  
Aluminum / Brass

### PL23 | PL23DM

Aluminum / Brass

3w SC Ba15s bayonet base, 2700K, 270 Lumen, 50,000 hrs (L15)

3w SC Ba15s bayonet base, 3000K, 300 Lumen, 50,000 hrs (L12)

4w LED Round "Egg" Panel 3000K, 300 Lumen, 50,000hrs (LEDP)

#### 12-Volt

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)

5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)

7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)

3w Omni3 SS Bi-Pin GY 6.35m 3000K, 400 Lumen, 50,000 (L160)

#### 120-Volt

For 120V, use driver for LEDP option

(HW126350120LED)


For 120V, use driver

(HW1260LED)

Large ABS Stake - Standard (12-Volt)

(FA03LG)





# PL23 S SERIES

12-120VOLT

## ALUMINUM / BRASS LED BOLLARDS

Deck Mount / Angle Cut / Stake Mount



### PL23S1WDM18L24BRS

3w MR16 Super Saver LED  
2.5" x 18.00" SQ  
2.5" x 24.00" SQ  
1 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23S2WDM18L24WHT

3w MR16 Super Saver LED  
2.5" x 18.00" SQ  
2.5" x 24.00" SQ  
2 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23S3WDM18L24STU

3w MR16 Super Saver LED  
2.5" x 18.00" SQ  
2.5" x 24.00" SQ  
3 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23S4WDM18L24RST

3w MR16 Super Saver LED  
2.5" x 18.00" SQ  
2.5" x 24.00" SQ  
4 Window / Flat Top  
Deck Mount  
Aluminum / Brass

## PL23S1 | PL23S2 | PL23S3 | PL23S4

Aluminum / Brass

3w MR16 Bi-Pin 36°, 3000K, 270 Lumen, 40,000 hrs (L24)  
5w MR16 Bi-Pin 36°, 3000K, 450 Lumen, 40,000 hrs (L36)  
7w MR16 Bi-Pin 36°, 3000K, 550 Lumen, 40,000 hrs (L48)  
4w LED Round "Egg" Panel 3000K, 300 Lumen, 50,000hrs (LEDP)

### 12-Volt

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)  
5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)  
7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)


### 120-Volt

**For 120V, use driver for LEDP options**  
(HW126350120LED)

**For 120V, use driver**  
(HW1260LED)

**Large ABS Stake - Standard (12-Volt)**  
(FA03LG)





## PL23LG SERIES

12-120VOLT

### ALUMINUM / BRASS LARGE LED BOLLARDS

Deck Mount / Angle Top (Aluminum Only) / Flat Top (Aluminum and Brass)



#### PL23LGDM24ATL24BRT

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
Angle Top  
Deck Mount  
Aluminum



#### PL23LGDM24L24BRT

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass

### PL23LGDMAT | PL23LGDM

Aluminum / Brass

3w MR16 Bi-Pin 36°, 3000K, 270 Lumen, 40,000 hrs (L24)  
5w MR16 Bi-Pin 36°, 3000K, 450 Lumen, 40,000 hrs (L36)  
7w MR16 Bi-Pin 36°, 3000K, 550 Lumen, 40,000 hrs (L48)


**12-Volt**

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)  
5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)  
7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)

**120-Volt**

**Stainless Steel U-Bracket (Standard)**  
(FAC PUBSS)





# PL23LG S SERIES

12-120VOLT

## ALUMINUM / BRASS LARGE LED BOLLARDS

Deck Mount



### PL23LGS1WDM18L24BRS

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
1 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23LGS2WDM18L24BRS

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
2 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23LGS3WDM18L24BRS

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
3 Window / Flat Top  
Deck Mount  
Aluminum / Brass



### PL23LGS4WDM18L24BRS

3w MR16 Super Saver LED  
4.00" x 24.00" SQ  
4.00" x 30.00" SQ  
4.00" x 36.00" SQ  
4 Window / Flat Top  
Deck Mount  
Aluminum / Brass

## PL23LGS1 | PL23LGS2 | PL23LGS3 | PL23LGS4


Aluminum / Brass

3w MR16 Bi-Pin 36°, 3000K, 270 Lumen, 40,000 hrs (L24)  
5w MR16 Bi-Pin 36°, 3000K, 450 Lumen, 40,000 hrs (L36)  
7w MR16 Bi-Pin 36°, 3000K, 550 Lumen, 40,000 hrs (L48)  
**12-Volt**

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)  
5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)  
7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)  
**120-Volt**

**Stainless Steel U-Bracket (Standard)**  
(FAC PUBSS)





# PL26 CUSTOM DESIGN SERIES



12-120VOLT

## ALUMINUM / BRASS CD LED BOLLARDS

5 Custom Designs Available in 2.25" sq x 24" / Deck Mount



Sandstone  
**PL26DMCD001L24BAR**  
3w MR16 SS LED  
2.25" x 24.00" SQ  
Flat Top  
Deck Mount  
Stake Mount  
Aluminum / Brass



Coral  
**PL26DMCD010L24BAR**  
3w MR16 SS LED  
2.25" x 24.00" SQ  
Flat Top  
Deck Mount  
Stake Mount  
Aluminum / Brass



Tropical Leaf  
**PL26DMCD014L24BAR**  
3w MR16 SS LED  
2.25" x 24.00" SQ  
Flat Top  
Deck Mount  
Stake Mount  
Aluminum / Brass



Grass Blades  
**PL26DMCD021L24BAR**  
3w MR16 SS LED  
2.25" x 24.00" SQ  
Flat Top  
Deck Mount  
Stake Mount  
Aluminum / Brass



Ocean Waves  
**PL26DMCD116L24BAR**  
3w MR16 SS LED  
2.25" x 24.00" SQ  
Flat Top  
Deck Mount  
Stake Mount  
Aluminum / Brass

### PL26DMCD

Aluminum / Brass

3w MR16 Bi-Pin 36°, 3000K, 270 Lumen, 40,000 hrs (L24)  
5w MR16 Bi-Pin 36°, 3000K, 450 Lumen, 40,000 hrs (L36)  
7w MR16 Bi-Pin 36°, 3000K, 550 Lumen, 40,000 hrs (L48)


12-Volt

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)  
5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)  
7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)

120-Volt

Large ABS Stake - Standard (12-Volt)  
(FA03LG)





# PL26LG CUSTOM DESIGN SERIES



12-120VOLT

## ALUMINUM / BRASS LARGE LED BOLLARDS

10 Custom Designs Available in 4.00" sq x 24" /30" /36" Deck Mount



Sandstone  
**PL26LGMCD001L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Coral  
**PL26LGMCD010L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Tropical Leaf  
**PL26LGMCD014L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Grass Blades  
**PL26LGMCD021L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Ocean Waves  
**PL26LGMCD116L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Heliconia  
**PL26LGMCD023L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Bamboo  
**PL26LGMCD006L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Banana Leaf  
**PL26LGMCD013L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Shell  
**PL26LGMCD114L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass



Monstera Leaf  
**PL26LGMCD018L24BAR**  
3w MR16 SS LED  
4.00" x 24"/30"/36" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass

## PL23LGMCD

Aluminum / Brass

3w MR16 Bi-Pin 36°, 3000K, 270 Lumen, 40,000 hrs (L24)  
5w MR16 Bi-Pin 36°, 3000K, 450 Lumen, 40,000 hrs (L36)  
7w MR16 Bi-Pin 36°, 3000K, 550 Lumen, 40,000 hrs (L48)  
**12-Volt**

3w MR16 GU10 base 80°, 3000K, 270 Lumen, 40,000 hrs (L110)  
5w MR16 GU10 base 80°, 3000K, 450 Lumen, 40,000 hrs (L118)  
7w MR16 GU10 base 80°, 3000K, 550 Lumen, 40,000 hrs (L128)  
**120-Volt**

**Stainless Steel U-Bracket (Standard)**  
(FACUBSS)



2  
1  
0  
1  
1

## PL26 ADDRESS BOLLARDS

12VOLT

### ALUMINUM / BRASS ADDRESS LED BOLLARDS

Custom Address Designs Available in 2.25" sq / Deck Mount / Stake Mount



#### PL26ABDMLLED812VBTL

(2x) 4w LED Strip  
2.25" x 26.00" SQ  
Flat Top  
Deck Mount / Stake Mount  
Aluminum / Brass

#### PL26AB

Aluminum / Brass

2x 4w LED Strip, 2700K, 245 Lumen, 50,000 hrs (LEDS)


12-Volt

Large ABS Stake - Standard (12-Volt)

(FA03LG)







# PL26 LARGE ADDRESS BOLLARDS

12VOLT

## ALUMINUM / BRASS LARGE LED BOLLARDS

Custom Address Designs Available in 4.00" sq x 30" or 36" / Deck Mount



### PL26LGABDMLEDS812VCPR


(2x) 4w LED Strip  
4.00" x 30.00" / 36.00" SQ  
Flat Top  
Deck Mount  
Aluminum / Brass

### PL23LGAB

Aluminum / Brass  
(2x) 4w LED Strip, 2700K, 490 Lumen, 50,000 hrs (LEDS)  
12-Volt

Stainless Steel U-Bracket (Standard)  
(FACPUBSS)





# BOLLARD LED OPTIONS

12-120VOLT

## LED ACCESSORY OPTIONS FOR 12 / 120 VOLT

LED Options for both 12 and 120-Volt

AVAILABLE LED OPTIONS



(FLEDOMNI3SS)  
3W, SINGLE CONTACT, (L12)  
BA15S BASE, 12V 3000K,  
300 LUMENS 50,000 HRS



(FLEDOMNI3G2SS27K)  
(FLEDOMNI3G2SS)  
3W, SINGLE CONTACT, (L15)  
BA15S BASE, 12V 2700-3000K,  
270 LUMENS 50,000 HRS



(FLEDMR16SS3W)  
3W MR16, GU5.3 BI-PIN BASE,  
(L22) 15°, (L24) 36°, (L26) 80°  
270 LUMEN, 3000K, 40,000 HR



(FLEDMR16SS5W)  
5W MR16, GU5.3 BI-PIN BASE,  
(L34) 15°, (L36) 36°, (L38) 80°  
450 LUMEN, 3000K, 40,000 HR



(FLEDMR16SS7W)  
7W MR16, GU5.3 BI-PIN BASE,  
(L46) 15°, (L48) 36°, (L50) 80°  
550 LUMEN, 3000K, 40,000 HR



(FLEDMR16SS1203W)  
120V OPTION  
3W MR16, GU10 BASE,  
(L106) 15°, (L108) 36°, (L110) 80°  
270 LUMEN, 3000K, 40,000 HR

(FLEDMR16SS1205W)  
120V OPTION  
5W MR16, GU10 BASE,  
(L114) 15°, (L116) 36°, (L118) 80°  
450 LUMEN, 3000K, 40,000 HR

(FLEDMR16SS1207W)  
120V OPTION  
7W MR16, GU10 BASE,  
(L124) 15°, (L126) 36°, (L128) 80°  
550 LUMEN, 3000K, 40,000 HR

(RPLEDP4WR)  
4W LED ROUND "EGG" PANEL,  
12V 3000K, 50,000 HRS


(RPLEDP4WR52)  
4W LED ROUND "EGG" PANEL,  
12V 5200K, 50,000 HRS



(RPLEDS4W)  
4W LED STRIP 11.875" X 0.55"  
12V 3000K, 50,000 HRS



(RPLEDS4WTF)  
2W LED STRIP 11.875" X 0.55"  
12V 590NM, 50,000 HRS **TURTLE FRIENDLY**



# BOLLARD ACCESSORIES

12-120VOLT

## MOUNTING ACCESSORY OPTIONS FOR 12 / 120 VOLT

5 Custom Designs Available in 2.25" sq x 24" / Deck Mount



(SUPPLIED: FA03LG)  
12V STAKE MOUNT  
[PL23/26 DM SERIES ONLY]




(FA033PBRZ)  
12V PRONG STAKE



(FA032PBLK)  
12V PRONG STAKE



(SUPPLIED: FACPUBSS)  
12V - 277V U-BRACKET  
[PL23/26 LG SERIES ONLY]




(FAJBOX)  
120V / 277V JBOX  
[PL23/26 DM SERIES ONLY]



(FA25)  
ALUMINUM OR BRASS  
12V MOUNTING PEDESTAL



(FA26)  
ALUMINUM OR BRASS  
120V MOUNTING PEDESTAL



(FA1218REDUCER)  
120V - 277V  
BRASS REDUCER 1/2" NPS  
[PL23/26 & LG SERIES]





## CONTACT US

[www.focusindustries.com](http://www.focusindustries.com)  
(949)830-1350 | Toll Free: (888)882-1350  
[orders@focusindustries.com](mailto:orders@focusindustries.com)  
[marketing@focusindustries.com](mailto:marketing@focusindustries.com)

**STAY FOCUSED – WE’LL MAKE IT YOUR WAY!**

FOCUS INDUSTRIES, INC. © PL23/PL26 BOLLARDS BROCHURE