


# Visual Product INDEX

LEADER IN LED LIGHTING SOLUTIONS



go green  
led solutions



LANDSCAPE • ARCHITECTURAL • HOSPITALITY • ENTERTAINMENT • ILLUMINATION

[www.focusindustries.com](http://www.focusindustries.com)

# We Are FOCUS INDUSTRIES

## Welcome to the Focus family

We have made it easier to research our great quality products by redesigning the Visual Product Index to meet the needs of customers like you. See in-depth product details, new designs and an array of quality products, accessories and LED's.

Need some design consulting? We can help with that. Speak with one of our knowledgeable sales team members or customer care agents about creating a lighting schedule specific to your project.

We have a great family of sales representatives and distributors located around the United States, which provides you with helpful specs, tips and answers to all your lighting needs. Let us know if you need assistance in finding the nearest one to you.



## Stay connected with us

We love seeing how you have incorporated Focus products into the interior or exterior spaces of your project, home or business. Just like you, we love showing it off, and we would love to share your inspirational photos.

Follow us on Facebook, Instagram, and Youtube for great helpful tips, new product releases, clearance items and all the latest happenings with Focus Industries.



#stayfocused



Live Inventory Feed Available.  
Email your Gmail account to access to,  
[orders@focusindustries.com](mailto:orders@focusindustries.com), or  
[marketing@focusindustries.com](mailto:marketing@focusindustries.com)

# FOCUS CUSTOMS

See what you've been missing

# Table of Contents

<b>06</b>	<b>Area Lighting</b>	<b>54</b>	<b>Direct Burial JBox</b>
09	RXA Series Lighting	<b>55</b>	<b>Direct Burial Transformers</b>
10	Acrylic Light Wands	<b>57</b>	<b>Power Supply</b>
11	Pagoda Series	57	M Series
12	Commercial Series Lighting	57	RXT Series
14	Torches	58	WT Series
15	Auto Ignite Torches	<b>59</b>	<b>Focus Accessories</b>
<b>16</b>	<b>BBQ Lighting</b>	59	Lens, Louvers, Glass, & Filters
17	Mounting Options	59	Lens Holders, Grates, Eyebrow's
17	Power Kits	60	Canopies, JBoxes, Adapters
<b>18</b>	<b>Directional Lighting</b>	61	Stakes, Wands, & Straps
19	RXD Series	<b>62</b>	<b>Focus LED's</b>
21	Directional Flood Lighting	<b>67</b>	<b>Focus Finishes</b>
22	Directional Spot Lighting		
<b>23</b>	<b>Flood Lighting</b>		
23	LED Panel Flood Lighting		
24	LED Module Flood Lighting		
<b>25</b>	<b>Path Lighting</b>		
27	Bollards		
28	Custom Design Bollards		
28	Address Bollards		
28	Cube Bollards		
29	RXP Series Lighting		
29	Commercial Series Lighting		
<b>30</b>	<b>Putting Green Lighting</b>		
<b>31</b>	<b>Specialty Lighting</b>		
31	Hanging Lighting		
32	RXS Series Hanging Lighting		
33	Pendant Lighting		
34	RXS Pendant Lighting		
36-37	Round Surface Mounts		
37-38	Square Surface Mounts		
39	Decorative Cube		
39	LED Flame Lantern		
39	Post Top Lighting		
40	Acrylic Light Wands Wall Mounts		
41	Cylinder Ceiling Mounts		
41	Ceiling & Wall Mount Directional Lighting		
42	Plasma Cut Wall Sconces		
43	Vinyl Wall Sconces		
44	Small Surface Mounts		
44	Circular Paver Lighting		
45	Circular Up, Down, Horizontal Lighting		
45	Ledge & Rail Lighting		
46	LED Paver Lighting		
47	LED Step & Brick Lighting		
49	LED Well Lighting		
50	Underwater Lighting		
51	Umbrella Lighting System		
52	Flag Pole Lighting System		
53	Tree Ring Lighting System		



Custom Design 4-inch Bollard: Monstera Leaf (PL26LGMCD01830L24BAR)

# Adding safety, security and beautification.

Planning and placement of Focus Industries products for outdoor lighting to accent and highlight your business or home.



1 Path Lights

2 Surface Wall Mounts

3 Circular Down Lights

4 Custom Wall Sconces

5 Hanging Fixtures

6 Step Lights



7 Address Bollard

8 Well Lights

9 Focus Transformer

10 Directional Spot Light

11 Ledge / Rail Lights

12 Underwater Lights

# LED Area Lighting

12v | 120v (277V available. Consult factory for more information)



**AL01L12BLT**  
 Size: 13.50" x 5.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● ALUM ● BRS



**AL04L12BLT**  
 Size: 15.75" x 7.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● ALUM ● BRS



**AL05L12BLT**  
 Size: 19.00" x 10.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● ALUM ● BRS



**AL06L12BLT**  
 Size: 16.00" x 5.50" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● ALUM



**AL06SML12BRS**  
 Size: 12.00" x 3.75" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● BRS



**AL08SMDML12COP**  
 Size: 16.00" x 1.75" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● COP

**AL08SMDMS2L4COP**  
 Size: 12.00" x 1.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2w Omni2 Mini LED (L4)  
 CCT: 3000K  
 Lumens: 180lm

● COP



**AL08MDDMS2L24BLT**  
 Size: 18.00" x 2.50" dia.  
 Material: Aluminum  
 Material Options: Brass/Copper  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● ALUM ● BRS  
 ● COP



**AL08LGDMS2L24BLT**  
 Size: 24.00" x 3.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● ALUM ● BRS



**AL08DML12BLT**  
 Material: ABS/Aluminum Cap  
 Material Options: Aluminum/Brass/Copper  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K / 5200K

● ALUM ● BRS  
 ● COP



**AL08LGDMLUM42LEDP4120BLT**  
 Material: ABS/Aluminum Cap  
 Material Options: Brass/Copper  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 300lm  
 CCT Option: 5200K

● ALUM ● BRS  
 ● COP



# LED Area Lighting

12v | 120v (277v available. Consult factory for more information)



**AL12L12BLT**  
 Size: 24.00" x 8.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM ● BRS



**AL15L12BLT**  
 Size: 19.00" x 8.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM ● BRS



**AL15SML12BLT**  
 Size: 13.00" x 5.75" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM



**AL17L12BLT**  
 Size: 19.25" x 8.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM ● BRS



**AL17SML12BLT**  
 Size: 12.50" x 5.50" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM



**AL17SM2L12BLT**  
 Size: 13.00" x 5.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 CCT: 3000K/5200K  
 ● ALUM ● BRS



Hammered Hat

**AL19HHAHL12COP**  
 Size: 18.00" x 8.00" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● COP



Hammered Hat

**AL19SMHHAHL12COP**  
 Size: 17.00" x 8.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● COP



Saturn Rings

**AL20SMAHL12CAR**  
 Size: 17.00" x 5.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● COP



AL17L12BAR (shown)

# LED Area Lighting

12v | 120v (277v available. Consult factory for more information)



**AL21L10BPCOP**  
 Size: 17-26.00" x 7.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni3 SS LED (L10)  
 CCT: 3000K  
 Lumens: 300lm  
 ● COP



**AL21S4L4BPCOP**  
 Size: 17.00" x 4.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2w Omni2 Mini LED (L4)  
 CCT: 3000K  
 Lumens: 180lm  
 ● COP



**AL21S3L4BPCOP**  
 Size: 17.00" x 3.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2w Omni2 Mini LED (L4)  
 CCT: 3000K  
 Lumens: 180lm  
 ● COP



**AL2201L12COP**  
 Size: 24.25" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● COP



**AL2202L24COP**  
 Size: 24.25" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● COP



**AL2203L142COP**  
 Size: 27.00" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 8w PAR20 SS LED 36° (L142)  
 CCT: 3000K  
 Lumens: 600lm  
 ● COP



**AL2301L12COP**  
 Size: 27.00" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 180lm  
 ● COP



**AL2302L24COP**  
 Size: 27.00" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● COP



**AL2303L142COP**  
 Size: 28.00" x 9.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 8w PAR20 36° LED (L142)  
 CCT: 3000K  
 Lumens: 600lm  
 ● COP



**AL24L24COP**  
 Size: 17.00" x 6.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● COP



AL21S3L4BPCOP (shown)





# LED Area Lighting RX Series

12v | 120v (277v available. Consult factory for more information)



**RXA01L12COP**  
 Size: 17.00" x 6.00" dia.  
 Material: Copper  
 Material Options: Alum/Brass/SS  
 LED: 3w Omni3 SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM ● BRS  
 ● COP ● SS



**RXA01FL12COP**  
 Size: 17.00" x 6.00" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w Omni3 SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM ● COP



**RXA012TL12COP**  
 Size: 17.00" x 6.00" dia.  
 Material: Copper  
 Material Options: Alum/SS  
 LED: 3w Omni3 SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM  
 ● COP ● SS



**RXA02L12COP**  
 Size: 16.00" x 3.50" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM  
 ● COP



**RXA02FL12COP**  
 Size: 16.00" x 3.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● COP



**RXA022TL12COP**  
 Size: 16.00" x 3.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● COP



**RXA03L12COP**  
 Size: 18.00" x 10.00" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w Omni LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM  
 ● COP



**RXA03FL12COP**  
 Size: 18.00" x 10.00" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w Omni LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM  
 ● COP



RXA01L12COP (shown)

# LED Area Acrylic Light Wands



12v | 120v



**MR11**  
IN-GRADE

**New**  
**SMALL AREA LIGHT**  
Acrylic Light Wands

**AL26SML66S118SBRS**

Size: Based on size of acrylic used  
Material: Brass  
LED: 2.5w MR11 SS LED 15° (L66)  
CCT: 3000K  
Lumens: 170lm  
Acrylic Accent: Clear (S1)  
Acrylic Options: Frosted (S2) / Bubble (S4)  
Acrylic Size: 12.00" / 18.00" / 24.00"  
Cap: Matching Brass Cap  
Cap Option: No Cap  
Mount: FA033P 3 Prong Stake  
Mount Option: Deck Mount

● BRS



**MR16**  
DECK


**New**  
**MEDIUM AREA LIGHT**  
Acrylic Light Wands

**AL26MDL22S118SDBRS**


Size: Based on size of acrylic used  
Material: Brass  
LED: 3w MR16 SS LED 15° (L22)  
CCT: 3000K  
Lumens: 270lm  
Acrylic Accent: Clear (S1)  
Acrylic Options: Frosted (S2) / Bubble (S4)  
Acrylic Size: 12.00" / 18.00" / 24.00"  
Cap: Matching Brass Cap  
Cap Option: No Cap  
Mount: FA24CST Canopy Deck Mount  
Mount Option: FA033P 3 Prong Stake  
LED Option: 5w MR16 LED 15° (L34)  
LED Option: 7w MR16 LED 15° (L46)

● BRS


## ACRYLIC SIZES & TYPES




Height: 12.00in  
SM dia: 1.57in  
MD dia: 2.36in



Height: 18.00in  
SM dia: 1.57in  
MD dia: 2.36in



Height: 24.00in  
SM dia: 1.57in  
MD dia: 2.36in



S1: Clear  
S2: Frosted  
S4: Bubbles



Scan for more information

# LED Area Lights Pagoda Series



12v



**AL03L12BLT (12v)**  
 Size: 14.00" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL0310L12BLT (12v)**  
 Size: 14.25" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL033TL12BLT (12v)**  
 Size: 15.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL033T10L12BLT (12v)**  
 Size: 16.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL034TL12BLT (12v)**  
 Size: 17.375" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL034T10L12BLT (12v)**  
 Size: 17.75" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



AL033TL12BRT (shown)

# LED Area Lights Pagoda Series



120v



**AL03LNLBTL (120v)**  
 Size: 8.00" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 ● ALUM



**AL0310NLBTL (120v)**  
 Size: 8.25" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 ● ALUM



**IAL03NLBTL (120v)**  
 Size: 9.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL0310NLBTL (120v)**  
 Size: 10.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL04NLBTL (120v)**  
 Size: 11.38" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL0410NLBTL (120v)**  
 Size: 11.75" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



IAL04NLBTL (shown)

# 3 Inch Slip Base Commercial Series



12v

Post Ordered Separately. Consult Factory.



**AL033T3L12BLT (12v)**  
 Size: 8.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL033T103L12BLT (12v)**  
 Size: 9.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL034TL12BLT (12v)**  
 Size: 8.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM



**AL034T103L12BLT (12v)**  
 Size: 9.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)  
 ● ALUM

# 3 Inch Slip Base Commercial Series



120v (277v available. Consult factory for more information)

Post Ordered Separately. Consult Factory.



**IAL03NL3BLT (120v)**  
 Size: 8.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL0310NL3BLT (120v)**  
 Size: 9.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL04NL3BLT (120v)**  
 Size: 8.50" x 6.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



**IAL0410NL3BLT (120v)**  
 Size: 9.00" x 10.00" dia.  
 Material: Cast Aluminum  
 Material Options: N/A  
 LED: None  
 Socket: Medium Base  
 ● ALUM



Consult factory for post ordering on all commercial series Pagoda Area Lights.

# LED Area Lights Commercial Series



12V | 120v (277v available. Consult factory for more information)



**AL05CP36MRL48BRS (12v)**  
**AL05CP36MRL126BRS (120v)**  
 Size: 24.00/36.00" x 7.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 7w MR16 SS LED (L126)  
 CCT: 3000K  
 Lumens: 550lm  
 LED Option: 15w LED Module

● ALUM ● BRS



**AL12CP36MRL48BRS (12v)**  
**AL12CP36MRL126BRS (120v)**  
 Size: 24.00/36.00" x 5.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 7w MR16 SS LED (L126)  
 CCT: 3000K  
 Lumens: 550lm  
 LED Option: 15w LED Module

● ALUM ● BRS



**AL15CP36MRL48BRS (12v)**  
**AL15CP36MRL126BRS (120v)**  
 Size: 24.00/36.00" x 8.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 7w MR16 SS LED (L126)  
 CCT: 3000K  
 Lumens: 550lm  
 LED Option: 15w LED Module

● ALUM ● BRS



**AL17CP36MRL48BRS (12v)**  
**AL17CP36MRL126BRS (120v)**  
 Size: 24.00/36.00" x 8.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 7w MR16 SS LED (L126)  
 CCT: 3000K  
 Lumens: 550lm  
 LED Option: 15w LED Module

● ALUM ● BRS



AL05CP36MRL126BAR (shown)



AL12CP36MRL126BAR (shown)



AL15CP36MRL126BAV (shown)



AL17CP36MRL126BRS (shown)

# Focus LED Liquid & Light Torches



12v Liquid : Kerosene, Citronella



## AL18LGAHL12COP

Size: 77.00" x 7.00" dia.  
Material: Copper  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
Fuel Source: Kerosene/Citronella  
LED Option: 3w Omni TF (L18)

● COP



## AL18LGHHHL12BAT

Size: 77.00" x 7.00" dia.  
Material: Copper  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
Fuel Source: Kerosene/Citronella  
LED Option: 3w Omni TF (L18)

● COP



## OPTION

### TURTLE FRIENDLY

Option 1: FLEDOMNI3SSTF  
LED: 3w SC (Single Contact) Turtle Friendly, (L18)  
CCT: 1500K Amber  
590 Nano NM



## FOCUS TORCHES

Natural Gas, Propane



## AL18LGPCOP

Size: 11.50" x 7.00" dia.  
Material: Copper  
Material Options: N/A  
Fuel Source: Propane  
Fuel Source Option: Natural Gas (NG)  
Hat Type: Smooth Hat (Standard)

● COP



## AL18LGHHNGCAR

Size: 11.50" x 7.00" dia.  
Material: Copper  
Material Options: N/A  
Fuel Source: Natural Gas (NG)  
Fuel Source Option: Propane (P)  
Hat Type: Hammered Hat (HH)

● COP



Scan to see more design options.

## AL18CYNG110BSS

Size: 15.00" x 3.25" dia.  
Material: Stainless Steel  
Material Options: N/A  
Fuel Source: Natural Gas (NG)  
Fuel Source Option: Propane (P)  
Cylinder Style: Plumeria Scattered Stars (110B)  
**CUSTOM DESIGNS WELCOME**

● SS



## PVC SIMULATED BAMBOO

(Deluxe, Unfinished, Black, Green)  
6ft lengths  
[covers 3/4" gas pipe]



## BRASS / COPPER STEM

(Copper Standard) on 12v models  
Custom lengths available  
Not for Gas Torches



## GRASS TIKI SKIRT

FAAL18LGNPSPKIRTBR  
For use with simulated bamboo sleeves only

# Focus Automatic Ignition Torches

Copper, Stainless Steel



The automatic ignition system provides a flip-of-a-switch convenience for igniting and turning off your gas torch. It can be linked to your existing exterior 12-volt or 120-volt lighting system, or placed on a separate circuit. No need to manually turn on the gas and light the flame. Just flip a switch or connect to a timer. A smart circuit can be used to plug into and use the APP to control your torches.



Scan to learn more.

Flame monitoring by the ignition system is constant and ongoing. Should the torch die out, it will automatically detect the loss of flame and re-ignite. Three failed re-ignition attempts, the ignition controller will turn off the gas and pause five minutes before attempting to re-ignite.



Sleeve  
Not Included



Scan to see more design options.

**New**

## Auto Ignite Copper Torch

**AL18LGNGAI120VCOP** (Natural Gas)

**AL18LGPPI120VCOP** (Propane)

Hat Size: 11.50" x 7.50"

Hat Type: Smooth

Hat Type Option: Hammered Hat (HH)

Material: Copper Hat, Brass coupler

Features: Flame Sensor, Auto Igniter, Control Box

Gas: Natural Gas (NG) Propane (P)

Finish: Copper

● COPPER

## FIRST OF ITS KIND Auto Ignite Cylinder Torch

**AL18CY001NGAI12VSS** (Natural Gas)

**AL18CY001PAI12VSS** (Propane)

Hat Size: 15.00" x 3.25" dia.

Material: Stainless Steel, Brass coupler

Gas Type: Natural Gas (NG) / Propane (P)

Features: Flame Sensor, Auto Igniter, Control Box

Finish: Stainless Steel Unfinished

Cylinder Style: Sandstone (001)

**CUSTOM DESIGNS WELCOME**

● SS



Sleeve  
Not Included



Scan to see more design options.

**New**

## Auto Ignite Copper Torch

**AL18LGNGAI120VCOP** (Natural Gas)

**AL18LGPPI120VCOP** (Propane)

Hat Size: 11.50" x 7.50"

Hat Type: Smooth

Hat Type Option: Hammered Hat (HH)

Material: Copper Hat, Brass coupler

Features: Flame Sensor, Auto Igniter, Control Box

Gas: Natural Gas (NG) Propane (P)

Finish: Copper

● COPPER

## FIRST OF ITS KIND Auto Ignite Cylinder Torch

**AL18CY110BNGAI12VSS** (Natural Gas)

**AL18CY110BPPI12VSS** (Propane)

Hat Size: 15.00" x 3.25" dia.

Material: Stainless Steel, Brass coupler

Gas Type: Natural Gas (NG)

Features: Flame Sensor, Auto Igniter, Control Box

Finish: Stainless Steel Unfinished

Cylinder Style: Plumeria Scattered Stars (110B)

**CUSTOM DESIGNS WELCOME**

● SS



**New**

## NEW SIMULATED BAMBOO/COPPER

**FASBUVR62MB**

For auto ignite torch only

6.00' x 2.00" dia.

UVR

**FAAIS6FCOP** (Copper Sleeve)



**New**

## AI DIRECT BURIAL CONTROLLER

**DBS997AI12V**

For 12v Auto Ignite Torch

Bucket Size: 9.00"² x 7.00"

Components: Controller, Transformer, Valve

12v wiring, Brass gas piping



**New**

## AI DIRECT BURIAL CONTROLLER

**DBS997AI120V**

For 120v Auto Ignite Torch

Bucket Size: 9.00"² x 7.00"

Components: Controller, Transformer, Valve

120v wiring, Brass gas piping

# LED Barbecue & Grill Lighting



12v | 120v



**BQFD01L48SS (12v)**  
**BQFD01L134SS (120v)**  
Size: 33.00" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48) (12v)  
LED Option: 7w PAR16 SS LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQFD02L48SS (12v)**  
**BQFD02L134SS (120v)**  
Size: 33.50" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48) (12v)  
LED Option: 7w PAR16 SS LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQFD03L48SS (12v)**  
**BQFD03L134SS (120v)**  
Size: 33.25" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: 7w PAR16 SS LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS

## Commercial Series

12v | 120v



**BQCD01L48SS (12v)**  
**BQCD01L134SS (120v)**  
Size: 29.50" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQCD02L48SS (12v)**  
**BQCD02L134SS (120v)**  
Size: 29.50" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQCD03L48SS (12v)**  
**BQCD03L134SS (120v)**  
Size: 28.25" x 3.50" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQTC01L48SS (12v)**  
**BQTC01L134SS (120v)**  
Size: 24.00" x 7.00" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: x2 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQTC02L48SS (12v)**  
**BQTC02L134SS (120v)**  
Size: 24.00" x 7.00" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: x2 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS



**BQTC03L48SS (12v)**  
**BQTC03L134SS (120v)**  
Size: 24.00" x 7.00" dia.  
Material: Stainless Steel  
Material Options: N/A  
LED: 7w MR16 SS LED (L48)  
LED Option: x2 7w PAR16 LED (L134) (120v)  
CCT: 3000K  
Lumens: 550lm

● SS





BQCD02L48SS (shown)



BQTC03L48S (shown)

# Mounting Hardware Options

12v | 120v



**DECK MOUNT**  
(FD / CD)  
**12V / 120V**  
316 Stainless Steel



**TOP DECK MOUNT**  
(TM)  
**12V / 120V**  
316 Stainless Steel



**QUICK CONNECT**  
(QC)  
**12V**  
316 Stainless Steel



**5" CLAMP**  
(FCS)  
**12V**  
316 Stainless Steel

# Power Cables



**FA05 QUICK CONNECTOR**  
(BQFA03)  
**12V**



**9ft POWER CORD**  
(BQFA04)  
**120V**



Scan for more information.

# LED Directional Lighting



12v | 120v (277V available. Consult factory for more information)

## PLUG N PLAY



**DL17L68BLT**  
 Size: 4.50" x 2.00" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 ● ALUM



**DL20ACMR16L24BLT**  
 Size: 8.75" x 3.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 Angle Cap  
 For PAR LED see page 24  
 ● ALUM ● BRS



**DL20MR16L24BLT**  
 Size: 5.25" x 3.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 Extension Cap  
 For PAR LED see page 24  
 ● ALUM ● BRS



**DL21L24BLT**  
 Size: 4.50" x 3.00" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM



**DL22CWML24BLT**  
 Size: 5.00" x 2.375" dia.  
 Material: Aluminum  
 Material Options: Copper  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM  
 ● COP



**DL22CWM2L24BLT**  
 Size: 5.00" x 2.375" dia.  
 Material: Aluminum  
 Material Options: Copper  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM  
 ● COP



**DL22L24BLT**  
 Size: 5.50" x 2.60" dia.  
 Material: Aluminum  
 Material Options: Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● SS



**DL44L24BLT**  
 Size: 4.50" x 2.25" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● BRS



**DL50L152BRS (120v)**  
 Size: 9.25" x 4.00" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 10w PAR30 SS LED 15° (L152)  
 CCT: 3000K  
 Lumens: 1000lm  
 ● BRS



**DL60L162BLT (120v)**  
 Size: 11.22" x 5.20" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 15w PAR38 15° (L162)  
 CCT: 3000K  
 Lumens: 1350lm  
 ● ALUM ● BRS



**DL60L96BLT (12v)**  
 Size: 7.22" x 5.20" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 15w AR111 15° (L96)  
 CCT: 3000K  
 Lumens: 1350lm  
 ● ALUM



Scan for more information

# LED Directional Lighting

12v | 120v (277V available. Consult factory for more information)

## INTEGRATED



**DL42LEDM740BLT**  
 Size: 4.50" x 3.125" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 7w LED Module 40°  
 CCT: 2800K  
 Lumens: 450lm  
 Optic Options: 15°/40°/60°  
 WF No Optics  
 ● ALUM ● BRS



**DL43LEDM1140BLT**  
 Size: 4.50" x 3.125" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 11w LED Module 40°  
 CCT: 2800K  
 Lumens: 600lm  
 Optic Options: 15°/40°/60°  
 WF No Optics  
 ● ALUM ● BRS



**DL45LEDM1540BLT**  
 Size: 4.50" x 3.125" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 15w LED Module 40°  
 CCT: 2800K  
 Lumens: 900lm  
 Optic Options: 15°/40°/60°  
 WF No Optics  
 ● ALUM ● BRS



**DL46LEDM2040BLT**  
 Size: 5.50" x 3.125" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 20w LED Module 40°  
 CCT: 2800K  
 Lumens: 1500lm  
 Optic Options: 15°/40°/60°  
 WF No Optics  
 ● ALUM ● BRS



**DL50LEDM2040BRS (12v)**  
 Size: 7.25" x 4.00" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 20w LED Module 40°  
 CCT: 2800K  
 Lumens: 1500lm  
 Optic Options: 15°/40°/60°  
 ● BRS

# RX Series Directional Lighting

12v | 120v

## PLUG N PLAY



**RXD01L24BRS**  
 Size: 5.00" x 2.50" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● BRS



**RXD02L24COP**  
 Size: 5.25" x 2.125" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● COP



**RXD02TSL24COP**  
 Size: 5.25" x 2.125" dia.  
 Material: Copper  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● COP



**RXD03L68COP**  
 Size: 4.75" x 1.77" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 ● COP

# RX Series Directional Lighting



12v | 120v (277V available. Consult factory for more information)



## RXD03TSL68COP

Size: 4.75" x 1.77" dia.  
Material: Copper  
Material Options: N/A  
LED: 2.5w MR11 SS LED (L68)  
CCT: 3000K  
Lumens: 170lm

● COP



## RXD04L74COP

Size: 3.50" x 1.40" dia.  
Material: Copper  
Material Options: Aluminum/Brass  
LED: 1.5w MR8 SS LED (L74)  
CCT: 3000K  
Lumens: 65lm

● ALUM ● BRS  
● COP



## RXD04TSL74COP

Size: 3.50" x 1.40" dia.  
Material: Copper  
Material Options: N/A  
LED: 1.5w MR8 SS LED (L74)  
CCT: 3000K  
Lumens: 65lm

● COP



## RXD05L146BRS

Size: 7.75" x 3.15" dia.  
Material: Brass  
Material Options: Aluminum  
LED: 8w PAR20 SS LED (L146)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS



## RXD05TSL146BRS

Size: 4.50" x 2.00" dia.  
Material: Brass  
Material Options: Aluminum/Brass  
LED: 8w PAR20 SS LED (L146)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS



## RXD08L24BRS

Size: 4.25" x 2.25" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



## RXD08TACL24BRS

Size: 5.50" x 2.25" dia.  
Material: Brass  
Material Options: Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



## RXD08ETACL24BRS

Size: 9.25" x 2.25" dia.  
Material: Brass  
Material Options: Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



## RXD09L68BRS

Size: 2.875" x 1.70" dia.  
Material: Brass  
Material Options: N/A  
LED: 2.5w MR11 SS LED (L68)  
CCT: 3000K  
Lumens: 170lm

● BRS



## RXD09TACL68BRS

Size: 2.875" x 1.70" dia.  
Material: Brass  
Material Options: N/A  
LED: 2.5w MR11 SS LED (L68)  
CCT: 3000K  
Lumens: 170lm

● BRS



## RXD10L74BRS

Size: 2.75" x 1.20" dia.  
Material: Brass  
Material Options: N/A  
LED: 1.5w MR8 SS LED (L74)  
CCT: 3000K  
Lumens: 65lm

● BRS



## RXD10TACL74BRS

Size: 2.75" x 1.20" dia.  
Material: Brass  
Material Options: N/A  
LED: 1.5w MR8 SS LED (L74)  
CCT: 3000K  
Lumens: 65lm

● BRS

# LED Directional Flood Lighting



12v | 120v (277v available. Consult factory for more information) For Composite fixtures use (CDL)



**DL04L16BLT (12v)**  
 Size: 9.50" x 4.00" x 3.50"  
 Material: Aluminum  
 Material Options: Brass/Stainless Steel  
 LED: 3w Omni3 G2 LED (L16)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● BRS  
 ● SS



**DL04LEDP412VBLT (12v/120v)**  
 Size: 9.50" x 3.50" x 2.50"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 4w LED Panel (LEDP)  
 CCT: 3000K  
 Lumens: 350lm  
 CCT/Lumens Option: 52K/380lm  
 ● ALUM



**DL04HELEDP412VBLT (12v/120v)**  
 Size: 10.50" x 3.70" x 3.50"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm  
 CCT/Lumens Option: 52K/380lm  
 ● ALUM



**DL08L12BLT (12v)**  
 Size: 10.50" x 5.13" dia.  
 Material: Cast Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● ALUM ● BRS



**DL09SML4BLT (12v)**  
 Size: 6.00" x 3.75" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 2w Omni2 Mini LED (L4)  
 CCT: 3000K  
 Lumens: 180lm  
 LED Option: LED Module  
 ● ALUM ● BRS



**DL09L12BLT (12v)**  
 Size: 10.50" x 5.50" dia.  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Module  
 ● ALUM ● BRS



**DL10LEDM3030MVBTL (120v/277v)**  
 Size: 9.00" x 5.10" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 30w LED Module  
 CCT: 3000K  
 Lumens: 3000lm  
 LED Option: LED Panel  
 CCT Option: 2700K/4100K  
 ● ALUM ● BRS



**DL10HELEDM3030MVBTL (120v/277v)**  
 Size: 10.50" x 5.10" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 30w LED Module  
 CCT: 3000K  
 Lumens: 3000lm  
 LED Option: LED Panel  
 CCT Option: 2700K/4100K  
 ● ALUM ● BRS



**DL15SMLEDP412VBTL (12v/120v)**  
 Size: 4.25" x 3.25" x 3.75"  
 Material: Aluminum  
 Material Options: Brass  
 LED: 4w Round LED Panel  
 CCT: 3000K  
 Lumens: 300lm  
 CCT/Lumens Option: 52K/320lm  
 ● ALUM ● BRS

# LED Directional Flood Lighting



12v | 120v (277v available. Consult factory for more information) For Composite fixtures use (CDL)



**DL15LED412VBLT**  
**(12v/120v)**

Size: 7.50" x 5.25" x 3.75"  
Material: Aluminum  
Material Options: Brass  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
CCT/Lumens Option: 52K/380lm  
● ALUM ● BRS  
● COMP



**DL15LEDM10MV**  
**(120v/277v)**

Size: 7.50" x 5.25" x 3.75"  
Material: Composite  
Material Options: Aluminum/Brass  
LED: 10w LED Module  
CCT: 2700K  
Lumens: 800lm  
CCT/Lumens Option: 30K/900lm  
CCT/Lumens Option: 41K/1500lm  
● ALUM ● BRS  
● COMP



**DL40LEDP812VBLT**

Size: 9.33" x 7.75" x 4.20"  
Material: Aluminum  
Material Options: Brass  
LED: 8w LED Panel  
CCT: 3000K  
Lumens: 630lm  
CCT/Lumens Option: 52K/680lm  
● ALUM ● BRS



**DL40LEDM30MVBRT**

Size: 9.33" x 7.75" x 4.20"  
Material: Aluminum  
Material Options: Brass  
LED: 2x 30w LED Module  
CCT: 3000K  
Lumens: 2x 3000lm  
CCT/Lumens Option: 52K/680lm  
● ALUM ● BRS

# LED Directional Spot Lighting



12v | 120v (277V available. Consult factory for more information) Aluminum, Brass, and Composite (CDL)



**DL20ECL146BLT**

Size: 6.00" x 3.50" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 8w PAR20 SS LED (L146)  
CCT: 3000K  
Lumens: 600lm  
● ALUM ● BRS  
● COMP



**DL20ACL146BLT**

Size: 8.50" x 3.50" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 8w PAR20 SS LED (L146)  
CCT: 3000K  
Lumens: 600lm  
● ALUM ● BRS  
● COMP



**DL30ECL154BLT**

Size: 8.13" x 4.50" dia.  
Material: Aluminum  
Material Options: N/A  
LED: 10w PAR30 SS LED (L154)  
CCT: 3000K  
Lumens: 1000lm  
● ALUM



**DL30ACL154BLT**

Size: 13.25" x 4.50" dia.  
Material: Aluminum  
Material Options: N/A  
LED: 10w PAR30 SS LED (L154)  
CCT: 3000K  
Lumens: 1000lm  
● ALUM



**DL38ECL164BLT**

Size: 9.125" x 5.50" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 15w PAR38 SS LED (L164)  
CCT: 3000K  
Lumens: 1350lm  
● ALUM ● BRS  
● COMP



**DL38ACL164BLT**

Size: 16.00" x 5.50" dia.  
Material: Aluminum  
Material Options: Composite  
LED: 15w PAR38 SS LED (L164)  
CCT: 3000K  
Lumens: 1350lm  
● ALUM  
● COMP

# LED Flood & Sign Lighting



12v | 120v (277v available. Consult factory for more information) LED Panels



Biltmore Estates  
Phoenix, Arizona  
**LFL01LEDP8120VBLT** (Shown)



Scan for more information



**LFL01LEDP812VBLT**  
**LFL01LEDP8120VBLT**  
Size: 4.50" x 8.25" x 3.00"  
Material: Aluminum  
Material Options: N/A  
LED: 8w LED Panel  
CCT: 3000K  
Lumens: 630lm  
CCT/Lumens Option: 52K/680lm  
● ALUM



**LFL01LED1212VBLT**  
**LFL01LED12120VBLT**  
Size: 4.50" x 13.00" x 3.00"  
Material: Aluminum  
Material Options: N/A  
LED: 12w LED Panel  
CCT: 3000K  
Lumens: 1080lm  
CCT/Lumens Option: 52K/1160lm  
● ALUM



**LFL01LEDP2412VBLT**  
**LFL01LEDP24120VBLT**  
Size: 4.50" x 13.00" x 3.00"  
Material: Aluminum  
Material Options: N/A  
LED: x2 12w LED Panel  
CCT: 3000K  
Lumens: 2160lm  
CCT/Lumens Option: 52K/2320lm  
● ALUM



**LFL012LEDP812VBLT**  
**LFL012LEDP8120VBLT**  
Size: 4.50" x 24.00" x 3.00"  
Material: Aluminum  
Material Options: N/A  
LED: x2 8w LED Panel  
CCT: 3000K  
Lumens: 1260lm  
CCT/Lumens Option: 52K/1360lm  
● ALUM



**LFL013LEDP812VBLT**  
**LFL013LEDP8120VBLT**  
Size: 8.13" x 4.50" dia.  
Material: Aluminum  
Material Options: N/A  
LED: x3 8w LED Panel  
CCT: 3000K  
Lumens: 1890lm  
CCT/Lumens Option: 52K/2040lm  
● ALUM



**LFL014LEDP812VBLT**  
**LFL014LEDP8120VBLT**  
Size: 13.25" x 4.50" dia.  
Material: Aluminum  
Material Options: N/A  
LED: x4 8w LED Panel  
CCT: 3000K  
Lumens: 2520lm  
CCT/Lumens Option: 52K/2720lm  
● ALUM

# LED Flood & Sign Lighting



120v (277v available. Consult factory for more information) LED Modules



## LFL01LEDM1027MVBLT

Size: 4.50" x 6.00" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 10w LED Module  
 CCT: 2700K  
 Lumens: 860lm  
 CCT/Lumens Option: 30K/900lm  
 CCT/Lumens Option: 41K/1500lm

● ALUM



## LFL012LEDM1027MVBLT

Size: 4.50" x 24.00" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: x3 10w LED Module  
 CCT: 2700K  
 Lumens: 2580lm  
 CCT/Lumens Option: 30K/2700lm  
 CCT/Lumens Option: 41K/4500lm

● ALUM



## LFL013LEDM1027MVBLT

Size: 4.50" x 34.50" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: x4 10w LED Module  
 CCT: 2700K  
 Lumens: 3440lm  
 CCT/Lumens: 30K/3600lm  
 CCT/Lumens Options: 41K/6000lm

● ALUM



## LFL014LEDM1027MVBLT

Size: 4.50" x 46.50" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: x6 10w LED Module  
 CCT: 2700K  
 Lumens: 5160lm  
 CCT/Lumens Options: 30K/5400lm  
 CCT/Lumens Options: 41K/9000lm

● ALUM



## LFL016LEDM1027MVBLT

Size: 4.50" x 72.00" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: x9 10w LED Module  
 CCT: 2700K  
 Lumens: 7740lm  
 CCT/Lumens Options: 30K/8100lm  
 CCT/Lumens Options: 41K/13500lm

● ALUM



## LFL018LEDM1027MVBLT

Size: 4.50" x 96.00" x 3.00"  
 Material: Aluminum  
 Material Options: N/A  
 LED: x12 10w LED Module  
 CCT: 2700K  
 Lumens: 10320lm  
 CCT/Lumens Options: 30K/10800lm  
 CCT/Lumens Options: 41K/18000lm

● ALUM



### Hood Extensions

Hood extensions are available in 2ft, 3ft, and 4ft increments.



### Side View



Pikewood National Golf Club  
 Morgantown, West Virginia  
**LFL014LEDM1027MV (Shown)**



# LED Path Lighting

12v | 120v (277v available. Consult factory for more information)



**PL01L12BRS**  
 Size: 19.00" x 5.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL02L12BRS**  
 Size: 22.00" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum/Copper  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS  
 ● COP



**PL04L12BRS**  
 Size: 22.00" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS




**PL04LVSL12BRS**  
 Size: 22.00" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS




**PL05L12BRS**  
 Size: 19.00" x 5.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL07XSMDML4COP**  
 Size: 16.50" x 0.75" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2w Omni Mini SS LED (L4)  
 CCT: 3000K  
 Lumens: 180lm

● COP



**PL07XSML4COP**  
 Size: 24.00" x 0.75" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2w Omni Mini SS LED (L4)  
 CCT: 3000K  
 Lumens: 180lm

● COP



**PL07L12BRS**  
 Size: 33.00" x 3.00" dia.  
 Material: Brass  
 Material Options: Alum/ABS/Cop  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS  
 ● ABS ● COP



**PL07LGDML12BRS**  
 Size: 49.00" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum/ABS  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS  
 ● ABS



**PL10L12BLT**  
 Size: 19.50" x 6.00" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

● ALUM



**PL11L12BRS**  
 Size: 24.00" x 8.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL12L12BLT**  
 Size: 31.50" x 10.00" dia.  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Panel (LEDP)

● ALUM

# LED Path Lighting

12v | 120v (277v available. Consult factory for more information)



**PL14L12BRS**

Size: 14.00" x 5.25" x 5.25"  
Material: Brass  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● BRS



**PL15L12COP**

Size: 20.50" x 5.50" dia.  
Material: Copper  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● COP



**PL16L12COP**

Size: 24.00" x 5.50" dia.  
Material: Copper  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● COP



**PL17S1L12BRS**

Size: 20.00" x 1.00" x 1.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: 2w LED Strip (LEDS)

● ALUM ● BRS



**PL17L12BRS**

Size: 20.25" x 1.00" x 2.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL19L12BRS**

Size: 22.00" x 5.50" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● BRS



**PL20L12BRS**

Size: 20.00" x 5.75" dia.  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL21L12BRS**

Size: 20.50" x 5.75" dia.  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL22DML12BRS**

Size: 18.00" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL22L12BRS**

Size: 28.00" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL23DM18L12BRS**

Size: 18.00" / 24.00" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS



**PL2328L12BRS**

Size: 28.00" / 34.00" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Panel (LEDP)

● ALUM ● BRS

# LED Path Lighting



12v | 120v (277v available. Consult factory for more information)



**PL23S1WDM18L24BRS**  
 Size: 18.00"/24.00" x 2.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 1  
 ● ALUM ● BRS



**PL23S2WDM18L24BRS**  
 Size: 18.00"/24.00" x 2.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 2  
 ● ALUM ● BRS



**PL23S3WDM18L24BRS**  
 Size: 18.00"/24.00" x 2.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 3  
 ● ALUM ● BRS



**PL23S4WDM18L24BRS**  
 Size: 18.00"/24.00" x 2.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 4  
 ● ALUM ● BRS



**PL23LGS1WDM24L24BRS**  
 Size: 24.00" x 4.00" x 4.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 1  
 Size Options: 30.00"/36.00"  
 ● ALUM ● BRS



**PL23LGS2WDM24L24BRS**  
 Size: 24.00" x 4.00" x 4.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 2  
 Size Options: 30.00"/36.00"  
 ● ALUM ● BRS



**PL23LGS3WDM24L24BRS**  
 Size: 24.00" x 4.00" x 4.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 3  
 Size Options: 30.00"/36.00"  
 ● ALUM ● BRS



**PL23LGS4WDM24L24BRS**  
 Size: 24.00" x 4.00" x 4.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Windows: 4  
 Size Options: 30.00"/36.00"  
 ● ALUM ● BRS



**PL23LGM24ATL24BRT**  
 Size: 24.00" x 4.00" x 4.00"  
 Material: Aluminum  
 Material Options: Brass  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 LED Option: LED Panel (LEDP)  
 Angle Top Option: Aluminum Only (AT)  
 Flat Top: Aluminum/Brass  
 Size Options: 30.00"/36.00"  
 ● ALUM ● BRS

# LED Path Lighting Custom Bollards



12v | 120v (277v available. Consult factory for more information)



### PL26DMCD001L24BAR

Size: 24.00" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM ● BRS



### PL26LGMCD01830L24BAR

Size: 30.00" x 4.00" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

Angle Top Option: Aluminum Only  
Size Options: 30.00"/36.00"

● ALUM ● BRS



Scan for more information

PL26LGMCD01830L24BAR (Shown)



### PL26ABDMLEDS812VBTL

Size: 24.00" x 2.25" x 2.25"  
Material: Aluminum  
Material Options: Brass  
LED: x2 4w LED Strip  
CCT: 2700K  
Lumens: 245lm

● ALUM ● BRS



### PL26LGABDMLEDS812VBTL

Size: 36.00" x 4.00" x 4.00"  
Material: Aluminum  
Material Options: Brass  
LED: x2 4w LED Strip  
CCT: 2700K  
Lumens: 245lm

Angle Top Option: Aluminum Only  
Size Options: 30.00"/36.00"

● ALUM ● BRS



Scan for more information

Custom Address Bollard  
Private Home

New

# LED Cube Path Lighting Bollards

12v | 120v (277v available. Consult factory for more information)



Scan for more information



### PL27SM1L4BLT

Size: 24.00" x 2.25" x 4.50"  
Material: Aluminum  
Material Options: Brass  
LED: 2w Omni2 Mini LED (L4)  
CCT: 3000K  
Lumens: 180lm

● ALUM ● BRS



### PL27SM2L4BLT

Size: 24.00" x 2.25" x 6.75"  
Material: Aluminum  
Material Options: Brass  
LED: x2 2w Omni2 Mini LED (L4)  
CCT: 3000K  
Lumens: 180lm

● ALUM ● BRS



Line Voltage

### PL27LG1LEDM3030MVBTL

Size: 36.00" x 4.00" x 8.00"  
Material: Aluminum  
Material Options: Brass  
LED: 30w LED Module (LEDM)  
CCT: 3000K  
Lumens: 3000lm  
CCT Options: 2700K / 4100K  
Size Options: 30.00"

● ALUM ● BRS



Line Voltage

### PL27LG2LEDM3030MVBTL

Size: 36.00" x 4.00" x 12.00"  
Material: Aluminum  
Material Options: Brass  
LED: x2 30w LED Module (LEDM)  
CCT: 3000K  
Lumens: 6000lm  
CCT Options: 2700K / 4100K  
Size Options: 30.00"

● ALUM ● BRS



# RX Series Path Lighting

12v | 120v (277v available. Consult factory for more information)



**RXP01L24COP**  
Size: 26.00" x 4.25" x 5.25"  
Material: Copper  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM ● COP



**RXP02L24COP**  
Size: 26.00" x 8.25" x 5.25"  
Material: Copper  
Material Options: Aluminum  
LED: x2 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM ● COP



**RXP03L24BRS**  
Size: 25.00" x 2.25" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



**RXP03TACL24BRS**  
Size: 25.00" x 2.25" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS




**RXP04L24BRS**  
Size: 25.00" x 2.25" dia.  
Material: Brass  
Material Options: N/A  
LED: x2 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



**RXP04TACL24BRS**  
Size: 25.00" x 2.25" dia.  
Material: Brass  
Material Options: N/A  
LED: x2 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



One Ala Moana  
Hawaii  
RXP04L24BRS (Shown)

# Commercial Series Path Lighting

12v | 120v (277v available. Consult factory for more information) Available with 2 sides (Add 2 to part number)



(PL24182)

**PL24181L12BRT**  
Size: 52.00" x 2.00" x 4.00"  
Fixture Material: Aluminum  
Fixture Material Options: Brass  
Post Material: Galvanized Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS



(PL2407SM2)

**PL2407SM1L4BRT**  
Size: 52.00" x 2.00" x 4.00"  
Fixture Material: Aluminum  
Fixture Material Options: Brass  
Post Material: Galvanized Steel  
LED: 2w Omni2 Mini LED (L4)  
CCT: 3000K  
Lumens: 180lm  
LED Option: 3w LED Module

● ALUM ● BRS



(PL24072)

**PL2407L12BRT**  
Size: 52.00" x 2.00" x 4.00"  
Fixture Material: Aluminum  
Fixture Material Options: Brass  
Post Material: Galvanized Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
LED Option: LED Module

● ALUM ● BRS

# LED Golf & Putting Green Lighting



12v | 120v



### PGL02L12BLT

Size: 25.00" x 3.25" x 4.50"  
Material: Aluminum  
Material Options: N/A  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM



### PGL03L24BLT

Size: 11.00" x 4.75" x 3.00"  
Material: Aluminum  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM



### PGL04LEDP12VBLT

Size: 54.00" x 8.25" x 4.50"  
Material: Aluminum  
Material Options: N/A  
LED: 8w LED Panel (LEDP)  
CCT: 3000K  
Lumens: 630lm  
CCT Option: 5200K

● ALUM



## The PGL05 Cup Light

Custom Putting Green  
Private Home

PGL05L24BRS with FAFLAG (Shown)



Sleeve Supplied



### FAFLAG1-9

Size: 22.00"  
Material: Clear Acrylic

### FAFLAG24NF

Size: 24.00"  
Material: Clear Acrylic  
Putting green flag pole with knob. No flag.

Cup Supplied By Others



FA11SL33RED



FA11SL33AMBER



FA11SL33GREEN



FA11SL33BLUE



### PGL05L24BRS

Size: 4.75" x 3.375" dia.  
Material: Brass  
Material Options: N/A  
LED: 3wMR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
LED Option: 5w/7w MR16

● BRS

Scan for more information  
on Backyard Entertainment



# LED Specialty Hanging Lighting



12v | 120v (277v available. Consult factory for more information) Custom acrylic lengths available.



## SL05L12BRS

Size: 4.75" x 4.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL06L12BRS

Size: 4.75" x 4.50" dia.  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS



## SL14L12BRS

Size: 5.90" x 2.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
Material Cap Options: Brass Only  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL15LW4CSML12COP

Size: 4.00" x 2.50" dia.  
Material: Copper  
Material Options: N/A  
Material Cap Option: Copper Only  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL15LW10CSML12COP

Size: 10.00" x 2.50" dia.  
Material: Copper  
Material Options: N/A  
Material Cap Options: Copper Only  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL15L12BRS

Size: 5.90" x 2.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
Material Cap Options: Aluminum/Brass  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL1510CSML12BRS

Size: 11.25" x 2.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
Material Cap Options: Aluminum/Brass  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL15S2L12BRS

Size: 8.25" x 2.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
Material Cap Options: Aluminum/Brass  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
12" Brass Chain

● ALUM ● BRS  
● COP



## SL15S2L12COP

Size: 7.50" x 2.50" dia.  
Material: Copper  
Material Options: Aluminum/Brass  
Material Cap Options: Copper Only  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm  
18.00" Brass Chain

● ALUM ● BRS  
● COP



## SL1510S2L24BRS

Size: 14.25" x 2.50" dia.  
Material: Brass  
Material Options: Aluminum/Copper  
Material Cap Options: Aluminum/Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
18.00" Brass Chain

● ALUM ● BRS  
● COP



## SL1510S2L24COP

Size: 13.50" x 2.50" dia.  
Material: Copper  
Material Options: Aluminum/Brass  
Material Cap Options: Copper Only  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
18.00" Brass Chain

● ALUM ● BRS  
● COP



## SL53L24BLT

Size: 4.50" x 2.50"  
Material: Aluminum  
Material Options: Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
18.00" Brass Chain

● ALUM ● BRS

# RX Series Hanging Lighting



12v | 120v



**RXS04L24COP**

Size: 5.25" x 2.25" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 18.00" Brass Chain

● COP



**RXS05L68COP**

Size: 4.75" x 1.75" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 18.00" Brass Chain

● COP



**RXS06L74COP**

Size: 3.50" x 1.25" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm  
 18.00" Brass Chain

● COP



**RXS11NLBRS**

Size: 8.50" x 3.00" dia.  
 Material: Aluminum  
 Material Options: Brass/Copper  
 LED: None. (PAR20 LED)  
 18.00" Brass Chain

● ALUM ● BRS  
 ● COP



**RXS12L24BRS**

Size: 4.25" x 2.25" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 18.00" Brass Chain

● BRS



**RXS13L68BRS**

Size: 3.00" x 1.75" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 18.00" Brass Chain

● BRS



RXS04L24COP (Shown)



**RXS14L74BRS**

Size: 2.75" x 1.25" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm  
 18.00" Brass Chain

● BRS



# LED Specialty Pendant Lighting



12v | 120v (277v available. Consult factory for more information) Custom acrylic lengths available.



**SL15PS2L12BRS**  
 Size: 8.25" x 2.50" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 12.00" Brass Stem

● BRS



**SL15PS2L12COP**  
 Size: 7.50" x 2.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 12.00" Brass Stem

● COP



**SL1510PFPS2L24BRS**  
 Size: 14.25" x 2.50" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12.00" Brass Stem

● BRS



**SL1510PS2L24COP**  
 Size: 13.50" x 2.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12.00" Brass Stem

● COP



**SL16PMR16S2L24BRS**  
 Size: 6.875" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12" Brass Stem

● BRS ● SS



**SL54L24BRS**  
 Size: 5.50" x 2.25" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12" Brass Stem

● ALUM ● BRS



Scan for more information

SL15PS2L12BRS (Shown)

MR16 Canopy Options: 4.5" Round Canopy (P), 4.5" Round Flat Plate (PFP)  
 Omni Canopy Supplied with 3.5" Round Canopy

# RX Series Pendant Lighting



12v | 120v (277v available. Consult factory for more information)



### RXS07L24COP

Size: 5.25" x 2.25" x 5.25"  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12" Copper Stem

● COP



### RXS08L68COP

Size: 4.75" x 1.75" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 12" Copper Stem


● COP



### RXS09L74COP

Size: 3.50" x 1.25" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm  
 12" Copper Stem

● COP



Line Voltage

### RXS10P24L144BRS

Size: 8.50" x 3.00" dia.  
 Material: Brass  
 Material Options: Aluminum/Copper  
 LED: 8w PAR20 SS LED 15° (L144)  
 CCT: 3000K  
 Lumens: 600lm  
 12" Brass Stem

● ALUM ● BRS  
 ● COP



### RXS12PL24BRS

Size: 4.25" x 2.37" dia.  
 Material: Brass  
 Material Options: Copper/SS  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 12" Brass Stem

● BRS ● COP  
 ● SS



### RXS13PFPL68BRS

Size: 3.00" x 1.63" dia.  
 Material: Brass  
 Material Options: Copper  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 12" Copper Stem

● BRS ● COP



### RXS18P24LEDM740BRS

Size: 3.62" x 3.18" dia.  
 Material: Brass  
 Material Options: Copper/Aluminum  
 LED: 7w LED Module 40°  
 CCT: 2800K  
 Lumens: 450lm  
 12" Brass Stem

● ALUM ● BRS  
 ● COP

Brass Canopy Options: 4.5" Round Canopy (P24), 4.5" Round Flat Plate (PFP) 3.00" Brass Round Canopy (Standard)  
 Copper Canopy Options: 4.5" Round Copper Canopy (P24), 4.5" Round Flat Plate (PFP), 2.65" Copper Round Canopy (Standard)

Scan for more information  
 on Pendants Entertainment





**NEW**  
**SLOPE ADAPTER**  
 FOR USE WITH ALL FOCUS PENDANTS

Sloped ceiling? No Problem.

RXS13P24L68BRS (Shown)



# LED Surface & Wall Mount Lighting



12v | 120v (277v available. Consult factory for more information)

## CYLINDER WALL MOUNTS



**SL16DMR16L24BRS**  
 Size: 4.375" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● BRS ● SS



**SL16DMR16ETCL24BRS**  
 Size: 7.50" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● BRS ● SS



**SL16MR16L24BRS**  
 Size: 7.00" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● BRS ● SS



**SL16MR16ETCL24BRS**  
 Size: 13.50" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

● BRS ● SS



**SL16DMR16S3L24BRS**  
 Size: 6.875" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 2.50" Frosted Acrylic (S3)

● BRS ● SS



**SL16MR16S3L24BRS**  
 Size: 17.00" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 x2 2.50" Frosted Acrylic (S3)

● BRS ● SS



**SL16MR16S36L24BRS**  
 Size: 24.00" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 x2 6.00" Frosted Acrylic (S3)

● BRS ● SS



**SL16MR16S312L24BRS**  
 Size: 36.00" x 3.25" x 2.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: x2 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 x2 12.00" Frosted Acrylic (S3)

● BRS ● SS



**SL16DMR11L68BRS**  
 Size: 3.00" x 2.50" x 1.75" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm

● BRS



**SL16DMR8L74BRS**  
 Size: 3.00" x 2.00" x 1.20" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm

● BRS



**SL16DPAR20L144BRS**  
 Size: 5.50" x 3.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 8w PAR20 SS LED 15° (L144)  
 CCT: 3000K  
 Lumens: 600lm

● ALUM ● BRS



**SL16PAR20L144BRS**  
 Size: 11.00" x 3.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: x2 8w PAR20 SS LED 15° (L144)  
 CCT: 3000K  
 Lumens: 600lm

● ALUM ● BRS

Acrylic Types: S1 (Clear Acrylic) / S2 (Frosted Acrylic) / S3 (Frosted Acrylic with clear polished ends)

# LED Surface & Wall Mount Lighting



12v | 120v (277v available. Consult factory for more information)



**SL16DPAR30L154BRS**  
 Size: 7.25" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 10w PAR30 SS LED 36° (L154)  
 CCT: 3000K  
 Lumens: 1000lm  
 ● ALUM ● BRS



**SL16PAR30L154BRS**  
 Size: 13.00" x 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: x2 10w PAR30 SS LED 36° (L154)  
 CCT: 3000K  
 Lumens: 1000lm  
 ● ALUM ● BRS



**SL58LEDPBRS**  
 Size: 8.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: MR16 LED (L22)  
 ● ALUM ● BRS



**SL58SMLEDMBRS**  
 Size: 4.50" x 1.00" x 2.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w LED Module (LEDM)  
 CCT: 2800K  
 Lumens: 150lm  
 ● ALUM ● BRS



**SL58SMHORLEDSBRS**  
 Size: 1.00" x 2.00" x 4.50"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 2w LED Strip (LEDS)  
 CCT: 3000K  
 Lumens: 140lm



**SL58LGHORLEDSBRS**  
 Size: 1.00" x 2.00" x 13.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Strip (LEDS)  
 CCT: 3000K  
 Lumens: 245lm  
 ● ALUM ● BRS



**SL65SML12BRT**  
 Size: 1.50" x 1.50" x 4.125"  
 Material: Aluminum  
 Material Options: N/A  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 ● ALUM



**SL65MDL24BRS**  
 Size: 2.25" x 2.25" x 4.125"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 ● ALUM ● BRS



Scan for more information

SL58SMHORLEDMBAR (Shown)

# LED Surface Mount Lighting



12v | 120v (277v available. Consult factory for more information)

Standard (Canopy No Extension). Options: Flat Panel (-FP), Extension (-E)

## SQUARE CEILING MOUNTS



### SL63CMFPL24BRS

Size: 4.50" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
4.50" Flat Plate

● ALUM ● BRS



### SL63CMEL24BRS

Size: 4.50" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
4.50" Canopy with Extension

● ALUM ● BRS



### SL63LGCML142BRS

Size: 8.00" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 8w PAR20 SS LED (L142)  
CCT: 3000K  
Lumens: 600lm  
4.50" Canopy

● ALUM ● BRS



### SL63LGCME142BRS

Size: 8.00" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 8w PAR20 SS LED (L142)  
CCT: 3000K  
Lumens: 600lm  
4.50" Canopy with Extension

● ALUM ● BRS

## SQUARE WALL MOUNTS



### SL63WMDL24BRS

Size: 4.50" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
4.50" Canopy with Extension

● ALUM ● BRS



### SL63WMUDL24BRS

Size: 7.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: x2 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
4.50" Canopy with Extension

● ALUM ● BRS



### SL63LGWMDL142BRS

Size: 7.87" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 8w PAR20 SS LED (L142)  
CCT: 3000K  
Lumens: 600lm  
4.50" Canopy with Extension

● ALUM ● BRS



### SL63LGWUDL142BRS

Size: 12.40" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: x2 8w PAR20 SS LED (L142)  
CCT: 3000K  
Lumens: 600lm  
4.50" Canopy with Extension

● ALUM ● BRS

## 'CUBE' CEILING & WALL MOUNTS



### SL64SMDL4BRS

Size: 2.25" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: 2w Omni Mini SS LED (L4)  
CCT: 3000K  
Lumens: 180lm  
LED Option: MR8 LED (L74)

● ALUM ● BRS



Up/Down

### SL64SM2L4BRS

Size: 2.25" x 2.25" x 2.25"  
Material: Brass  
Material Options: Aluminum  
LED: x2 2w Omni Mini SS LED (L4)  
CCT: 3000K  
Lumens: 180lm

● ALUM ● BRS



### SL64DL24BRS

Size: 4.00" x 4.00" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM ● BRS



Up/Down

### SL64213EOSBRS

Size: 4.00" x 4.00" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: x2 13w EOS Module LED (EOSM)  
CCT: 3000K  
Lumens: 900lm

● ALUM ● BRS



Scan for more information

Private Home

SL63LGWML142BRS (Shown)  
SL63LGCML142BRS (Shown)

## PORTABLE DECORATIVE FLAME LANTERNS



Custom designs available.



### SL64CD502L24IGDBZ

Size: 4.00" x 4.00" x 4.00"  
Material: Aluminum  
Material Options: Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● ALUM ● BRS



Gold Iridescent Glass    Solid White Acrylic    Cracked Ice Acrylic



### SL67SQCD404LEDFIGDBZ

Size: 6.00" x 4.00" x 4.00"  
Material: Aluminum  
Material Options: Brass  
LED: USB Simulated Flame w/ Remote  
CCT: 1400K-1600K

● ALUM ● BRS



Gold Iridescent Glass    Solid White Acrylic    Cracked Ice Acrylic



### SL67RDCD013NLWLDBZ

Size: 6.00" x 4.00" dia.  
Material: Aluminum  
Material Options: Brass  
LED: No Lamp  
LED Option: USB Simulated Flame w/ Remote

● ALUM ● BRS



Gold Iridescent Glass    Solid White Acrylic    Cracked Ice Acrylic

## POST TOP MOUNTS



### SL69LGPFTL12WHT

Size: 4.125" x 4.00"  
Material: Aluminum  
Material Options: Brass  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS



### SL69LGPFTL12WHT

Size: 5.125" x 4.00"  
Material: Aluminum  
Material Options: Brass  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS

Scan to see more information on SL69.



Scan to see more lantern design options.



# LED Wall Acrylic Light Wands



12v | 120v



MR11

**New**

## SMALL SURFACE MOUNT LIGHT Acrylic Light Wands

**SL68SMWML68S218BRS**

- Size: Based on size of acrylic used
- Material: Brass
- LED: 2.5w MR11 SS LED (L68)
- CCT: 3000K
- Lumens: 170lm
- Acrylic Accent: Frosted (S2)
- Acrylic Options: Clear (S1) / Bubble (S4)
- Acrylic Size: 12.00" / 18.00" / 24.00"
- Cap: Matching Brass Cap
- Cap Option: No Cap
- Mount: 3" Round Brass Canopy



MR16

**New**


## MEDIUM SURFACE MOUNT LIGHT Acrylic Light Wands

**SL68MDWML24S112BRS**


- Size: Based on size of acrylic used
- Material: Brass
- LED: 3w MR16 SS LED (L24)
- CCT: 3000K
- Lumens: 270lm
- Acrylic Accent: Clear (S1)
- Acrylic Options: Frosted (S2) / Bubble (S4)
- Acrylic Size: 12.00" / 18.00" / 24.00"
- Cap: Matching Brass Cap
- Cap Option: No Cap
- Mount: 3" Round Brass Canopy




## ACRYLIC SIZES & TYPES




Height: 12.00in  
SM dia: 1.57in  
MD dia: 2.36in



Height: 18.00in  
SM dia: 1.57in  
MD dia: 2.36in



Height: 24.00in  
SM dia: 1.57in  
MD dia: 2.36in



S1: Clear  
S2: Frosted  
S4: Bubbles

Scan for more information





# LED Down Lighting

12v | 120v (277v available. Consult factory for more information)

Canopy Options for RXS Series: 4.5" Round Canopy (24), 4.5" Flat Plate (FP)

## CYLINDER CEILING MOUNTS



**RXS10SM24L142BRS**  
 Size: 7.1875" x 3.125" dia.  
 Material: Brass  
 Material Options: Aluminum/Copper  
 LED: 8w PAR20 SS LED (L142)  
 CCT: 3000K  
 Lumens: 600lm  
 4.50" Round Canopy

- ALUM ● BRS
- COP



**RXS10SMFPL142BRS**  
 Size: 7.1875" x 3.125" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 8w PAR20 SS LED (L142)  
 CCT: 3000K  
 Lumens: 600lm  
 4.50" Round Flat Plate

- ALUM ● BRS
- COP



**RXS12SML24BRS**  
 Size: 4.88" x 2.37" dia.  
 Material: Brass  
 Material Options: Copper/Stainless Steel  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 3.00" Round Canopy

- ALUM ● BRS
- COP ● SS




**RXS18SM24LEDM740BRS**  
 Size: 4.74" x 3.18" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 7w LED Module (LEDM)  
 CCT: 3000K  
 Lumens: 450lm  
 4.50" Round Canopy

- ALUM ● BRS
- COP



**RXS10SMFPL142S2BRS**  
 Size: 10.18" x 3.125" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 8w PAR20 SS LED (L142)  
 CCT: 3000K  
 Lumens: 600lm  
 4.50" Flat Plate

- ALUM ● BRS
- COP



Scan for more information

American Savings Bank  
Hawaii

RXS10SMFPL142WHT(Shown)

## CYLINDER CEILING AND WALL MOUNTS



**RXS15L24BRS**  
 Size: 4.50" x 2.375" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm  
 3.00" Round Canopy  
 90° Adjustable Swivel

- BRS



**RXS16L68BRS**  
 Size: 3.00" x 1.75" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm  
 3.00" Round Canopy  
 90° Adjustable Swivel

- BRS



**RXS17L74BRS**  
 Size: 3.00" x 1.25" dia.  
 Material: Brass  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm  
 3.00" Round Canopy  
 90° Adjustable Swivel

- BRS

# LED Wall Sconce Lighting



12v | 120v (277v available. Consult factory for more information)

## PLASMA CUT SCONCES



Scan to see more information.



### SMALL SCONCE SL55S

Size: 7.00" x 6.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
Options: 5200K / 380lm

● ALUM ● BRS



### MEDIUM SCONCE SL55M

Size: 10.00" x 7.25" x 4.50"  
Material: Brass  
Material Options: Aluminum  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
Options: 5200K / 380lm

● ALUM ● BRS



### LARGE SCONCE SL55L

Size: 12.00" x 8.25" x 5.00"  
Material: Brass  
Material Options: Aluminum  
LED: 8w LED Panel  
CCT: 3000K  
Lumens: 680lm  
Option: 5w LED Panel (LEDP) 350lm  
Option: 5w 52K (LEDP) 380lm

● ALUM ● BRS



### EXTRA LARGE SCONCE SL55X

Size: 16.00" x 9.25" x 5.50"  
Material: Brass  
Material Options: Aluminum  
LED: x2 8w LED Panel  
CCT: 3000K  
Lumens: 1260lm  
Option: x2 8w 52K (LEDP) 1360lm

● ALUM ● BRS



### SQUARE SCONCE SL55SQ

Size: Custom Sizes Available  
Material: Brass  
Material Options: Aluminum  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
Option: 5200K / 380lm

● ALUM ● BRS



Custom Sconce  
Private Home



Custom Sconce  
Private Home



Custom Sconce  
Mililani Town Center-Hawaii

# LED Wall Sconce Lighting



12v | 120v (277v available. Consult factory for more information)

## VINYL PRINT W/ FULL COLOR CAPABILITIES



Scan to see more information.

**CUSTOM  
DESIGNS  
WELCOME**  
TAKE YOUR FIXTURE  
TO A NEW LEVEL



Custom Sconce  
Kona Brewery Co. - Hawaii



Custom Sconce  
Famous Daves. - California



### Vinyl Print Sconce SL55L

Size: Custom Size  
Material: Aluminum  
Material Options: Brass  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
Option: 4w 52K 380lm

● ALUM ● BRS



Custom Sconce  
Kona Brewery Co. - Hawaii



### Vinyl Print Square Sconce Custom

Size: Custom Size  
Material: Brass  
Material Options: N/A  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 350lm  
Option: 4w 52K 380lm

● ALUM ● BRS

# LED Surface Mount Lighting



12v



**SL07L12BRS**

Size: 3.75" dia. x 2.00"  
 Material: Brass  
 Material Options: Aluminum/Stainless Steel  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm  
 LED Option: LED Module

- ALUM ● BRS
- SS



**SL07SML4BRS**

Size: 2.75" dia. x 1.50"  
 Material: Brass  
 Material Options: Aluminum/Stainless Steel  
 LED: 2w Omni Mini LED (L4)  
 CCT: 3000K  
 Lumens: 180lm  
 LED Option: LED Module

- ALUM ● BRS
- SS



**SL18L12BRS**

Size: 2.50" x 3.50" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

- ALUM ● BRS



**DRIVE  
OVER**

**SL20SMMSMLEDPBRS**

Size: 4.50" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Panel (LEDP)  
 CCT: 3000K  
 Lumens: 300lm

- ALUM ● BRS



**SL35SM2L10BAR**

Size: 3.50" x 1.75"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 3w Omni G4 SS LED (L10)  
 CCT: 3000K  
 Lumens: 300lm

- ALUM ● BRS



**SL35L12BRS**

Size: 3.50" x 2.50"  
 Material: Brass  
 Material Options: Aluminum/Copper  
 LED: 3w Omni SS LED (L12)  
 CCT: 3000K  
 Lumens: 300lm

- ALUM ● BRS
- COP



**SL59L10COP**

Size: 3.625" x 3.50" x 2.0"  
 Material: Copper  
 Material Options: N/A  
 LED: 3w Omni SS LED (L10)  
 CCT: 3000K  
 Lumens: 300lm

- COP



**LIGHT  
POD**

**SL66LEDTBRS**

Size: 1.50" x 3.50" dia.  
 Material: Brass  
 Material Options: Stainless Steel  
 LED: 2w LED Tape (LEDT)  
 CCT: 3000K  
 Lumens: 245lm

- BRS ● SS



Scan for more information

## CIRCULAR UP, DOWN, & HORIZONTAL LIGHTING



**SL37MR8L74COP**

Size: 3.75" x 2.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 1.5w MR8 SS LED (L74)  
 CCT: 3000K  
 Lumens: 65lm

- COP



**SL37MR11L68COP**

Size: 4.00" x 2.50" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 2.5w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 300lm

- COP



**SL37MR16L24COP**

Size: 4.25" x 3.00" dia.  
 Material: Copper  
 Material Options: N/A  
 LED: 3w MR16 SS LED (L24)  
 CCT: 3000K  
 Lumens: 270lm

- COP

# LED Surface Mount Lighting



12v

## RECESSED UP & HORIZONTAL LIGHTING



**New**  
BOCCE  
COURT  
FIXTURE

**SL37BLL24BRS**

Size: 2.25" x 3.00" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



**SL37PMR16L24BRS**

Size: 2.25" x 3.25" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



**SL37PL4BRS**

Size: 2.25" x 2.00" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w Omni Mini SS LED (L4)  
CCT: 3000K  
Lumens: 180lm

● BRS



## HARDSCAPE LEDGE LIGHTS



**SL42SM2LEDSBRS**

Size: 2.00" x 5.00" x 0.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 2w LED Strip  
CCT: 3000K  
Lumens: 140lm

● ALUM ● BRS  
● COP ● SS



**SL42LEDSBRS**

Size: 3.00" x 5.00" x 1.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 2w LED Strip  
CCT: 2700K  
Lumens: 140lm

● ALUM ● BRS  
● COP ● SS



**SL42LGLDSBRS**

Size: 2.00" x 13.00" x 0.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 4w LED Strip  
CCT: 2700K  
Lumens: 245lm

● ALUM ● BRS  
● COP ● SS

## DECK RAIL LIGHTS



**SL43SM2LEDSBRS**

Size: 0.75" x 5.00" x 0.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 2w LED Strip  
CCT: 2700K  
Lumens: 140lm

● ALUM ● BRS  
● COP ● SS



**SL43LEDSBRS**

Size: 0.50" x 5.00" x 0.75"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 2w LED Strip  
CCT: 2700K  
Lumens: 140lm

● ALUM ● BRS  
● COP ● SS



**SL43LGLDSBRS**

Size: 0.75" x 13.00" x 0.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 4w LED Strip  
CCT: 2700K  
Lumens: 245lm

● ALUM ● BRS  
● COP ● SS

# LED Paver Lighting



12v

All back boxes are white composite. Cover plates are available in aluminum, brass, copper or stainless steel.



Private Home  
**SL4466LEDSWIR (Shown)**

*New*  
**COMPOSITE  
 PAVER BOX**



**SL4444LEDSBLT**  
 Size: 4.00" x 4.00"  
 Material: Aluminum  
 Material Options: Brass  
 LED: 2w LED Strip  
 CCT: 3000K  
 Lumens: 140lm

● ALUM ● BRS



**SL44LEDSBLT**  
 Size: 4.00" x 8.00"  
 Material: Aluminum  
 Material Options: Brass/Copper/SS  
 LED: 2w LED Strip  
 CCT: 3000K  
 Lumens: 140lm

● ALUM ● BRS  
 ● COP ● SS



**SL4466LEDSBLT**  
 Size: 6.00" x 6.00"  
 Material: Aluminum  
 Material Options: Brass/Copper/SS  
 LED: 2w LED Strip  
 CCT: 3000K  
 Lumens: 140lm

● ALUM ● BRS  
 ● COP ● SS



**SL4469LEDSBLT**  
 Size: 6.00" x 9.00"  
 Material: Aluminum  
 Material Options: Brass/Copper/SS  
 LED: x2 2w LED Strip  
 CCT: 3000K  
 Lumens: 280lm

● ALUM ● BRS  
 ● COP ● SS

# LED Step & Brick Lighting



12v | 120v (277v available. Consult factory for more information)

## RESIDENTIAL STEP & BRICK FIXTURES WITH BACK BOX

LED Panel Options, See Next Page.



### SL02L12BRS

Size: 3.00" x 4.75" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS  
● COP ● SS



### SL02ALL12BRS

Size: 3.00" x 4.75" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS  
● COP ● SS



### SL021LL12BRS

Size: 3.00" x 4.75" x 4.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS  
● COP ● SS



### SL023LCL12BRS

Size: 3.00" x 4.75" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS  
● COP ● SS



### SL04L12BRS

Size: 3.00" x 9.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS  
● COP ● SS



### SL04ALL12BRS

Size: 3.00" x 9.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS  
● COP ● SS



### SL041LL12BRS

Size: 3.00" x 9.25" x 4.50"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS  
● COP ● SS



### SL043LL12BRS

Size: 3.00" x 9.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
Copper/Stainless Steel  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS  
● COP ● SS

## COMMERCIAL STEP & BRICK FIXTURES WITH BACK BOX

LED Panel Options, See Next Page.



### SL08L12BRS

Size: 3.25" x 8.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS



### SL08ALL12BRS

Size: 3.25" x 8.25" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: x2 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 600lm

● ALUM ● BRS



### SL17L12BRS

Size: 3.25" x 5.20" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS



### SL17ALL12BRS

Size: 3.25" x 5.20" x 4.00"  
Material: Brass  
Material Options: Aluminum  
LED: 3w Omni SS LED (L12)  
CCT: 3000K  
Lumens: 300lm

● ALUM ● BRS



### SL60LED12SS

Size: 3.00" x 5.00" x 5.00"  
Material: Stainless Steel  
Material Options: Aluminum/Brass  
LED: 5w LED Module (12v)  
CCT: 2800K  
Lumens: 400lm

● ALUM ● BRS  
● SS



### SL60LED12OSS

Size: 3.00" x 5.00" x 5.00"  
Material: Stainless Steel  
Material Options: Aluminum/Brass  
LED: 5w LED Module (120v)  
CCT: 2700K  
Lumens: 200lm

● ALUM ● BRS  
● SS



### SL62LEDM120BRS

Size: 3.00" x 8.25" x 4.00"  
Material: Brass  
Material Options: N/A  
LED: x2 5w LED Module (120v)  
CCT: 2700K  
Lumens: 400lm

● BRS

# LED Step and Brick Lighting



12v | 120v (277v available. Consult factory for more information)

## LED PANEL RESIDENTIAL STEP & BRICK FIXTURES

No Back Box Required. 52K LED Panel Available.



**SLO2LEDPBRS**  
 Size: 3.00" x 4.75" x .75"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS  
 ● COP ● SS



**SLO2ALLEDPBRS**  
 Size: 3.00" x 4.75" x .75"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS  
 ● COP ● SS



**SLO21LLEDPBRS**  
 Size: 3.00" x 4.75" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS  
 ● COP ● SS



**SLO2VLEDPBRS**  
 Size: 8.00" x 2.13" x .66"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 5w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS



**SLO4LEDPBRS**  
 Size: 3.00" x 9.25" x .75"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● ALUM ● BRS  
 ● COP ● SS



**SLO4ALLEDPBRS**  
 Size: 3.00" x 9.25" x .75"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● ALUM ● BRS  
 ● COP ● SS



**SLO41LLEDPBRS**  
 Size: 3.00" x 9.25" x 2.25"  
 Material: Brass  
 Material Options: Aluminum  
 Copper/Stainless Steel  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● ALUM ● BRS  
 ● COP ● SS

## LED PANEL COMMERCIAL STEP & BRICK FIXTURES

No Back Box Required



**SLO8LEDPBRS**  
 Size: 3.25" x 8.25" x .60"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● ALUM ● BRS



**SLO8ALLEDPBRS**  
 Size: 3.25" x 8.25" x .25"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● ALUM ● BRS



**SL17LEDPBRS**  
 Size: 3.125" x 5.20" x 1.20"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS



**SL17ALLEDPBRS**  
 Size: 3.125" x 5.20" x .90"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS



**SL30LEDPBRS**  
 Size: 3.125" x 5.20" x 2.00"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 4w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS



**SL31LEDPBRS**  
 Size: 3.25" x 8.25"  
 Material: Brass  
 Material Options: N/A  
 LED: 8w LED Panel  
 CCT: 3000K  
 Lumens: 630lm

● BRS



**SL50LEDPBRS**  
 Size: 2.00" x 7.25" x 1.125"  
 Material: Brass  
 Material Options: Aluminum  
 LED: 5w LED Panel  
 CCT: 3000K  
 Lumens: 350lm

● ALUM ● BRS



# LED Well Lighting



12v | 120v (277v available. Consult factory for more information)



### SL03L24BLT

Size: 7.50" x 4.50" dia.  
Material: Aluminum  
Material Options: Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
Included Convex Lens Cast Lens Holder

- ABS ● ALUM
- BRS



**Spun Lens Holder**  
FA17 Order Separately



**Cast Lens Holder**  
Included



**Cast Grate**  
FA19 Order Separately



**Clear Convex Glass Lens**  
Included



### SL03ACL24BLT

Size: 7.50" x 4.50" dia.  
Material: ABS/Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

- ABS ● BRS



**Angel Cap**  
SL03ECACL24BRS



**Clear Convex Lens**  
Included



### SL20SMLMR16L24

Size: 5.25" x 4.50" dia.  
Material: Composite  
Material Options: Aluminum/Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

- COMP ● ALUM
- BRS



### SL20SMLMR16L24

Size: 7.25" x 4.50" dia.  
Material: Composite  
Material Options: Aluminum/Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm  
FA135 Stamped Eyebrow (Alum/BRS Only)

- COMP ● ALUM
- BRS



### SL20SMGMR16L24

Size: 5.50" x 4.50" dia.  
Material: Composite  
Material Options: Aluminum/Brass  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

- COMP ● ALUM
- BRS



### SL20SMMLEDPBAR

Size: 6.00" x 4.50" dia.  
Material: Brass  
Material Options: Aluminum  
LED: 4w LED Panel  
CCT: 3000K  
Lumens: 300lm

- ALUM ● BRS



### SL20MDLLEDM1540BRT

Size: 9.25" x 7.25" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 15w LED Module 40°  
CCT: 2800K  
Lumens: 900lm

- COMP ● ALUM
- BRS



### SL20MDLL142BRT

Size: 11.25" x 7.25" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 8w PAR20 SS LED (L142)  
CCT: 3000K  
Lumens: 600lm  
FA135 Stamped Eyebrow (Alum/BRS Only)

- COMP ● ALUM
- BRS



### SL20MDGLEDM1540BRT

Size: 9.50" x 7.25" dia.  
Material: Aluminum  
Material Options: Brass/Composite  
LED: 15w LED Module 40°  
CCT: 2800K  
Lumens: 900lm

- COMP ● ALUM
- BRS



### SL20MDLLEDM2040BRS

Size: 9.25" x 7.25" dia.  
Material: Brass  
Material Options: Aluminum/Composite  
LED: 20w LED Module 40°  
CCT: 2800K  
Lumens: 1500lm  
Option: TR2

- COMP ● ALUM
- BRS



### SL20MDLLEDM2040

Size: 9.25" x 7.25" dia.  
Material: Composite  
Material Options: Aluminum/Brass  
LED: 20w LED Module 40°  
CCT: 2800K  
Lumens: 1500lm  
Option: TR1

- COMP ● ALUM
- BRS



# LED Underwater Lighting



12v

## LED MODULE UNDERWATER FIXTURES

Integrated LED's. Available in 7w/11w/15w/20w LED Modules.



### SL11LEDM740BRS

Size: 2.00" x 3.75" dia.  
Material: Brass  
Material Options: N/A  
LED: 7w LED Module 40\*  
CCT: 2800K  
Lumens: 450lm

● BRS



### Angle Cap SL11LEDM1140ACBRS

Size: 4.25" x 3.75" dia.  
Material: Brass  
Material Options: N/A  
LED: 11w LED Module 40\*  
CCT: 2800K  
Lumens: 600lm

● BRS



### Aiming Bracket SL11LEDM1540ABBRS

Size: 5.75" x 3.75" dia.  
Material: Brass  
Material Options: N/A  
LED: 15w LED Module 40\*  
CCT: 2800K  
Lumens: 900lm

● BRS



### Aiming Bracket + Angle Cap SL11LEDM2040ABACBRS

Size: 7.50" x 3.75" dia.  
Material: Brass  
Material Options: N/A  
LED: 20w LED Module 40\*  
CCT: 2800K  
Lumens: 1500lm

● BRS

## MR16 LED UNDERWATER FIXTURES

Plug N/ Play LED's



### SL33L24

Size: 3.50" x 3.38" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



### Angle Cap SL33ACL24

Size: 5.40" x 3.38" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



### Side Mount SL33SML24

Size: 3.50" x 3.38" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



### Side Mount + Angle Cap SL33SMACL24

Size: 5.40" x 3.38" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



### Aiming Bracket SL33ABL24

Size: 4.75" x 4.00" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS



### Aiming Bracket + Angle Cap SL33ABACL24

Size: 7.50" x 4.00" dia.  
Material: Brass  
Material Options: N/A  
LED: 3w MR16 SS LED (L24)  
CCT: 3000K  
Lumens: 270lm

● BRS

## CONNECTS UP TO 9 PORTS



### The Octopus (Underwater Brass JBox) FAH20JB

Size: 5.00" x 5.00"  
Material: Brass  
Material Options: N/A  
Connection: Up to 9  
Liquid Tight Connectors

● BRS



Scan for more  
information



SL44ABL24BRS (Shown)

15ft cable standard. Additional length available in 5ft increments.

# Umbrella LED Lighting Systems

12v | 120v

## LIGHTING SYSTEM



Private Home

**UL03DL17L68BRT** (Shown)



### UL03RXD09L68BRS

Size: 4.00" dia.  
 Material: Brass  
 Material Options: Aluminum  
 LED: x3 3w MR11 SS LED (L68)  
 CCT: 3000K  
 Lumens: 170lm

● ALUM ● BRS

Any Focus MR11 or MR8 directional bullets is compatible. Including these popular fixtures.



DL17



RXD03



RXD04




RXD10

## LIGHTING OPTIONS



120v plugin  
to receptacle



Hardwire to 12v landscape  
lighting system

# Flag Pole LED Lighting Systems



12v | 120v (Fixtures Not Included)

## LIGHTING SYSTEM



**12v Version**  
**FAPM72H12VBTL**  
 Size: 7.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 Fixtures sold separately

● ALUM ● BRS




**120v Version**  
**FAPM73H120VBTL**  
 Size: 4.00" dia.  
 Material: Aluminum  
 Material Options: Brass  
 Fixtures sold separately

● ALUM ● BRS

Any Focus PAR, MR16 or LED Module directional bullets is compatible. Including these popular fixtures.



## LIGHTING OPTIONS



Hardwire to 12v landscape lighting system



Scan for more information

# Tree Ring LED Lighting Systems



12v | 120v (Fixtures Not Included)

## LIGHTING SYSTEM



Great Wolf Lodge  
Anaheim, California  
**FATR244H120BRT** (Shown)  
DL20ECL146BLT



(RXD08 Shown)

Any Focus PAR, MR16 or LED Module directional bullets is compatible. Including these popular fixtures.

### 12v Version FATR204HBRS

Size: 20.00"/24.00"/30.00"/36.00" dia.  
Material: Brass  
Material Options: Aluminum  
LED: Fixtures not included  
Hubs: 1/2/3/4/5/6

● ALUM ● BRS

### 120v Version FATR204H120BRS

Size: 20.00"/24.00"/30.00"/36.00" dia.  
Material: Brass  
Material Options: Aluminum  
LED: Fixtures not included  
Hubs: 1/2/3/4/5/6

● ALUM ● BRS




## LIGHTING OPTIONS & TRUNK SIZING

### Tree Ring System to Trunk Sizes

Ring Size	Trunk Size
20.00" dia. ....	7"-11" (4 fixtures)
24.00" dia. ....	11"-15" (6 fixtures)
30.00" dia. ....	15"-21" (6 fixtures)
36.00" dia. ....	21"-27" (6 fixtures)



Scan for more information



4 Up

2 Up / 2 Down

2 Up / 4 Down

# Direct Burial Junction Box

12v | 120v | 277v (No Power Supplied)

## ROUND JUNCTION BOXES



**DBR55JB**

Size: 5.50" x 4.50" dia.  
Material: Composite  
x2 1/2NPS Threaded Ports  
Available on Bottom

● COMP



**DBR55JB12NPS**

Size: 5.50" x 4.50" dia.  
Material: Composite  
1/2" NPS Threaded Hole  
for Fixture Mounting  
x2 1/2NPS Threaded Ports  
Available on Bottom

● COMP



**DBR55JB12NPSBRS**

Size: 4.50" x 5.00" dia.  
Material: Composite/Brass  
x2 1/2NPS Threaded Ports  
Available on Bottom

● COMP ● BRS



**DBR55JB12NPSBRS**

Size: 4.50" x 5.00" dia.  
Material: Composite/Brass  
1/2" NPS Threaded Hole  
for Fixture Mounting

● COMP ● BRS



**DBR79JB**

Size: 8.75" x 7.25" dia.  
Material: Composite  
x2 1/2" NPS Threaded Ports  
Available on Bottom

● COMP



**DBR79JB12NPS**

Size: 8.75" x 7.25" dia.  
Material: Composite  
1/2" NPS Threaded Hole  
for Fixture Mounting  
2 x 0.75", 3 x 0.5"  
Knockouts Bottom

● COMP



DBR79JB(Shown)

## SQUARE JUNCTION BOXES



**DBS66JB**

Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



**DBS66JB12NPS**

Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
1/2" NPS Threaded Hole  
for Fixture Mounting  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



**DBS97JB**

Size: 9.00" x 9.00" x 7.00"  
Material: Composite  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



**DBS97JB12NPS**

Size: 9.00" x 9.00" x 7.00"  
Material: Composite/Brass  
1/2" NPS Threaded Hole  
for Fixture Mounting  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



**DBS128JB**

Size: 12.00" x 12.00" x 7.75"  
Material: Composite  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP



**DBS128JB12NPS**

Size: 12.00" x 12.00" x 7.75"  
Material: Composite  
Option: 1/2" NPS Threaded Hole  
for Fixture Mounting  
2 x 0.50" & 2 x 0.75" Knockouts

● COMP

# Direct Burial Transformers

12v | 120v | 277v (With Supplied Power)

## SMALL DIRECT BURIAL TRANSFORMERS - ROUND



**DBR1210LED**  
Size: 5.50" x 4.50" dia.  
Material: Composite  
Material Options: Brass Cover  
Description: 10w LED  
Type: Round Direct Burial

● COMP



**DBR1260LED**  
Size: 5.50" x 4.50" dia.  
Material: Composite  
Material Options: N/A  
Description: 60w Magnetic  
Type: Round Direct Burial

● COMP



**DBR1260M**  
Size: 8.75" x 7.25" dia.  
Material: Composite  
Material Options: N/A  
Description: 60w Magnetic  
Type: Round Direct Burial

● COMP



**DBR12100M**  
Size: 8.75" x 7.25" dia.  
Material: Composite  
Material Options: N/A  
Description: 100w Magnetic  
Type: Round Direct Burial

● COMP



**DBR12100M277V**  
Size: 8.75" x 7.25" dia.  
Material: Composite  
Material Options: N/A  
Description: 100w Magnetic (277v)  
Type: Round Direct Burial

● COMP



Scan for more information

## SMALL DIRECT BURIAL TRANSFORMERS - SQUARE



**DBS1225M**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 25w Magnetic  
Type: Square Direct Burial

● COMP



**DBS1225MPC**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 25w Magnetic  
Type: Square Direct Burial  
With Photo Cell

● COMP



**DBS1260M**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 60w Magnetic  
Type: Square Direct Burial

● COMP



**DBS1260MPC**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 60w Magnetic  
Type: Square Direct Burial  
With Photo Cell

● COMP



**DBS12100M**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 100w Magnetic  
Type: Square Direct Burial

● COMP



**DBS12100MPC**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 100w Magnetic  
Type: Square Direct Burial  
With Photo Cell

● COMP



**DBS12100M277V**  
Size: 6.00" x 6.00" x 6.00"  
Material: Composite  
Material Options: N/A  
Description: 100w Magnetic (277v)  
Type: Square Direct Burial

● COMP

# Direct Burial Transformers

12v | 120v | 277v (With Supplied Power)

## SQUARE JUNCTION BOX TRANSFORMERS



**DBS12200**  
 Size: 9.00" x 9.00" x 7.00"  
 Material: Composite  
 Material Options: N/A  
 Description: 200w Magnetic  
 Type: Square Direct Burial

● COMP



**DBS12200PC**  
 Size: 9.00" x 9.00" x 7.00"  
 Material: Composite  
 Material Options: N/A  
 Description: 200w Magnetic  
 Type: Square Direct Burial With Photo Cell

● COMP



**DBS12300 or DBS12300MV**  
 Size: 9.00" x 9.00" x 7.00"  
 Material: Composite  
 Material Options: N/A  
 Description: 300w Magnetic  
 Type: Square Direct Burial  
 MV: 12.5v / 13.5v / 14.5v

● COMP



**DBS212300**  
 Size: 9.00" x 9.00" x 7.00"  
 Material: Composite  
 Material Options: N/A  
 Description: 2x 150w Magnetic  
 Type: Square Direct Burial

● COMP



**DBS12300PC**  
 Size: 9.00" x 9.00" x 7.00"  
 Material: Composite  
 Material Options: N/A  
 Description: 300w Magnetic  
 Type: Square Direct Burial With Photo Cell

● COMP



**DBS212600**  
 Size: 12.00" x 12.00" x 7.75"  
 Material: Composite  
 Material Options: N/A  
 Description: 2x 300w Magnetic  
 Type: Square Direct Burial  
 12.5 volt 1 Core

● COMP



**DBS212600PC**  
 Size: 12.00" x 12.00" x 7.75"  
 Material: Composite  
 Material Options: N/A  
 Description: x2 300w Core Split Magnetic  
 Type: Square Direct Burial With Photo Cell

● COMP




**DBS312900**  
 Size: 12.00" x 12.00" x 7.75"  
 Material: Composite  
 Material Options: N/A  
 Description: x3 300w Magnetic  
 Type: Square Direct Burial  
 12.5 volt 2 Core

● COMP



Inn at the Mission  
 San Juan Capistrano, California  
**DBS12300 (Shown)**



Inn at the Mission  
 San Juan Capistrano, California  
**DBS12300 (Shown)**



# Power Supplies Stainless Steel

12v | 120v Above Grade

## RXT SERIES TRANSFORMERS

### MATERIAL/FEATURES

60, 120, 180, 300 and 600 watt output models available  
 UL 1838 listed, the standard for low voltage landscape lighting systems  
 Multi Voltage output (12.5, 13.5 & 14.5 Volts)  
 Super Terminal Lugs with capacity of 3 x #8, 5 x #10 or 7 x #12 gauge wire  
 304 Stainless Steel enclosure with #4 brushed finish  
 Removable Stainless Steel hinged door is lockable and weather sealed  
 Above grade, NEMA 3R rated, rain tight enclosure  
 LED indicators for instant recognition of 120v and 12v power  
 Timer Ready standard (for plug in timers supplied by others)  
 Optional Mechanical Timer (-T), Digital Timer (-DT) and Astro Timer (-AT)  
 face plates can be factory or field installed  
 Photocell Ready with quick connector  
 Supplied with two 1/2" conduit (trade size) holes & one 1-1/2" inlet with plugs  
 in bottom panel plus 2 side panel 1/2" conduit (trade size) holes with plugs  
 Flip down bottom panel swings down for easy access wiring  
 11 gauge cold rolled steel 'L' brackets for stable mounting  
 Mounting plate and hardware included  
 Order with Photocell (-PC)

### FINISH

Brushed Stainless Steel

### ELECTRICAL

Long life, high temperature 266°F (130°C) class 'B' rated transformer core  
 Copper shielded isolation/insulation; No contact between 120v and 12v windings  
 1500v Isolation between all windings and ground  
 Grade M19 electric grade steel for superior electrical and magnetic properties  
 Strip copper secondary windings for lower temperature rise  
 Single phase, open core and coil  
 E.L. laminated core has concentric winding and is protected by 130°C thermal switch.  
 Vacuumed impregnated with black slate flour  
 Filled varnish for superior heat dissipation and noise reduction - Class 180°C  
 120v primary, 12.5v secondary 50/60 Hertz/cycle (standard)  
 6 foot 18/3 SJT-WA weatherproof grounded power cord (120v)  
 ON/OFF control via rocker switch  
 Extra heavy duty (80 amp) terminal lug  
 Resettable circuit breaker for overload and short circuit protection

### TIMER READY (STANDARD)



**RXT12300MV**  
5.50" D x 15" H x 6.50" W

TIMER  
SUPPLIED BY OTHERS

### MECHANICAL TIMER (OPTION)



**RXT12180MVTRPC**  
5" D x 12" H x 5.50" W

REMOTE  
PHOTO CELL  
(RXTRPC)



### ORDERING INFORMATION

Catalog Number	Description	Circuits
RXT1260MV	60w MV Transformer, timer ready	1
RXT12120MV	120w MV Transformer, timer ready	1
RXT12180MV	180w MV transformer, timer ready	1
RXT12300MV	300w MV Transformer, timer ready	1
RXT12600MV	600w MV Transformer, timer ready	2
RXT1260MVAT	60w MV Transformer, astro timer	1
RXT12120MVAT	120w MV Transformer, astro timer	1
RXT12180MVAT	180w MV transformer, astro timer	1
RXT12300MVAT	300w MV Transformer, astro timer	1
RXT12600MVAT	600w MV Transformer, astro timer	2
RXT1260MVDT	60w MV Transformer, digital timer	1
RXT12120MVDT	120w MV Transformer, digital timer	1
RXT12180MVDT	180w MV transformer, digital timer	1
RXT12300MVDT	300w MV Transformer, digital timer	1
RXT12600MVDT	600w MV Transformer, digital timer	2
RXT1260MVT	60w MV Transformer, mechanical timer	1
RXT12120MVT	120w MV Transformer, mechanical timer	1
RXT12180MVT	180w MV transformer, mechanical timer	1
RXT12300MVT	300w MV Transformer, mechanical timer	1
RXT12600MVT	600w MV Transformer, mechanical timer	2

## M SERIES TRANSFORMERS

### MST Series

MST12200  
 MST12300/MV  
 MST212200  
 MST212300  
 MST212600/MV2

### MLT Series

MLT312900/MV3  
 MLT4121200/MV4

### FACTORY INSTALLED OPTIONS:

- Integral Timer ..... (-T)
- Astro Timer ..... (-AT)
- Digital timer. .... (-DT)
- Attached photocell ..... (-PC)
- Remote photocell 15' cord. .... (-RPC)
- Full phase dimmer (draws 1v) ..... (-D)
- Multi-voltage output (12.5v, 13.5v, 14.5v taps) ..... (-MV)
- Timer-ready. .... (-TR)

Note: 220v & 240v available 12.5v output in 300w increments only. Not MV output.  
 For 220v, 240v & 277v no dimmer option

Both series are available in timer-ready.




**ASTRO TIMER**  
Add (-AT)



**MLT-412-1200-2DT-RPC**  
5" D x 16" H x 12" W

REMOVABLE  
DOOR  
  
SITE  
INFORMATION  
LOG

**LED INDICATOR**  
120v power on  
12v terminal power on



**MST-212-600-DT**  
5" D x 16" H x 6" W

DIGITAL  
TIMER

PHOTOCELL  
QUICK  
CONNECTOR

REMOVABLE  
BOTTOM

**SUPER LUGS**  
Lug Capacity  
3 x #08  
5 x #10  
7 x #12

# Power Supplies Aluminum

12v | 120v Above Grade

## WT SERIES TRANSFORMERS

### FEATURES

- Rocker switch on/off control
- Extra heavy-duty terminal block easily handles extra sets of cable
- Heavy-duty extruded aluminum housing (.115") with slide locking cover
- Quality circuit protection through circuit breaker; mini push-to-reset
- Long-life, high temperature (130°C) rated transformers
- Isolation-type transformers. No contact between 120v and 12v windings
- Single-phase, open core and coil transformers, 120v primary, 12.5v secondary, 60 Hz
- Available in 100w, 200w, 300w, 600w, 900w and 1200w & 1, 2, 3 or 4 circuit output
- 6-foot weather-resistant grounded flat power cord
- Attractive, durable, black semi-gloss powder coat finish. Other finishes available.
- Full range dimmer and dusk-to-dawn photocell options
- Remote photocell or remote motion sensor with 15' cord (up to 50') and mounting hub (FA-111)
- Made in the U.S.A.

Note: For other input voltages 220v, 240v, and 277v consult factory.  
220v & 240v available 12.5v output in 300w increments only. Not MV output.

For 277v input available 12.5v output 100w & 300w models only. For 277v no dimmer option



**WT212300RPCTDLUN**  
5" D x 11" H x 5.50" W

### CONTROL OPTIONS

- Integral timer ..... (-T)
- Astro timer ..... (-AT)
- Digital timer..... (-DT)
- Attached photocell ..... (-PC)
- Remote photocell 15' cord..... (-RPC)
- Full phase dimmer (draws 1v) ..... (-D)  
(12v relay also available)
- Multi-voltage output (300w increments only)  
12.5v, 13.5v, 14.5v ..... (-MV)
- Timer-ready ..... (-TR)
- 24v VAC relay to irrigation controller ..... (-R)



**WT12100/200**  
5" D x 7.75" H x 5.50" W



**WT12100PC**  
5" D x 7.75" H x 5.50" W



**WT41212004T**  
5" D x 16.75" H x 11.00" W



**WT212300R**  
5" D x 11" H x 5.50" W

## ADD ONS



**Knock-out plate**  
Conduit feed  
for all timer units



**Digital Timer Available**  
add (-DT)

### ORDERING INFORMATION


Catalog Number

1 CIRCUIT	2 CIRCUIT	3 CIRCUIT	4 CIRCUIT
WT12100	WT212200	WT312900	WT4121200
WT12200	WT212300	(3x 300w)	(4x 300w)
WT12300	WT212600		

# Focus Accessories

Lenses, Louvers, Glass, and Filters

## HEX CELL LOUVERS



- FA065,7 ■ FFL5,7
- FA069,13 ■ FFL13
- FA0626 ■ DL40, FFL13/26/263T, 323T/423TCST
- FA07 ■ DL04
- FA0715 ■ DL15
- FA0716 ■ DL16NL
- FA0726 ■ DL10, DL10HE
- FA08 ● DL02
- FA0806 ● DL06, DL20/SL20SM/SL01/RXD & RXS PAR's
- FA08SL20 ● SL20MD

- FA08-SL20LG ● SL20LG
- FA0817 ● DL17/RXD03/RXS05,08/SL23
- FA0821 ● DL13,14,21,22,44/RXD01,4/RXS04,07/SL03
- FA0821 ● SL16SS,21,22,53,54
- FA0823 ● DL23/RXD04/RXS06,09/SL31
- FA0823C ● DL23COP/SL23COP
- FA0836C8 ● SL36MR8
- FA0836C11 ● SL36MR11
- FA0836C16 ● SL36MR16
- FA0838 ● DL38

- FA0726 ■ DL10/LFL01
- FA0624 ■ LFL012
- FA0635 ■ LFL013, 016
- FA0647 ■ LFL014, 018
- FA0830 ● DL50, DL50LEDM
- FA0838 ● DL60, DL60LEDM
- FA9715 ● DL15SM

## COLOR LENSES



- FA10BLUE/GREEN ■ DL04 (Blue Gel)
- FA1015BLUE/GREEN/AMBER/RED ■ DL15
- FA1017BLUE/GREEN/AMBER/RED ● DL17/RXD03/RXS05,08/SL23,26
- FA1020BLUE/GREEN ● DL20/SL21/RXD & RXS PAR's
- FA10SL20CLEAR/BLUE/GREEN ● SL20MD
- FA1023BLUE/GREEN ● DL23, SL36,37,38,39 MR8's
- FA1030BLUE/GREEN ● DL30
- FA1038BLUE/GREEN ● DL38
- FA11AMBER/RED ● DL13,14,21,22,44/RXD01/SL53,54
- FA11BLUE/GREEN ● DL02,13,14,21,22,44/RXD01
- FA11BLUE/GREEN ● SL03/SL16SS, 21,22/SL53,54
- FA11SL33WHITE/AMBER/RED ● RXD02/RXS04,07/SL16SS/SL33
- FA11SL33BLUE/GREEN ● RXD02/SL16SS/SL33
- FA1136C8BLUE/GREEN ● SL36MR8
- FA1136C11BLUE/GREEN ● SL36MR11
- FA1136C16BLUE/GREEN ● SL36MR16
- FA1140 ● SL40

## PLASTIC COLOR FILTERS



- FA095,7BLUE/GREEN ■ FFL5,7
- FA099,13BLUE/GREEN ■ FFL13
- FA0926BLUE/GREEN ■ FFL26

## ACRYLIC COLOR LENSES



- FA35BLUE/GREEN ● SL11
- FA35WHITE/AMBER/RED ● SL11

## HOLIDAY ENHANCEMENTS




- FA35SL44WHITE/RED/ORANGE/BLUE/GREEN ■ SL44
- FA35SL4466WHITE/RED/ORANGE/BLUE/GREEN ■ SL4466
- FA35SL4469WHITE/RED/ORANGE/BLUE/GREEN ■ SL4469

## LINEAR SPREAD FLAT TEMPERED GLASS LENSES



- FA98 ● DL02,13,14,21,22,44/SL22,25,53,54/RXD01
- FA9817 ● DL17/RXD03/SL23,26/RXS05,08
- FA9820 ● DL06,20/RXD & RXS PAR's/SL21
- FA9823 ● DL23/SL29,39/RXD04/RXS06,09
- FA9830 ● DL30
- FA9836C8 ● SL36MR8
- FA9836C11 ● SL36MR11
- FA9836C16 ● SL16/SL36MR16
- FA9802 ● RXD02/RXS04,07
- FA9838 ● DL38

## WIDE SPREAD FLAT TEMPERED SAND BLASTED GLASS LENSES



- FA1045B ● DL02,13,14,21,22,44/RXD01/SL16SS,22,25,53,54
- FA10417 ● DL17, SL23,26/RXD03/RXS05,08
- FA10420 ● DL06,20/RXD & RXS PAR's/SL21
- FA10423 ● DL23/SL29,39/RXD04/RXS06,09
- FA10430 ● DL30
- FA10433 ● RXD02/RXS07,07
- FA10436C8 ● SL36MR8
- FA10436C11 ● SL36MR11
- FA10436C16 ● SL16/SL36MR16
- FA10438 ● DL38

## CLEAR CONVEX TEMPERED GLASS LENSES: BULLETS



- FA99 ● DL02,13,14,21,22/RXD01/SL16SS,22,25
- FA9917 ● DL17/RXD03/SL23,26
- FA9920 ● DL06, 20
- FA9923 ● SL23
- FA9930 ● DL30
- FA9938 ● DL38
- FA99RX02 ● RXD02
- FA9920SM5G ● SL20SM
- FA9920MD5G ● SL20MD
- FA9936SG8/11/16 ● SL36MR8,11,16
- FA9937SG8/11/16 ● SL37MR8,11,16

## CLEAR AND COLORED CONVEX TEMPERED GLASS: WELL LIGHTS



- FA1020BLUE/GREEN ● SL21
- FA10SL20BLUE/GREEN ● SL20SM/MD/LG
- FA12 ● SL01
- FA13BLUE/GREEN ● SL01
- FA15 ● SL03
- FA16BLUE/GREEN ● SL03

# Focus Accessories

Lens Holders, Grates, and Eyebrows (Aluminum-AL, Brass-BRS, Stainless Steel-SS)



**FA14/FA14BRS**  
Size: 1.00" x 4.560" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL01



**FA17/FA17BRS**  
Size: 1.00" x 3.830" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL03



**FA19/FA19BRS**  
Size: 1/65" x 4.846" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL03



**FA20/FA20BRS**  
Size: 1.925" x 5.866" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL01

# Focus Accessories

Lens Holders, Grates, Eyebrows, and Trims (Aluminum-AL, Brass-BRS, Stainless Steel-SS)

## LENS HOLDERS, GRATES, EYEBROWS, AND TRIMS



**FA134SM/FA124SMBRS**  
Size: 1.65" x 4.50" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL20SM



**FA134MD/FA124MDBRS**  
Size: 1.65" x 7.25" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL20MD



**FA134LG/FA124LGBR**  
Size: 1.65" x 9.00" dia.  
Material: Brass  
Material Options: Aluminum  
Description: For SL20LG



**FA133SM**  
Size: .50" x 4.50"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20SM



**FA133MD/FA133MDBRS**  
Size: .50" x 7.25"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20MD



**FA133LG/FA133LGBRS**  
Size: .50" x 9.00"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20LG



**FA135SM/FA135SMBRS**  
Size: 2.50" x 4.50"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20SM



**FA133MD**  
Size: 3.375" x 7.25"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20MD



**FA133LG**  
Size: 5.00" x 9.00"  
Material: Brass  
Material Options: Aluminum  
Description: For SL20LG



**FA155CAST**  
Size: 1.60" x 3.38" dia.  
Material: Brass  
Material Options: N/A  
Description: For SL33



Custom Square Trim Ring  
**FA133SMC SMSQTRSS**  
Size: Custom Sizes Available  
Material: Stainless Steel  
Material Options: Brass  
Description: For SL20SM



Custom Round Trim Ring  
**FA133SMC SMTRBRS**  
Size: Custom Sizes Available  
Material: Brass  
Material Options: Stainless Steel  
Description: For SL20SM

## CANOPIES, JUNCTION BOXES, AND ADAPTERS



Medium Canopy  
**FA24MDCSTPC**  
Size: 1.38" x 2.640" dia.  
Material: Cast Brass  
Material Options: Cast Aluminum



Medium Canopy  
**FA24MDCST**  
Size: 1.38" x 2.640" dia.  
Material: Cast Brass  
Material Options: Cast Aluminum



Round Mini Canopy  
**FA24**  
Size: .84" x 3.00"  
Material: Cast Brass  
Material Options: Cast Aluminum

For lengths see FA24STRAP



Tree Mount Canopy  
**FA24T10**  
Size: .84" x 3.00"  
Material: Cast Brass  
Material Options: Cast Aluminum

See TPS2 for lengths



Medium Tree Mount Canopy  
**FA24MDCSTTPS24**  
Size: 1.38" x 2.640" dia.  
Material: Cast Brass  
Material Options: Cast Aluminum



Small Tree Mount Canopy  
**FA24TC**  
Size: .50" x 3.00"  
Material: Cast Brass  
Material Options: Cast Aluminum

For lengths see FA24STRAP



Medium Tree Mount Canopy  
**FA24MDCSTT10**  
Size: 1.38" x 2.640"  
Material: Cast Brass  
Material Options: Cast Aluminum



Large Domed Canopy  
**FA24LG**  
Size: .875" x 4.50"  
Material: Cast Brass  
Material Options: Cast Aluminum



Large Cast Canopy  
**FA24LGCST**  
Size: 1.125" x 4.50" dia.  
Material: Cast Brass  
Material Options: Cast Aluminum



Large Cast Two Hole Canopy  
**FA24LGDHCST**  
Size: 1.125" x 4.50" dia.  
Material: Cast Brass  
Material Options: Cast Aluminum



Small Low Profile Canopy  
**FA24LP3BRS**  
Size: .63" x 3.00"  
Material: Brass  
Material Options: N/A



Rectangular Canopy  
**FA22CST/BRS**  
Size: 1.125" x 3.50" x 5.75"  
Material: Brass  
Material Options: Aluminum



Rectangular Two Hole Canopy  
**FA23CST**  
Size: 1.125" x 3.50" x 5.75"  
Material: Brass  
Material Options: Aluminum



Rectangular Canopy  
**FA22**  
Size: 2.90" x 4.60" x .60"  
Material: Aluminum  
Material Options: N/A



Rectangular Two Hole Canopy  
**FA23**  
Size: 2.90" x 4.60" x .60"  
Material: Aluminum  
Material Options: N/A

See TPS2 for lengths



Tree Mount  
**FA22TPS24BRT**  
Size: 2.89" x 4.63" x 2.68"  
Material: Aluminum  
Polyester Straps

For lengths see FA24STRAP



Tree Mount  
**FA22T10BRT**  
Size: 2.89" x 4.63" x 2.68"  
Material: Aluminum  
EPDM Rubber Straps



Tree Mount  
**FA111**  
Size: 1.75" x 5.50" x 1.50"  
Material: Brass  
Material Options: Aluminum



Junction Box  
**CFA111BRZ**  
Size: 1.75" x 5.50" x 1.50"  
Material: Brass  
Material Options: Aluminum/Composite



Small Junction Box  
**FA111SMH**  
Size: 1.50" x 2.875" x 1.125"  
Material: Copper  
Material Options: Aluminum/BRS

# Focus Accessories

Lens Holders, Grates, Eyebrows, and Trims (Aluminum-AL, Brass-BRS, Stainless Steel-SS)

## CANOPIES, JUNCTION BOXES, AND ADAPTERS CONTINUED



Surface Junction Box  
**FA111SM**  
Size: 1.50" x 2.875" x 1.125"  
Material: Aluminum  
Material Options: Brass



Y-Adapter  
**FAYAD**  
Size: 1.65" x 2.25"  
Material: Aluminum  
Material Options: N/A



T-Adapter  
**FATAD**  
Size: 3.45" x 3.00" x 1.25"  
Material: Brass  
Material Options: Aluminum  
x2 1/2" NPS Female x 1/2" NPS Male



Tree Mount Bracket  
**FATB2A**  
Size: 1.21" x 5.00"  
Material: Brass  
Material Options: Aluminum  
1/2" Female NPS

## STAKES, WANDS, AND STRAPS



Telescopic Stake  
**FA01**  
Size: Adjustable Height x  
Material: Brass  
Material Options: Aluminum



24in Telescopic Stake  
**FA012F**  
Size: 1.60" x 3.38" dia.  
Material: Brass  
Material Options: N/A



Ground Stake  
**FA03**  
Size: 8.40" x 1.95" dia.  
Material: ABS  
Material Options: N/A  
1/2" NPS Female



Large Ground Stake  
**FA03LG**  
Size: 9.06" x 3.00" dia.  
Material: ABS  
Material Options: N/A  
1/2" NPS Female



Small Ground Stake  
**FA03RX**  
Size: 7.58" x 1.94" dia.  
Material: Brass  
Material Options: Aluminum



2 Prong Stake  
**FA032P**  
Size: 6.50" x 3.50" dia.  
Material: Stainless Steel  
1/2" NPS Female



3 Prong Stake  
**FA023P**  
Size: 6.50" x 3.50" dia.  
Material: Stainless Steel  
1/2" NPS Female



Mounting Post  
**FA24MDCSTPOST**  
Size: 13.00" x 2.26" dia.  
Material: ABS with Brass Cap  
Material Options: Aluminum



Telescopic Stake  
**FA24MDCSTPOST2**  
Size: 16.00" + 12.00" x 2.26" dia.  
Material: ABS with Brass Cap  
Material Options: Aluminum



Mounting Pedestal  
**C/FA25(12v) C/FA26(120v)**  
Size: 20.00" x 3.00"  
Material: ABS with Brass Cap  
Material Options: Aluminum/Composite




Mounting Pedestal  
**C/FA26GFC**  
Size: 20.00" x 3.00"  
Material: ABS with Aluminum Cap  
Material Options: Brass/Composite  
Included: GFC duplex with weatherproof cover



Mounting Pedestal  
**FA2260WLEDBAR**  
Size: 20.00" x 3.00"  
Material: Aluminum  
Material Options: Brass/Composite  
Included: 60w, 120v LED Driver




Mounting Pedestal  
**C/FA26TMS1 C/FA26TMS2**  
Size: 20.00" x 3.00"  
Material: ABS  
Included: GFC duplex with weatherproof cover



1/2in NPS Extension Wands w/ Coupler  
**FA30/31/32/33/34**  
Size: 1/2" NPS x Length Listed Above  
Material: Brass  
Material Options: Aluminum



Polyester Straps  
**TPS2 / TPS22**  
Size: Lengths from 2' to 8'  
Material: Polyester w/ Plastic Buckle  
Options: 1.00" or 2.00" straps



Rubber Strap for Tree Canopy  
**FA24STRAP**  
Size: Lengths from 10.00" to 41.00"  
Material: EPDM Rubber  
Stretches up to 10.00" greater than size

# Focus LED's

Plug N Plays

12v | 120v | 277v

## 3W OMNI3 LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDOMNI3SC	3w SC (Single Contact)	L8	3000K/160LM	50,000
FLLEDOMNI3BP	3w G4 Bi-Pin	L6	3000K/160LM	50,000

## 3W OMNI3SS SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDOMNI3SS	3w SC (Single Contact)	L12	3000K/300LM	50,000
FLLEDOMNI3SSBP	3w G4 Bi-Pi	L10	3000K/300LM	50,000

## 3W OMNI3G2SS SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDOMNI3G2SS27K	3w SC (Single Contact)	L15	2700K/270LM	50,000
FLLEDOMNI3G2SSBP27K	3w G4 Bi-Pin	L13	2700K/270LM	50,000
FLLEDOMNI3G2SS	3w SC (Single Contact)	L16	3000K/270LM	50,000
FLLEDOMNI3G2SSBP	3w G4 Bi-Pin	L14	3000K/270LM	50,000
FLLEDOMNI3SSTF	3w SC (Single Contact) TF	L18	AMBER/180LM	50,000
FLLEDOMNI3SSBPTF	3w G4 Bi-Pin TF	L17	AMBER/180LM	50,000

## 1.5W LEDG4BP1.5 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDG4BP1.5	1.5w G4 Bi-Pin	L2	3000K/100LM	50,000

## 2W OMNI2MINISSBP SUPER SAVER (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDOMNI2MINISSBP27K	2w G4 Bi-Pin	L3	2700K/180LM	50,000
FLLEDOMNI2MINISSBP	2w G4 Bi-Pin	L4	3000K/180LM	50,000

## 3W OMNI3120SSBP SUPER SAVER LED (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDOMNI3120SSBP	3w GY 6.35 Bi-Pin	L160	3000K/400LM	50,000

## 1.5W MR8 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR8NL	1.5w G4 Bi-Pin 120°	L74	3000K/65LM	25,000

## 2.5W MR11 SUPER SAVER LED (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR1115	2.5w G4 Bi-Pin 15° Spot	L66	3000K/170LM	50,000
FLLEDMR1138	2.5w G4 Bi-Pin 38° Flood	L68	3000K/170LM	50,000

## PLUG N PLAY'S

### 3W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS3W15	3w MR16 GU5.3 Bi-Pin 15°	L22	3000K/270LM	40,000
FLLEDMR16SS3W36	3w MR16 GU5.3 Bi-Pin 36°	L24	3000K/270LM	40,000
FLLEDMR16SS3W80	3w MR16 GU5.3 Bi-Pin 80°	L26	3000K/270LM	40,000

### 5W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS5W15	5w MR16 GU5.3 BP 15°	L34	3000K/450LM	40,000
FLLEDMR16SS5W36	5w MR16 GU5.3 BP 36°	L36	3000K/450LM	40,000
FLLEDMR16SS5W80	5w MR16 GU5.3 BP 80°	L38	3000K/450LM	40,000
FLLEDMR16SS5W36TF	5w MR16 GU5.3 BP TF	L40	AMBER/150LM	40,000

### 7W MR16 SUPER SAVER (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS7W15	7w MR16 GU5.3 BP 15°	L46	3000K/550LM	40,000
FLLEDMR16SS7W36	7w MR16 GU5.3 BP 36°	L48	3000K/550LM	40,000
FLLEDMR16SS7W80	7w MR16 GU5.3 BP 80°	L50	3000K/550LM	40,000

### 3W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS1203W15	3w MR16 GU10 15°	L106	3000K/270LM	40,000
FLLEDMR16SS1203W36	3w MR16 GU10 36°	L108	3000K/270LM	40,000
FLLEDMR16SS1203W80	3w MR16 GU10 80°	L110	3000K/270LM	40,000

### 5W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS1205W15	5w MR16 GU10 15°	L114	3000K/450LM	40,000
FLLEDMR16SS1205W36	5w MR16 GU10 36°	L116	3000K/450LM	40,000
FLLEDMR16SS1205W80	5w MR16 GU10 80°	L118	3000K/450LM	40,000
FLLEDMR16SS1205W36TF	5w MR16 GU10 36° TF	L119	AMBER/150LM	40,000

### 7W MR16 SUPER SAVER (DIMMABLE)

120V



GU10

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16SS1207W15	7w MR16 GU10 15°	L124	3000K/550LM	40,000
FLLEDMR16SS1207W36	7w MR16 GU10 36°	L126	3000K/550LM	40,000
FLLEDMR16SS1207W80	7w MR16 GU10 80°	L128	3000K/550LM	40,000

### 8.5W MR16 (DIMMABLE)

12V



BP

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDMR16GC85D3015	8.5w MR16 GU5.3 BP 15°	L58	3000K/580LM	25,000
FLLEDMR16GC85D3035	8.5w MR16 GU5.3 BP 35°	L60	3000K/580LM	25,000

DISCONTINUED WHEN SOLD OUT

### 15W AR111 SUPER SAVER (DIMMABLE)

12V



TERMINAL LUG

CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDAR111SS15W15	15w AR111 15°	L96	3000K/1350LM	40,000
FLLEDAR111SS15W40	15w AR111 40°	L98	3000K/1350LM	40,000

# PLUG N PLAY'S

## 10W PAR36 SUPER SAVER (DIMMABLE)

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP361315	10w PAR36 15°	L84	3000K/400LM	50,000
FLLEDP361338	10w PAR36 38°	L88	3000K/400LM	50,000

TERMINAL LUG

## 7W PAR16 SUPER SAVER (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP1624	7w PAR16 24°	L132	3000K/550LM	40,000
FLLEDP1636	7w PAR16 36°	L134	3000K/550LM	40,000

MEDIUM BASE

## 8W PAR20 SUPER SAVER (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP2012015	8w PAR20 15°	L144	3000K/600LM	50,000
FLLEDP2012036	8w PAR20 36°	L146	3000K/600LM	50,000

MEDIUM BASE

## 10W PAR30 SUPER SAVER (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP3012015	10w PAR30 15°	L152	3000K/1000LM	25,000
FLLEDP3012036	10w PAR30 36°	L154	3000K/1000LM	25,000

MEDIUM BASE

## 15W PAR38 SUPER SAVER (DIMMABLE)

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP3812015	15w PAR38 15°	L162	3000K/1350LM	25,000
FLLEDP3812036	15w PAR38 36°	L164	3000K/1350LM	25,000

MEDIUM BASE

## 8W PAR20 MULTI-VOLT (NON-DIMMABLE)

120V-277V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP20SS15	8w PAR20 15°	L140	3000K/600LM	50,000
FLLEDP20SS36	8w PAR20 36°	L142	3000K/600LM	50,000

MEDIUM BASE

## 10W PAR30 MULTI-VOLT (NON-DIMMABLE)

120V-277V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP30SS15	10w PAR30 15°	L148	3000K/1000LM	50,000
FLLEDP30SS36	10w PAR30 36°	L150	3000K/1000LM	50,000

MEDIUM BASE

## 15W PAR38 MULTI-VOLT (NON-DIMMABLE)

120V-277V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP38SS15	15w PAR38 15°	L156	3000K/1350LM	50,000
FLLEDP38SS36	15w PAR38 36°	L158	3000K/1350LM	50,000


MEDIUM BASE



# INTEGRATED

## 3W HALF MOON LED MODULE

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RPLEDM3W	3w HALF MOON	LEDM	2800K/300LM	50,000

## 7W/11W/15W/20W LED MODULE


12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RPLEDM7W	7w LED MODULE	LEDM7	28-3000K/450LM	50,000
RPLEDM11W	11w LED MODULE	LEDM11	28-3000K/600LM	50,000
RPLEDM15W	15w LED MODULE	LEDM15	28-3000K/900LM	50,000
RPLEDM20W	20w LED MODULE	LEDM20	28-3000K/1500LM	50,000

## 10W LED MODULE


120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDM1027MV	10w LED MODULE	LEDM1027	2700K/1000LM	50,000
FLLEDM1030MV	10w LED MODULE	LEDM1030	3000K/1000LM	50,000
FLLEDM1041MV	10w LED MODULE	LEDM1041	4100K/1000LM	50,000

## 30W LED MODULE

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDM3027MV	30w LED MODULE	LEDM3027	2700K/3000LM	50,000
FLLEDM3030MV	30w LED MODULE	LEDM3030	3000K/3000LM	50,000
FLLEDM3041MV	30w LED MODULE	LEDM3041	4100K/3533LM	50,000

## 6W/13W LED MODULE

120V-277V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RFLM106R30120	6w LED MODULE		3000K/500LM	50,000
RFLM106R40120	6w LED MODULE		4000K/550LM	50,000
RFLM113R30120	13w LED MODULE		3000K/900LM	50,000
RFLM113R40120	13w LED MODULE		4000K/1000LM	50,000

## 14W/23W LED MODULE

120V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RFLM114R30120	14w LED MODULE		3000K/1350LM	50,000
RFLM114R40120	14w LED MODULE		4000K/1400LM	50,000
RFLM123R30120	23w LED MODULE		3000K/1850LM	50,000
RFLM123R40120	23w LED MODULE		4000K/1900LM	50,000

## 2W LED STRIP

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RPLEDs2W	2W LED STRIP	LEDS	2700K/140LM	50,000
RPLEDs2WTF	2W LED STRIP TURTLE	LEDSTF	AMBER/590NM	50,000

## 4W LED STRIP

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
RPLEDs4W	4W LED STRIP	LEDS	2700K/245LM	50,000
RPLEDs4WTF	4W LED STRIP TURTLE	LEDSTF	AMBER 590NM	50,000

# INTEGRATED

## 4W ROUND EGG LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP4W35002	4W LED PANEL	LEDP	3000K/300LM	50,000
FLLEDP4W3500252	4W LED PANEL	LEDP52	5200K/320LM	50,000

## 4W LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP4W35001	15w PAR38 15°	LEDP	3000K/350LM	50,000
FLLEDP4W3500152	4W LED PANEL	LEDP52	5200K/380LM	50,000

## 5W LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP5W35001	5W LED PANEL	LEDP	3000K/350LM	40,000
FLLEDP5W3500152	5W LED PANEL	LEDP52	5200K/380LM	40,000

## 8W LED PANEL

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP8W70001	8W LED PANEL	LEDP	3000K/630LM	40,000
FLLEDP8W7000152	8W LED PANEL	LEDP52	5200K/680LM	40,000

## 8W LED ROUND PANEL

12V



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP8W70002	8W LED PANEL	LEDP	3000K/630LM	50,000
FLLEDP8W7000252	8W LED PANEL	LEDP52	5200K/680LM	50,000

## 12W LED PANEL

12v



CATALOG NUMBER	DESCRIPTION	L#	CCT/LUMENS	HOURS
FLLEDP12W	12w LED PANEL	LEDP	3000K/1080LM	50,000
FLLEDP12W52	12w LED PANEL	LEDP52	5200K/1160LM	50,000



# Finishes Reference Guide

## STANDARD POWDER COAT FINISHES



**Black Texture  
(BLT)**



**Bronze Texture  
(BRT)**



**Dark Bronze  
(DBZ)**



**Black Magic  
(BKM)**

## PREMIUM FINISHES

## OPTIONAL POWDER COAT FINISHES



**Chrome Powder  
(CPR)**



**Weathered Iron  
(WIR)**



**Weathered Brown  
(WBR)**



**Rust  
(RST)**




**Hunter Texture  
(HTX)**



**LUNA  
(LUN)**



**White Gloss  
(WHT)**



**White Texture  
(WTX)**



**Rubbed Verde  
(RBV)**



**Stucco  
(STU)**

## ACID FINISHES Brass and Copper fixtures only



**Acid Rust  
Copper (CAR)  
Brass (BAR)**



**Black Acid Treatment  
Copper (BAT)  
Brass (BAT)**



**Acid Verde  
Copper (CAV)  
Brass (BAV)**

Finishes over Brass and Copper are considered custom, and therefore non-returnable.



## CONTACT US

[www.focusindustries.com](http://www.focusindustries.com)  
(949)830-1350 | Toll Free: (888)882-1350  
[orders@focusindustries.com](mailto:orders@focusindustries.com)  
[marketing@focusindustries.com](mailto:marketing@focusindustries.com)

**STAY FOCUSED — WE'LL MAKE IT YOUR WAY!**

FOCUS INDUSTRIES, INC. © VISUAL PRODUCT INDEX