

DL21 LED DIRECTIONAL LIGHT SPEC SHEET

DL21

PROJECT: _____ TYPE: _____ DATE: _____

CATALOG NUMBER: _____



DL21L24BLT

CATALOG ORDER LOGIC

EXAMPLE: DL21L24BLT

FIXTURE

DL

TYPE

21

DOWN LIGHT OPTION

D

12 VOLT LED WATT SOCKET DEGREE KELVIN LUMEN

<input type="checkbox"/> NL (No Lamp)					
<input type="checkbox"/> NLBP (No Lamp)		GU5.3 Bi-Pin			
<input type="checkbox"/> L22	3w	GU5.3 Bi-Pin	15°	3000K	270lm
<input type="checkbox"/> L24	3w	GU5.3 Bi-Pin	36°	3000K	270lm
<input type="checkbox"/> L26	3w	GU5.3 Bi-Pin	80°	3000K	270lm
<input type="checkbox"/> L34	5w	GU5.3 Bi-Pin	15°	3000K	450lm
<input type="checkbox"/> L36	5w	GU5.3 Bi-Pin	36°	3000K	450lm
<input type="checkbox"/> L38	5w	GU5.3 Bi-Pin	80°	3000K	450lm
<input type="checkbox"/> L40	5w	GU5.3 Bi-Pin	36°	Amber	585-595nm
<input type="checkbox"/> L46	7w	GU5.3 Bi-Pin	15°	3000K	550lm
<input type="checkbox"/> L48	7w	GU5.3 Bi-Pin	36°	3000K	550lm
<input type="checkbox"/> L50	7w	GU5.3 Bi-Pin	80°	3000K	550lm

120 VOLT LED WATT SOCKET DEGREE KELVIN LUMEN

<input type="checkbox"/> NL (No Lamp)					
<input type="checkbox"/> NL120V		GU10			
<input type="checkbox"/> L106	3w	GU10	15°	3000K	270lm
<input type="checkbox"/> L108	3w	GU10	36°	3000K	270lm
<input type="checkbox"/> L110	3w	GU10	80°	3000K	270lm
<input type="checkbox"/> L114	5w	GU10	15°	3000K	450lm
<input type="checkbox"/> L116	5w	GU10	36°	3000K	450lm
<input type="checkbox"/> L118	5w	GU10	80°	3000K	450lm
<input type="checkbox"/> L119	5w	GU10	36°	Amber	585-595nm
<input type="checkbox"/> L124	7w	GU10	15°	3000K	550lm
<input type="checkbox"/> L126	7w	GU10	36°	3000K	550lm
<input type="checkbox"/> L128	7w	GU10	80°	3000K	550lm

OPTIONS

- NS No Stake
- 25F 25 Foot Fixture Lead Wire

FINISH (standard finishes listed)

- BLT Black Texture (Standard) More powder coat options, see page 4
- BRT Bronze Texture (Standard) More powder coat options, see page 4

Premium and Acid Finishes (See page 4 for more color options)
 Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)

SHIP WEIGHT

Aluminum 6100 (2.0lbs)

ADDITIONAL INFORMATION

- LED's are dimmable with Triac dimming




landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM

DESIGNED
 MANUFACTURED
 IN THE USA





DL21 LED DIRECTIONAL LIGHT SPEC SHEET

DL21

PROJECT:	TYPE:	DATE:
CATALOG NUMBER:		


SPECIFICATIONS

INTERNALS	VOLTAGE	12V-120V
	LED	MR16 Super Saver LED
	WATTAGE	3W / 5W / 7W
	LUMENS	270lm (3w) / 450lm (5w) / 550lm (7w)
	WIRING	12V Black, 3 foot 18/2 zip cord from base of fixture. For 25ft 16/2 fixture lead wire add (-25F) to catalog number (12V Only)
	LENS	High impact clear tempered convex glass
	O-RING	70 Durometer 400° Purple silicone
	OPTICS	Based on bulb used (15° / 36° / 80°)
EXTERNALS	HOUSING	Extruded Aluminum, Brass, Composite
	SWIVEL	Cast Aluminum, Cast Brass, Composite (240° rotation)
	CAP	Matching Aluminum, Brass, Composite
	MOUNT	For 12V: FA03 Black ABS 9" Stake - Aluminum version (standard); FA03LG Large Black ABS 9" Stake For 120V-277V: Mounting options not supplied. Order separately FA26 Post or other outdoor rated mount
	FINISH	Aluminum: Black Texture Polyester Powder Coat (More options available on page 8)
	LISTINGS	IP66. Indoor/Outdoor use. Suitable for wet locations



FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM





DL21 LED DIRECTIONAL LIGHT SPEC SHEET

DL21

PROJECT:

TYPE:

DATE:


CATALOG NUMBER:

DIMENSIONS



Dimensions Shown with FA03 Stake


12-Volt



MOUNTING OPTIONS


Dimensions Shown with FA03 Stake

12-Volt




Dimensions Shown with FA2660W Post (12V-277V)

12-277-Volt




Dimensions Shown with FAJBox (12V-277V)

12-277-Volt



Dimensions Shown with FA24LG (12V-277V)

12-277-Volt



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





DL21 LED DIRECTIONAL LIGHT SPEC SHEET

DL21

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

ACCESSORIES


(Configure and order accessories separately)

Stakes




FA03 8.75" (12v)	FA03LG 8.875" (12v)	FA03RX 7.00" (12v)	FA032P 8.235" (12v)	FA033P 8.235" (12v)
------------------------	---------------------------	--------------------------	---------------------------	---------------------------

Mounting Posts



FA01 15.00" (12v)	FA24MDCSTPOST 13.00" to 16.00" (12v)	FA25 20.00" (12v)	FA26 20.00" (120-277v)
-------------------------	--	-------------------------	------------------------------

Extension Wands & Couplers



FA30-4 4.00"	FA30-8 8.00"	FA30 10.00"	FA31 13.00"	FA32 16.00"	FA33 21.00"	FA34 26.00"
(12-277v)						

Canopies & Adapters



FA24/BRS 3.00" dia. (12v)	FA24MDCST/BRS 2.65" dia. (12v)	FA24MDCSTPC/BRS 2.65" dia. (12v)	FA24MD (12v)	FA24LGSPUN/BRS 4.75" dia. (12v)	FA24LGCST/BRS 4.75" dia. (12-277v)
---------------------------------	--------------------------------------	--	-----------------	---------------------------------------	--




FA24LGDHBR (12-277v)	FA23CST (12-277v)	FATAD (12-277v)	FA22LGCST/BRS 5.75" (12-277v)
-------------------------	----------------------	--------------------	-------------------------------------

Tree Mounts



FA22TREE (12-277v)	FA24MDCSTTREE (12v)	FA24T (12v)
-----------------------	------------------------	----------------



C/FA111TPS (12-277v)	C/FA111T (120-277v)	C/FA111 (12-277v)
-------------------------	------------------------	----------------------

Lenses



FA11BLUE (Color Glass Lens)	FA11GREEN (Color Glass Lens)	FA11AMBER (Color Glass Lens)	FA11RED (Color Glass Lens)
--------------------------------	---------------------------------	---------------------------------	-------------------------------



FA104SB (Sand Blasted Lens)	FA98 (Linear Lens)	FA0821 (Hex Cell Louver)
--------------------------------	-----------------------	-----------------------------

Direct Burials & JBoxes



DBR55JB (12-277v)	FA-JBOX (12-277v)
----------------------	----------------------




landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED
MANUFACTURED
IN THE USA





DL21 LED DIRECTIONAL LIGHT SPEC SHEET

DL21

PROJECT: _____ TYPE: _____ DATE: _____

CATALOG NUMBER: _____

LED DATA

12v MR16 DATA




L#	CCT	CRI	WATTS	LUMENS	RATED HOURS
L22	2700K	80	3	270	40,000
L24	2700K	80	3	270	40,000
L26	2700K	80	3	270	40,000
L34	2700K	80	5	450	40,000
L36	2700K	80	5	450	40,000
L38	2700K	80	5	450	40,000
L40	Amber	~	5	(585-595nm)	40,000
L46	2700K	80	7	550	40,000
L48	2700K	80	7	550	40,000
L50	2700K	80	7	550	40,000

120v MR16 DATA


L#	CCT	CRI	WATTS	LUMENS	RATED HOURS
L106	2700K	80	3	270	40,000
L108	2700K	80	3	270	40,000
L110	2700K	80	3	270	40,000
L114	2700K	80	5	450	40,000
L116	2700K	80	5	450	40,000
L118	2700K	80	5	450	40,000
L119	Amber	~	5	(585-595nm)	40,000
L124	2700K	80	7	550	40,000
L126	2700K	80	7	550	40,000
L128	2700K	80	7	550	40,000

FINISHES

STANDARD FINISHES



PREMIUM FINISHES



CUSTOM FINISHES

RAL #: _____
 Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #: _____
 Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM

