

SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



SL20MDLLEDM283040



SL20MDGLEDM283040BRT



**SL20MDLLEDM283040BRT
with FA135MD (Eyebrow)**

CATALOG ORDER LOGIC

EXAMPLE: SL20MDGNLMBAB

FIXTURE

SL Specialty Light

SERIES

20

SIZE

MD Medium

OPTIONS

- L Lens Holder
- G Grate

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
<input type="checkbox"/> NL (No Lamp)	~	None	~	~	~
<input type="checkbox"/> NLMB	~	E26 Medium Base	~	~	~
<input type="checkbox"/> L144 (PAR20)	8w	E26 Medium Base	15°	3000K	600lm
<input type="checkbox"/> L146 (PAR20)	8w	E26 Medium Base	36°	3000K	600lm

120-277 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
<input type="checkbox"/> L140 (PAR20)	8w	E26 Medium Base	15°	3000K	600lm
<input type="checkbox"/> L142 (PAR20)	8w	E26 Medium Base	36°	3000K	600lm

120 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> LEDM28	28w	~	2700K	2600lm
<input type="checkbox"/> LEDM28	28w	~	3000K	3000lm

OPTICS (Optics for 28w LED module only)

- 15 (15° Spot)
- 40 (40° Narrow Flood)
- 60 (60° Flood)
- 160 (160° Wide Flood, No Optic)

120 VOLT LED	WATT	SOCKET	BEAM ANGLE	KELVIN	LUMEN
<input type="checkbox"/> L106	3w	GU10	15°	2700K	270lm
<input type="checkbox"/> L108	3w	GU10	36°	2700K	270lm
<input type="checkbox"/> L110	3w	GU10	80°	2700K	270lm
<input type="checkbox"/> L114	5w	GU10	15°	2700K	450lm
<input type="checkbox"/> L116	5w	GU10	36°	2700K	450lm
<input type="checkbox"/> L118	5w	GU10	80°	2700K	450lm
<input type="checkbox"/> L124	7w	GU10	15°	2700K	550lm
<input type="checkbox"/> L126	7w	GU10	36°	2700K	550lm
<input type="checkbox"/> L128	7w	GU10	80°	2700K	550lm

INTERNAL OPTIONS

- AB Aiming Bracket (To be used with NLMB version)


FINISH (standard finishes listed)

- BRT (Aluminum- Bronze Texture)
 - BLT (Aluminum- Black Texture)
 - BRS (Unfinished- Brass)
- Premium and Acid Finishes (See page 4 for more color options)
Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELI LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:


DIMENSIONS

Dimensions Shown with Lens Holder

Place 3in Minimum Above Grade


Dimensions Shown with Grate

Place 3in Minimum Above Grade



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELL LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:


CATALOG NUMBER:

SPECIFICATIONS

INTERNALS	VOLTAGE	120v / 120v-277v
	WATTAGE	MR16 (3w, 5w, 7w) PAR20 (8w) LED Modules (10w, 28w, 30w)
	LED	PAR20: (L140[120-277v], L142[120-277v], L144[120v], L146[120v]) 10w LED module: (LEDM10 [120-277v]), 30w LED module: (LEDM30 [120-277v]) 28w LED module [120v] MR16 Super Saver LED (L106, 108, 110, L114, L116, L118, L119, L124, L126, L128 [120v])
	LUMENS	3w MR16: 270lm, 5w MR16 450lm, 7w MR16: 550lm, PAR20: 600lm, 28w LED Module: 2600lm (2700k) / 3000lm (3000K)
	CCT	MR16: 3w (2700K), 5w (2700K), 7w (2700K) PAR20: 3000K 10w/30w LED module: 2700K, 3000K, 4100K 28W LED module: 2700K, 3000K
	WIRING	120v: 48" 18AWG black, white, and green (ground) 120v-277v: 18AWG black, white, and green (ground)
	GASKET	Close cell sponge, 4.75" square x .190"th, center cut out, 2 holes, PSA 1-side
	SOCKET	E26 medium base (For PAR20 version only)
	BRACKET	Medium base 120v adjustable bracket assembly (For Par20 version only)
	HEAT SINK	Pin fin heat sink. Aluminum 1070, surface treatment black anodized (LED Modules Only)
EXTERNALS	BUCKET	Composite BMC Bronze well light bucket
	MATERIALS	Aluminum, Brass, Composite
	LENS	Convex glass lens, clear tempered, 155mm x 28mm, ±.5mm
	FINISH	Aluminum: Standard finishes (BLT/BRT: Black or Bronze texture) More finishes available, see page 5 Brass: Standard unfinished (Acid treatments available, see page 5)
	LISTINGS	IP65. Indoor/Outdoor use. Suitable for wet locations
   <p>Click icon to Download</p>		



FOCUS INDUSTRIES INC.
 25301 COMMERCENTRE DRIVE
 LAKE FOREST, CA. 92630
 949.830.1350 | TOLL FREE: 888.882.1350
 WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELI LIGHT 120VOLTS

SL20MD

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:

ACCESSORIES

(Configure and order accessories separately)

Lenses



FA35SL20MDRED
(Red Color Glass Lens)



FA35SL20MDAMBER
(Amber Color Glass Lens)



FA35SL20MDGREEN
(Green Color Glass Lens)



FA35SL20MDBLUE
(Blue Color Glass Lens)



FA10SGSL20MDSB
(Sand Blasted Lens)




FA08SL20MD
(Hex Cell Louver)



FA10SGSL20MD
(Clear Flat Glass Lens)

Lens Holders & Eyebrows



FA133-BLT/-BRS
(Blue Color Glass Lens)



FA134-BLT/-BRS
(Blue Color Glass Lens)



FA135-BLT / -BRS
(Blue Color Glass Lens)

Trims



FA133MDTR2
(TR2 Aiming Trim)




FA133MDTR1
(TR1 Stationary Trim)



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELI LIGHT 120VOLTS

SL20MD

PROJECT: _____ TYPE: _____ DATE: _____

CATALOG NUMBER: _____

LED DATA

120v PAR20 DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L144	3000K	80+	8	600	25,000	120V
L146	3000K	80+	8	600	25,000	120V

120-277v PAR20 DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L140	3000K	80+	8	600	50,000	120-277V
L142	3000K	80+	8	600	50,000	120-277V

120v LED MODULE DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
LEDM28	2700K	70+	28	2500	50,000	120V
LEDM28	3000K	80+	28	2700	50,000	120V

120v MR16 LED DATA

L#	CCT	CRI	WATTS	LUMENS	RATED HOURS	VOLTAGE
L108	2700K	83+	3	270	50,000	120V
LL116	2700K	83+	5	450	50,000	120V
L126	2700K	83+	7	550	50,000	120V

OPTICS

OPTICS	ANGLE
SP - Spot	15°
FL - Flood	40°
WFL - Wide Flood	60°
VWFL - Very Wide Flood	160° No Optics

FINISHES

STANDARD FINISHES



Black Texture (-BLT)

Bronze Texture (-BRT)

PREMIUM FINISHES



Black Magic (-BKM)

Dark Bronze (-DBZ)

CUSTOM FINISHES Supply RAL or Pantone here

RAL #: _____

Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #: _____

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

OPTIONAL POWDER COAT FINISHES



Chrome Powder (-CPR)

Hunter Texture (-HTX)

Luna (-LUN)

Mineral Bronze (-BRZ)

Rubbed Verde (-RBV)



Rust (-RST)



Stucco (-STU)



Weathered Iron (-WIR)



Weathered Brown (-WBR)



White Gloss (-WHT)



White Texture (-WTX)

ACID FINISHES Brass and Copper fixtures only



Acid Rust Brass (-BAR)
Copper (-CAR)

Black Acid Treatment Brass (-BAT)
Copper (-BAT)

Acid Verde Brass (-BAV)
Copper (-CAV)



SCAN FOR FULL SIZE
COLOR SWATCHES



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM