

SL20 MEDIUM WELI LIGHT 12 VOLTS

PROJECT:

CATALOG NUMBER:

ALUM

SL20MDLLEDM740



SL20MDGLEDM1115BRT



SL20MDLLEDM1540BRT with FA135MD (Eyebrow)

DER LOGIC	SI 20MD			
	312010100	5225141740		
	Specialty I	iaht		
	opoolaity			
	Medium			
	Lens Holde Grate	er		
ODULE	WATT	SOCKET	KELVIN	LUMEN
	7w 11w 15w 20w	~ ~ ~ ~	2800K 2800K 2800K 2800K	560lm 960lm 1280lm 1800lm
for I FD module	es only)			
	(15° Spot) (40° Narro (60° Flood))	
WATT	SOCKET	BEAM ANG	LE KELVIN	LUMEN
3w 3w 5w 5w 5w	GU5.3 GU5.3 GU5.3 GU5.3 GU5.3 GU5.3 GU5.3	15° 36° 80° 15° 36° 80° 15°	2700K 2700K 2700K 2700K 2700K 2700K 2700K	2701m 2701m 2701m 4501m 4501m 5501m
	WATT 3w 3w 3w 5w 5w 5w 5w	SL2OMDO Specialty L Specialty L Medium Lens Holde Grate IODULE WATT 7w 11w 15w 20w for LED modules only) (15° Spot) (40° Narro (60° Flood (160° Wide WATT SOCKET 3w GU5.3 3w GU5.3 3w GU5.3 5w GU5.3	SL2OMDGLEDM740 Specialty Light Specialty Light Medium Lens Holder Grate IODULE WATT SOCKET 7w ~ 11w ~ 15w ~ 20w ~ for LED modules only (15° Spot) (40° Narrow Flood) (60° Flood) No Optic WATT Spot Spot Nicolo No Optic WATT Spot Nicolo	SL20MDGLEDM740 Specialty Light Specialty Light Medium Lens Holder Grate DOULE WATT Yw ~ 7w ~ 11w ~ 2800K 15w ~ 20w ~ 20w ~ 60° Flood) (60° Flood) (160° Wide Flood, No Optic) XMATT SOCKET WATT SCKET Xu SUNK Su GU5.3 3w GU5.3 3w GU5.3 3w GU5.3 Sw GU5.3 Sw GU5.3 Sw GU5.3 Sw GU5.3 Sw GU5.3

TYPE:

INTERNAL OPTIONS

Aiming Bracket (To be used with NLMB version)

FINISH (standard finishes listed)

BRT BLT

BRS

🗌 AB

(Aluminum- Bronze Texture)

- (Aluminum- Black Texture)
- (Unfinished-Brass)

Premium and Acid Finishes (See page 4 for more color options) Pantone & RAL Colors (Enter RAL or Pantone number at end of part number)



FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM


	SL20 MEDIUM WELI LIGHT 12 VOLTS		SL20MD
	PROJECT:	TYPE:	DATE:
	CATALOG NUMBER:		
	DIMENSIONS		

Dimensions Shown with Lens Holder

Place 3in Minimum Above Grade

Dimensions Shown with Grate

Place 3in Minimum Above Grade





FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 I TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM



SL20 MEDIUM WELI LIGHT 12 VOLTS

PROJECT:

TYPE:

CATALOG NUMBER:


SPECIFICATI	ONS	
INTERNALS	VOLTAGE	12v
	WATTAGE	MR16 (3w, 5w, 7w) PAR20 (8w) LED Modules (10w, 28w, 30w)
	LED	MR16 Super Saver LED: 3w [12v], 5w [12v], 7w [12v] (Turtle Friendly Options Available) LED Modules: 7w [12v], 11w [12v], 15w [12v], 20w [12v]
	LUMENS	3w MR16: 270Im, 5w MR16 450Im, 7w MR16: 550Im, LED Modules: 7w (560Im) 11w (960Im) 15w (1280Im) 20w (1800Im)
	ССТ	MR16: 3w (2700K), 5w (2700K), 7w (2700K) LED Module: 7w (2800K), 11w (2800K), 15w (2800K), 20w (2800K)
	WIRING	12v: 48.00" Black 18 AWG SPT1-W,300V UL
	GASKET	Close cell sponge, 4.75" square x .190"th, center cut out, 2 holes, PSA 1-side
	SOCKET	GU5.3 Bi-Pin (For MR16 version only)
	HEAT SINK	Pin fin heat sink. Aluminum 1070, surface treatment black anodized (LED Modules Only)
EXTERNALS	BUCKET	Composite BMC Bronze well light bucket
LATERINALS		
	MATERIALS	Aluminum, Brass, Composite
	LENS	Convex glass lens, clear tempered, 155mm x 28mm, ±.5mm
	FINISH	Aluminum: Standard finishes (BLT/BRT: Black or Bronze texture) More finishes available, see page 5 Brass: Standard unfinished (Acid treatments available, see page 5) Composite: Unfinished BMC bronze composite
	LISTINGS	IP65. Indoor/Outdoor use. Suitable for wet locations
IP65		
Intertek		
Click Icon to Download		



25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.

L





FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 I TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

SL20 MEDIUM WELI LIGHT 12 VOLTS

PROJECT:

LED DATA

CATALOG NUMBER:

12v MR16 DATA

ССТ	CRI	WATTS	LUMENS	RATED HOURS
2700K	80	3	270	40,000
2700K	80	3	270	40,000
2700K	80	3	270	40,000
2700K	80	5	450	40,000
2700K	80	5	450	40,000
2700K	80	5	450	40,000
Amber	~	5	(585-595nm)	40,000
2700K	80	7	550	40,000
2700K	80	7	550	40,000
2700K	80	7	550	40,000
	2700K 2700K 2700K 2700K 2700K 2700K 2700K 2700K 2700K	2700К 80 2700К 80	2700K 80 3 2700K 80 3 2700K 80 3 2700K 80 5 2700K 80 7 2700K 80 7 2700K 80 7	2700K 80 3 270 2700K 80 3 270 2700K 80 3 270 2700K 80 3 270 2700K 80 5 450 2700K 80 7 550 2700K 80 7 550 2700K 80 7 550

12v LED MODULE DATA

-	L#	ССТ	CRI	WATTS	LUMENS	RATED HOURS	
	LEDM7	2800K	80+	7	560	50,000	
	LEDM11	2800K	80+	11	960	50,000	
	LEDM15	2800K	80+	15	1280	50,000	
	LEDM20	2800K	80+	20	1800	50,000	

OPTICS

OPTICS	ANGLE
SP - Spot	15°
FL - Flood	40°
WFL - Wide Flood	60°
VWFL - Very Wide Flood	160° No Optics



FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 I TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM

THIS DOCUMENT CONTAINS INFORMATION PROPRIETY OF FOCUS INDUSTRIES, AND ITS POSSESSION DOES NOT GRANT ANY RIGHTS TO REPRODUCE, MANUFACTURE, SELL, OR DISCLOSE THE CONTENTS DESCRIBED IN THIS DOCUMENT. REPRODUCTION, DISCLOSURE, AND MANUFACTURING WITHOUT THE WRITTEN CONSENT AND AUTHORIZATION OF FOCUS INDUSTRIES IS STRICTLY FORBIDDEN.

L

TYPE:

DATE:

SL20 MEDIUM WELI LIGHT 12 VOLTS		SL20MD
PROJECT:	TYPE:	DATE:
CATALOG NUMBER:		

FINISHES

Black Texture

(-BLT)

Black Magic

(-BKM)

RAL #:

PANTONE #:





FOCUS INDUSTRIES INC. 25301 COMMERCENTRE DRIVE LAKE FOREST, CA. 92630 949.830.1350 | TOLL FREE: 888.882.1350 WWW.FOCUSINDUSTRIES.COM