

AL12 LED PANEL AREA LIGHT

AL12LEDP

PROJECT: TYPE: DATE:

CATALOG NUMBER:









AL12LEDPBLT (Aluminum Version)



AL12LEDPBRS (Brass Version)

CATALOG ORDER LOGIC

EXAMPLE: AL12LEDPBLT

FIXTURE

AL Area Light

TYPE

12 Mushroom hat (8"OD)

12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN	
LEDP	4w	-	3000K	480lm	
☐ LEDP52	4w	-	5200K	480lm	

120 VOLT OPTION

☐ 120V

120V includes external LED driver. Must be installed in a sealed FA26 mounting post or approved weatherproof junction box.

OPTIONS

25F 25 Feet Lead Wire (12V Only)

☐ NS No Stake

STEM OPTIONS

20" 20.00" Standard Stem Length

Custom Length (S)

(State Number of Inches On the Line Above)

FINISH (STANDARD FINISHES LISTED)

☐ BLT Aluminum: Black Texture polyester powder coat finish
☐ BRT Aluminum: Bronze Texture polyester powder coat finish

☐ BRS Brass: Unfinished

Optional powder coat & acid treatment finishes available. See page 3 for more information

SHIP WEIGHT / CARTON DIMENSIONS

Aluminum 6061 2 lbs. 20" x 6" x 6" Brass C27200 3 lbs. 20" x 6" x 6"

ADDITIONAL INFORMATION

Plug-N-Play LED options available.
 See AL12 spec sheet for more information





FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM





AL12 LED PANEL AREA LIGHT

AL12LEDP


PROJECT: TYPE: DATE:


CATALOG NUMBER:


DIMENSIONS

Dimensions Shown AL12BLT with FA03 Stake

Aluminum Version








Dimensions Shown AL12BRS with FA03LG Stake

Brass Version



SPECIFICAT	TIONS	
INTERNALS	VOLTAGE WIRING	12V: Standard 48" Black AWG 2/C,SPT1-W,300V UL (Power with magnetic transformer) 120V: 48" Standard 18g, black, white, green (ground) (Power with line voltage)
	DRIVER	12V: HW12535012LED - 4.9W 350mA LED DRIVER, 12V (9V-15V) AC/DC IN, 12V DC OUT, DIMMABLE 120V: HW126350120LED - 5W 350mA LED DRIVER, 120-277V IN, 12V DC OUT, DIMMABLE Must be sealed in FA26 mounting post or approved weatherproof jbox.
	CONNECTOR	Close ended cimp cap nylon, 22-14 AWG, Clear
EXTERNALS	НАТ	Die cast 6061 aluminum or C27200 brass china hat, 8.00" dia.
	нив	Die cast aluminum or brass LED hub.
	LENS	Clear acrylic tube, 1.75" OD \times 1.63" ID \times 0.063" wall \times 1.75" height (12V and 120V)
	STEM	Extrusion, aluminum 6061, round sch 40 pipe, .840" OD x .622"ID x 20.00" L x .109" W Extrusion, brass, C27200, round sch 40 pipe, .840" OD, .622" ID x 20.00" L x .109" W
	MOUNT (See page 3- for more options)	12V: Aluminum version: FA03 ABS black stake, 1/2-14" NPS tapped 12V: Brass version: FA03LG ABS black stake, 1/2-14" NPS tapped 120V: No mounting included
Click Icon to Download	FINISH (See page 3- for more options)	Aluminum: Black or Bronze Texture (Standard) Brass: Unfinished (Standard)
IP65	LISTINGS	IP65. IES files available for download.



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM





AL12 LED PANEL AREA LIGHT


AL12LEDP


PROJECT: TYPE: DATE:


CATALOG NUMBER:


ACCESSORIES

(Configure and order accessories separately) If ordering alternative mounting accessory, check (NS) No Stake box on page 1, to avoid double mounting accessories.









FINISH

STANDARD FINISHES



Black Texture (-BLT)



Bronze Texture (-BRT)

PREMIUM FINISHES



CUSTOM FINISHES Supply RAL or Pantone here

RAL#:

Need help finding a RAL color? https://www.ralcolor.com/

PANTONE #:

Need help finding a Pantone color? https://www.pantone.com/color-finder

ACID FINISHES Brass and Copper fixtures only



Acid Rust Brass (-BAR) Copper (-CAR)



Black Acid Treatment Brass (-BAT) Copper (-BAT)



Acid Verde Brass (-BAV) Copper (-CAV)



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

