

AL12 AREA LIGHT

AL12

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



AL12L12BLT
(Aluminum Version)



AL12L12BRS
(Brass Version)

CATALOG ORDER LOGIC

EXAMPLE: **AL12L12BRS**

FIXTURE

AL Area Light

TYPE

12 8" OD Mushroom Hat

12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL (No Lamp)		Ba15s Single Contact		
<input type="checkbox"/> NLBP (No Lamp)		G4 Bi-Pin		
<input type="checkbox"/> L10	3w	G4 Bi-Pin	3000K	300lm
<input type="checkbox"/> L12	3w	Ba15s Single Contact	3000K	300lm
<input type="checkbox"/> L13	3w	G4 Bi-Pin	2700K	270lm
<input type="checkbox"/> L14	3w	G4 Bi-Pin	3000K	270lm
<input type="checkbox"/> L15	3w	Ba15s Single Contact	2700K	270lm
<input type="checkbox"/> L16	3w	Ba15s Single Contact	3000K	270lm
<input type="checkbox"/> L17	3w TF	G4 Bi-Pin	Amber	585-595nm
<input type="checkbox"/> L18	3w TF	Ba15s Single Contact	Amber	585-595nm

(TF) Turtle Friendly Light Source

120 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL120VDC		Double Contact		
<input type="checkbox"/> NL120VBP		GY6.35 Bi-Pin		
<input type="checkbox"/> L160	3w	GY6.35 Bi-Pin	3000K	440lm

OPTIONS

- ☐ 25F 25 Foot Fixture Lead Wire
☐ NS No Stake

STEM OPTIONS

- 20" 20.00" Standard Stem Length
☐ Custom Length _____(S)
(State Custom Length On the Line Above)

FINISH (STANDARD FINISHES LISTED)

- ☐ BLT Aluminum: Black Texture
☐ BRT Aluminum: Bronze Texture
☐ BRS Brass: Unfinished

Optional powder coat & acid treatment finishes available. See page 3 for more information

SHIP WEIGHT / CARTON DIMENSIONS

Aluminum	3.0lbs	20" x 6" x 6"
Brass C27200	7.0lbs	20" x 6" x 6"

ADDITIONAL INFORMATION

- Integrated LED options available.
See AL12LEDP spec sheet for more information


IP65



FOCUS INDUSTRIES INC.
25301 COMMERCE CENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED.
MANUFACTURED.
IN THE USA.





AL12 AREA LIGHT

AL12

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

DIMENSIONS


Dimensions Shown AL12BLT with FA03 Stake

Aluminum Version



Dimensions Shown AL12BRS with FA03LG Stake

Brass Version



SPECIFICATIONS

INTERNALS	VOLTAGE WIRING	12V: Standard 36.00" Black AWG 2/C, SPT1-W, 300V UL (Power with magnetic transformer) 120V: Standard 18.00" 18g, black, white, green (ground) (Power with line voltage)
	CONNECTOR	Terminal ring star, insulated vinyl, 22-18 AWG #8, Red
EXTERNALS	HAT	Die cast 6061 aluminum or C27200 brass china hat, 8.00" dia x 4.50" H
	HUB	Die cast aluminum or brass center hub
	STEM	Extrusion, aluminum 6061, round sch 40 pipe, .840" OD x .622" ID x 20.00" L x .109" W Extrusion, brass, C27200, round sch 40 pipe, .840" OD, .622" ID x 20.00" L x .109" W
	MOUNT (See page 3- for more options)	12V: Aluminum version: FA03 ABS black stake, 1/2-14 NPS tapped 12V: Brass version: FA03LG ABS large black stake, 1/2-14 NPS tapped 120V: No mounting included
	FINISH (See page 3- for more options)	Aluminum: Black or Bronze Texture (Standard) Brass: Unfinished (Standard)
LISTINGS		IP65. IES files available for download.



Click Icon
to Download


IP65



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED.
MANUFACTURED.
IN THE USA.





AL12 AREA LIGHT

AL12

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

ACCESSORIES


(Configure and order accessories separately) If ordering alternative mounting accessory, check (NS) No Stake box on page 1, to avoid double mounting accessories.

Stakes




FA03 8.40" (12V)
FA03LG 8.80" (12V)
FA03RX 7.00" (12V)
FA032P 8.235" (12V)
FA033P 8.235" (12V)

Mounting Posts



FA01 15.00" (12V)
FA24MDCSTPOST 13.00" to 16.00" (12V)
FA25 20.00" (12V)
FA26 20.00" (120V-277V)

Extension Wands & Couplers



FA30-4 4.00" (120V-277V)
FA30-8 8.00" (120V-277V)
FA30 10.00" (120V-277V)
FA31 13.00" (120V-277V)
FA32 16.00" (120V-277V)
FA33 21.00" (120V-277V)
FA34 26.00" (120V-277V)

Canopies



FA24 3.00" dia. (12V)
FA24MDCST 2.65" dia. (12V)
FA24MDCSTPC 2.65" dia. (12V)
FA24LGSPUN 4.50" dia. (120V-277V)
FA24LGCST 4.75" dia. (120V-277V)
FA22CST 5.75" (120V-277V)

Sprinkler Shield



Note: Included in 120V
FA97 1.75" dia. (12V Option)

FINISH

STANDARD FINISHES



Black Texture (-BLT)
Bronze Texture (-BRT)

PREMIUM FINISHES



CUSTOM FINISHES

Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?

<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?

<https://www.pantone.com/color-finder>

ACID FINISHES

Brass and Copper fixtures only



Acid Rust Brass (-BAR)
Copper (-CAR)

Black Acid Treatment Brass (-BAT)
Copper (-BAT)

Acid Verde Brass (-BAV)
Copper (-CAV)



FOCUS INDUSTRIES INC.
25301 COMMERCE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED.
MANUFACTURED.
IN THE USA.

