

AL05 AREA LIGHT

AL05

PROJECT:


TYPE:

DATE:

CATALOG NUMBER:



AL05L12BLT
(Aluminum Version)



AL05L12BRS
(Brass Version)



CATALOG ORDER LOGIC

EXAMPLE: AL05L12BLT

Fixture

AL Area Light

Type

05 10" China Hat

12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL (No Lamp)		Ba15s Single Contact		
<input type="checkbox"/> NLBP (No Lamp)		G4 Bi-Pin	3000K	300lm
<input type="checkbox"/> L10	3w	G4 Bi-Pin	3000K	300lm
<input type="checkbox"/> L12	3w	Ba15s Single Contact	2700K	270lm
<input type="checkbox"/> L13	3w	G4 Bi-Pin	3000K	270lm
<input type="checkbox"/> L14	3w	G4 Bi-Pin	2700K	270lm
<input type="checkbox"/> L15	3w	Ba15s Single Contact	3000K	270lm
<input type="checkbox"/> L16	3w	Ba15s Single Contact	2700K	270lm
<input type="checkbox"/> L17	3w TF	G4 Bi-Pin	Amber	585-595nm
<input type="checkbox"/> L18	3w TF	Ba15s Single Contact	Amber	585-595nm

(TF) Turtle Friendly Light Source

120 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL120VDC		Ba15d Double Contact		
<input type="checkbox"/> NL120VBP		GY6.35 Bi-Pin	3000K	440lm
<input type="checkbox"/> L160	3w	GY6.35 Bi-Pin		

Note: FA97 Sprinkler shield included for 120V.

OPTIONS

25F 25 Feet Fixture Lead Wire (12V Only)
 NS No Stake

STEM OPTION

15" 15.00" Standard Stem Length

Custom Length _____ (S)
(State Number of Inches On the Line Above)

FINISH (STANDARD FINISHES LISTED)

BLT Aluminum: Black Texture Polyester Powder Coat
 BRT Aluminum: Bronze Texture Polyester Powder Coat
 BRS Brass Unfinished

Optional powder coat & acid finishes available. See page 3 for more information.

SHIP WEIGHT / CARTON DIMENSIONS

Aluminum 3.0lbs 14" x 10" x 6"
Brass C27200 6.0lbs 14" x 10" x 6"

ADDITIONAL INFORMATION

- Integrated LED options available. See AL05LEDP spec sheet for more information

IP65



landscape + architectural + hospitality + entertainment + illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE

LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350


WWW.FOCUSINDUSTRIES.COM

DESIGNED.

MANUFACTURED.



IN THE USA.



AL05 AREA LIGHT

AL05

PROJECT:

TYPE:

DATE:


CATALOG NUMBER:

DIMENSIONS

Dimensions Shown

AL05BLT with FA03 Stake

Aluminum Version



Dimensions Shown

AL05BRS with FA03LG Stake

Brass Version

SPECIFICATIONS

INTERNAL	VOLTAGE WIRING	12V: Standard 36" Black AWG 2/C, SPT1-W, 300V UL (Power with magnetic transformer) 120V: Standard 18g, black, white, green (ground) (Power with line voltage)
	CONNECTOR	Terminal ring star, insulated vinyl, 22-18 AWG #8, Red
EXTERNAL	HAT	Die cast 6061 aluminum or C27200 brass china hat 10.00" dia.
	HUB	Die cast aluminum or brass center hub
	STEM	Extrusion, aluminum 6061, round sch 40 pipe, .840" OD x .622" ID x 15.00" L x .109" W Extrusion, brass, C27200, round sch 40 pipe, .840" OD, .622" ID x 15.00" L x .109" W
	MOUNT	12V: 6061 Aluminum version: FA03 ABS black stake, 8.40" H, 1/2-14 NPS tapped 12V: Brass version: FA03LG ABS large black stake, .50" NPS tapped 120V: No mounting included
 Click icon to Download	FINISH (See page 3- for more options)	Aluminum: Black or Bronze Texture polyester powder coat Brass: Unfinished (Standard)
IP65	LISTINGS	IP65. IES files available for download.
		IP65



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE

LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350


WWW.FOCUSINDUSTRIES.COM

DESIGNED.

MANUFACTURED.



IN THE USA.



AL05 AREA LIGHT

AL05

PROJECT:

TYPE:


DATE:

CATALOG NUMBER:

ACCESSORIES


(Configure and order accessories separately) If ordering alternative mounting accessory, check (NS) No Stake box on page 1, to avoid double mounting accessories.

Stakes




FA03 8.40" (12V)
FA03LG 8.80" (12V)
FA03RX 7.00" (12V)
FA032P 8.235" (12V)
FA033P 8.235" (12V)

Mounting Posts



FA01 15.00" (12V)
FA24MDCSTPOST 13.00" to 16.00" (12V)
FA25 20.00" (12V)
FA26 20.00" (120V-277V)

Extension Wands & Couplers



FA30-4 4.00" (12V-277V)
FA30-8 8.00" (12V-277V)
FA30 10.00" (12V-277V)
FA31 13.00" (12V-277V)
FA32 16.00" (12V-277V)
FA33 21.00" (12V-277V)
FA34 26.00" (12V-277V)

Canopies



FA24 3.00"dia. (12V)
FA24MDCST 2.65"dia. (12V)
FA24MDCSTPC 2.65"dia. (12V)
FA24LGSPUN 4.50"dia. (12V-277V)
FA24LGCST 4.75"dia. (12V-277V)
FA22CST 5.75" (12V-277V)

Sprinkler Shield



Note: Included in 120V
FA97 1.75"dia. (12V Option)

FINISH

STANDARD FINISHES



Black Texture (-BLT)

Bronze Texture (-BRT)

PREMIUM FINISHES



CUSTOM FINISHES Supply RAL or Pantone here

RAL #:

Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #:

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



Acid Rust
Brass (-BAR)
Copper (-CAR)

Black Acid Treatment
Brass (-BAT)
Copper (-BAT)

Acid Verde
Brass (-BAV)
Copper (-CAV)

IP65



landscape + architectural + hospitality + entertainment + illumination

FOCUS INDUSTRIES INC.

25301 COMMERCENTRE DRIVE

LAKE FOREST, CA. 92630

949.830.1350 | TOLL FREE: 888.882.1350

WWW.FOCUSINDUSTRIES.COM

DESIGNED.

MANUFACTURED.



IN THE USA.