

AL08SM AREA LIGHT

AL08SM

PROJECT:

TYPE:

DATE:

CATALOG NUMBER:



AL08SMDML12COP
(Deck Mount)



AL08SML12COP
(Angle Cut)

CATALOG ORDER LOGIC

EXAMPLE: AL08SMDML12COP

FIXTURE

AL Area Light

TYPE

08SM 360° Small Bollard 1.76" Diameter

MOUNT

Blank Angle Cut (12V only)
 DM Deck Mount

12 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL (No Lamp)		Ba15s Single Contact		
<input type="checkbox"/> NLBP (No Lamp)		G4 Bi-Pin		
<input type="checkbox"/> L10	3w	G4 Bi-Pin	3000K	300lm
<input type="checkbox"/> L12	3w	Ba15s Single Contact	3000K	300lm
<input type="checkbox"/> L13	3w	G4 Bi-Pin	2700K	270lm
<input type="checkbox"/> L14	3w	G4 Bi-Pin	3000K	270lm
<input type="checkbox"/> L15	3w	Ba15s Single Contact	2700K	270lm
<input type="checkbox"/> L16	3w	Ba15s Single Contact	3000K	270lm
<input type="checkbox"/> L17	3w TF	G4 Bi-Pin	Amber	585-595nm
<input type="checkbox"/> L18	3w TF	Ba15s Single Contact	Amber	585-595nm

(TF) Turtle Friendly Light Source

120 VOLT LED	WATT	SOCKET	KELVIN	LUMEN
<input type="checkbox"/> NL120VBP		GY6.35 Bi-Pin		
<input type="checkbox"/> L160	3w	GY6.35 Bi-Pin	3000K	440lm

120V available in Deck Mount option only.

OPTIONS

25F 25 Feet Fixture Lead Wire (12V Only)

FIXTURE HEIGHT

24" 24" Standard Angle Cut Height
16" 16" Standard Deck Mount Height
 Custom height _____
(State custom height on the line above)

FINISH (STANDARD FINISH LISTED)

COP Copper: Unfinished

Optional powder coat & acid treatment finishes available. See page 3 for more information

SHIP WEIGHT / CARTON DIMENSIONS


C12200 Copper 2lbs. 26" x 4" Triangle Box

IP65



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED. 
IN THE USA.



AL08SM AREA LIGHT


AL08SM

PROJECT:	TYPE:	DATE:
CATALOG NUMBER:		

DIMENSIONS


Dimensions Shown AL08SMDMCOP shown with FA03

(DM) Deck Mount



Dimensions Shown AL08SMCOP

Standard Angle Cut



SPECIFICATIONS

INTERNALS	VOLTAGE WIRING	12V: Standard 48" Black 18 AWG 2/C, SPT1-W, 300V UL (Power with Magnetic Transformer) 120V-277V: 36" 18AWG Black, White, and Green (ground) wire (Power with Line Voltage)
	EXTERNALS	
	CAP	Spun copper cap, 1.75" dia. x 1.00"
	BODY	Extrusion round tube copper (Standard 6 slots) 1.625" OD. x 16" (DM), 1.625" OD. x 24" Height (Angle Cut)
	LENS	White acrylic, 0.062" gauge. 1.5" OD x 2.75"H
	MOUNT (See page 3- for more options)	12V: Deck mount (DM): FA03 ABS black stake, 8.40" H, 1/2-14 NPS tapped 120V: No mounting included
	FINISH (See page 3- for more options)	Copper: Standard Unfinished
	LISTINGS	IP54 IES files available for download.



Click Icon to Download


IP54



landscape • architectural • hospitality • entertainment • illumination

FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED. 
IN THE USA.



AL08SM AREA LIGHT

AL08SM

PROJECT: _____

TYPE: _____


DATE: _____

CATALOG NUMBER: _____

ACCESSORIES


(Configure and order accessories separately) If ordering alternative mounting accessory, check (NS) No Stake box on page 1, to avoid double mounting accessories.

Stakes




FA03 8.40" (12V)	FA03LG 8.80" (12V)	FA03RX 7.00" (12V)	FA032P 8.235" (12V)	FA033P 8.235" (12V)
------------------------	--------------------------	--------------------------	---------------------------	---------------------------

Mounting Posts



FA01 15" (12V)	FA24MDCSTPOST 13" to 16" (12V)	FA25 20" (12V)	FA26 20" (120-277V)
----------------------	--------------------------------------	----------------------	---------------------------

Extension Wands & Couplers



FA30-4 4"	FA30-8 8"	FA30 10"	FA31 13"	FA32 16"	FA33 21"	FA34 26"
(12V-277V)						

Canopies




FA24 3.00" dia. (12V)	FA24MDCST 2.65" dia. (12V)	FA24MDCSTPC 2.65" dia. (12V)	FA24LGSPUN 4.50" dia. (12V-277V)	FA24LGCST 4.75" dia. (12V-277V)	FA22CST 5.75" (12V-277V)
-----------------------------	----------------------------------	------------------------------------	--	---------------------------------------	--------------------------------

Direct Burials & JBoxes



DBR55JB (12V-277V)	FAJBOX (12V-277V)
-----------------------	----------------------

Lenses



FA1017AMBER (Tempered Glass Lens) 1.4" OD X 0.125" ± 0.03" TH	FA1017RED (Tempered Glass Lens) 1.4" OD X 0.125" ± 0.03" TH	FA1017GREEN (Tempered Glass Lens) 1.4" OD X 0.125" ± 0.03" TH	FA1017BLUE (Tempered Glass Lens) 1.4" OD X 0.125" ± 0.03" TH
---	---	---	--

FINISH

STANDARD FINISHES



Black Texture (-BLT)	Bronze Texture (-BRT)
-------------------------	--------------------------

PREMIUM FINISHES



Dark Bronze (-DBZ)	Black Magic (-BKM)	White Gloss (-WHT)	White Texture (-WTX)	Stucco (-STU)
Chrome Powder (-CPR)	Weathered Iron (-WIR)	Weathered Brown (-WBR)	Rust (-RST)	Luna (-LUN)
Rubbed Verde (-RBV)	Hunter Texture (-HTX)	Mineral Bronze (-BRZ)	Semi-Gloss Black (-BLK)	

CUSTOM FINISHES Supply RAL or Pantone here


RAL #: _____

Need help finding a RAL color?
<https://www.ralcolor.com/>

PANTONE #: _____

Need help finding a Pantone color?
<https://www.pantone.com/color-finder>

ACID FINISHES Brass and Copper fixtures only



Acid Rust Brass (-BAR) Copper (-CAR)	Black Acid Treatment Brass (-BAT) Copper (-BAT)	Acid Verde Brass (-BAV) Copper (-CAV)
--	---	---



FOCUS INDUSTRIES INC.
25301 COMMERCENTRE DRIVE
LAKE FOREST, CA. 92630
949.830.1350 | TOLL FREE: 888.882.1350
WWW.FOCUSINDUSTRIES.COM

DESIGNED. 
MANUFACTURED. 
IN THE USA.